



Headquarters - Procurement Department  
225 North Pearl Street  
Jacksonville, Florida 32202

April 3, 2026

ADDENDUM NUMBER: One (1)

TITLE: Pad Mounted Switchgear for JEA Inventory FY26

JEA SOLICITATION NUMBER: 1412134846

BID DUE DATE: April 21, 2026

TIME OF RECEIPT: 12:00 PM

TIME OF OPENING: 02:00 PM

**THIS ADDENDUM IS FOR THE PURPOSE OF MAKING THE FOLLOWING CHANGES OR CLARIFICATIONS:**

1. If slot ordering will be utilized, the supplier will need to provide details on what this program entails. For example, if the monthly slot quantity provided is a combination of all items ordered for that month or if the PO must be issued by a certain day of the month.
2. The following changes have been made in the Addendum 1 Appendix B – Response Workbook:
  - Quantities for SWEPA021, SWEPA023, SWEPA031, SWEPA032, and SWEPA033 have been updated.
  - Column I (existing) is lead time defined as the number of calendar days after receipt of order that JEA will receive the material, not the number of days to ship.
  - Column J (new) is the lead time during the "ramp up" period to slotting,
  - Column K (new) is lead time once a slotting program is established. All of these should be as number of days, do not quote a range.
  - Column L (new) is the number of monthly slots available.