

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

SCOPE OF WORK

This contract is executed between JEA and the Contractor to perform restoration and waterproofing services at JEA's lab located at 1002 Main St. N, Jacksonville, Florida 32206. The contract work for this project includes, but is not limited to: on site surface preparation, tuck-pointing, caulking, removing and replacing bricks, removing corrosion, removing moisture, removing organic growth, sealing and exterior pressure washing. The Contractor shall provide all labor, supervision, materials, tools, personnel, equipment and rental of equipment required to accomplish this project. All cost should be included in response bid price. JEA may take action to perform portions of the work in house and, thereby, reduce Contractor workload and cost. The following specifications are not intended to supersede Federal, State, or local regulations to which the Contractor must comply; nor are they intended to supersede or contradict content in the contract documents between JEA and the Contractor.

GENERAL

1.1 CODES AND STANDARDS

OSHA 29 CFR 1926 – Construction Standard

OSHA 29 CFR 1910.134 – Respiratory Protection Standard

OSHA 29 CFR 1910.1200 – Hazard Communication

OSHA 29 CFR 1910.144 – Safety Color Code for Marking Physical Hazards

OSHA 29 CFR 1926.451 – General requirements - Scaffolding

1.2 SUBMITTALS

Contractor shall deliver the following submittal items in a timely manner to the JEA Contract Administrator or assigned designee for approval.

SUBMITTAL 01 – JEA SAFETY CERTIFICATION

Contractor shall submit applicable safety documents and receive approval from the JEA Contract Administrator or assigned designee prior to the start of work in accordance with Section [1.7.3](#) of this technical specification.

SUBMITTAL 02 – INVOICING DOCUMENTS

Following the completion of work, the Contractor shall submit invoicing documents in accordance with Section [1.5](#) of this technical specification.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

SUBMITTAL 03 – PHOTOGRAPHS OF COMPLETION

Contractor shall submit photographic documentation of completed work in accordance with Section [1.5.4](#) of this technical specification.

1.3 CONTRACTOR REQUIREMENTS

- 1.3.1 Contractor shall possess a current business license issued by the City of Jacksonville/Duval County.
- 1.3.2 Contractor shall obtain all permits required by local agencies and pay all fees which may be required for the performance of the work and removal/disposal of hazardous materials. Response bid prices should include this cost.
- 1.3.3 Contractor shall meet all minimum qualifications as identified in JEA solicitation documents.
- 1.3.4 Contractor is responsible for verifying estimated project square footage and building conditions prior to submitting bid response.
- 1.3.5 Contractor shall conform to environmental regulations of public agencies, including local, state and Federal jurisdiction.
- 1.3.6 The work shall be furnished through the Contractor who shall be responsible for satisfactory results.
- 1.3.7 All quotes shall be approved by JEA Contract Administrator or assigned designee before starting the job.
- 1.3.8 Prior to the start of work, the Contractor shall provide work schedules to the JEA Contract Administrator and agreed to by all parties before work proceeds. Changes in the schedule shall be coordinated through the JEA Contract Administrator or assigned designee.

1.4 ADMINISTRATIVE COST AND PROFIT

- 1.4.1 The administrative cost, profit, transportation, rental of equipment and other indirect Company costs shall not be permitted as separate billable costs. These costs should be included in the Bid Response price.
- 1.4.2 Bid response price shall include all material and labor expenses including, but not limited to, small tools, PPE, cleaning equipment, drop cloth, scaffold, ladders, lifts, preparation of surfaces, primers, sealers, paint, caulk, mortar, pressure washing, meals, per diem, salaries, and benefits to perform the work, at no additional cost to JEA.
- 1.4.3 Travel costs and travel time shall not be paid by JEA.
- 1.4.4 There shall be no truck fee, trip fee, or fuel adjustment.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

1.5 INVOICING

- 1.5.1 Invoices shall be submitted no later than 30 days after the service is provided.
- 1.5.2 The Contractor shall submit invoicing documents annotated on the contractor's letterhead. The invoice (containing company name and address) shall include JEA purchase order number and the JEA Contract Administrator name.
- 1.5.3 The Contractor shall include the following information on the invoice: Project name, date of service, service location, description of service provided, (interior or exterior service), total amount payable and project completion date.
- 1.5.4 Invoices shall include breakdown of services indicating the work performed. If applicable, the following information must be included: room layout, unit measures per room, numbered photos of work completed with description (available upon request) and area grand totals. Also required is an attachment providing a breakdown of the quantity and cost of materials used.
- 1.5.5 Contractor's invoiced pricing must agree with the contract bid pricing established in the agreement between the Contractor and JEA.
- 1.5.6 Any invoice that omits the required information will be rejected and not paid until a corrected invoice is submitted.

1.6 COMPANY PERSONNEL

- 1.6.1 Unless otherwise designated herein, services will be performed Monday through Friday between the hours of 7:00 a.m.-5:00 p.m., fifty-two (52) weeks per year, excluding only JEA Holidays.
- 1.6.2 All services shall be rendered by uniformed employees wearing company-identified shirts, at all times during performance of this work.
- 1.6.3 Shirts with offensive logos or messages, ripped jeans, shorts, and sleeveless shirts are not acceptable.
- 1.6.4 Prior to the start of work, assigned personnel shall be issued JEA badges for access to non-occupied areas. This badging process may require mandatory training and may take up to two (2) weeks for approval. Badges must be visible at all times while on JEA Property.
- 1.6.5 No sharing of JEA badges is allowed and no Contractor employee shall be granted access without his/her JEA badge.
- 1.6.6 The JEA Contract Administrator will be notified within twelve (12) hours of any worker with access to job site, that resigns and immediately if an employee is dismissed for cause or if a badge is lost or stolen. Badges should be turned in to the JEA Contract Administrator.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

- 1.6.7 Parking is the responsibility of the Contractor. Parking on JEA property may be approved at the sole discretion of the JEA Contract Administrator.
- 1.6.8 The Contractor shall provide competent, experienced employees. Any worker employed by the Contractor, who exhibits inadequate experience and knowledge or is incapable in his/her field, shall be removed from the work site at the discretion of the JEA Contract Administrator.

1.7 SAFETY

- 1.7.1 Contractor shall familiarize all employees with all fire and safety regulations recommended by OSHA and other industry or local governmental groups and maintain a safe working environment at all times. OSHA available at:
<https://www.osha.gov/>
- 1.7.2 Contractor shall familiarize all employees with hazard and solutions related to Sealant, Waterproofing and Restoration industry. OSHA available at:
<https://www.osha.gov/SLTC/swri/hazards.html>
- 1.7.3 All Contractor personnel, including supervisors who perform work on JEA property, must be JEA safety certified and adhere to JEA Safety and Training regulations prior to beginning actual work at JEA.
- 1.7.4 Contractor is responsible for ensuring ALL personnel have received badge access and the appropriate training prior to beginning work.
- 1.7.5 Contractor shall take all precautions to protect the safety of its employees and others. Work safety requirements shall comply with JEA Contractor Safe Work Practices Manual, available online at:
https://www.jea.com/About/Procurement/Become_a_Vendor/Contractor_Safety/Contractor_Safety_Manual.aspx
- 1.7.6 At no cost to JEA, the Contractor shall provide, and personnel must wear, proper Personal Protective Equipment (PPE), as required at specific locations and during special circumstances such as Pandemic and storm occurrences. Hearing protection may be required for specific tasks. Footwear must have closed toes and slip resistant soles.
- 1.7.7 All scaffolding shall be erected, modified, and dismantled only under the supervision of a Competent Person. Contractor shall take into account all JEA safety procedures and OSHA requirements in accordance with OSHA 29 CFR 1926.451 General requirements.
- 1.7.8 The Contractor shall be responsible for all damages to JEA property and personal injury caused by non-compliance with safety and training requirements.

1.8 QUALITY ASSURANCE

- 1.8.1 Contractor shall ensure that all work is to JEA standards. It is the contractor's responsibility to review JEA standards for applicable work.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

- 1.8.2 Contractor shall be aware of all JEA Standards that apply to the tasks executed by the Contractor. Standards are available to the public on JEA's website, https://www.jea.com/About/Procurement/Become_a_Vendor/Contractor_Safety/Contractor_Safety_Manual.aspx
- 1.8.3 On all installations and repairs, the Contractor shall confirm that the installation and/or repairs comply with accepted practice as specified in the most update versions of the Florida Building Code. The Contractor shall apply all applicable ASTM standards.
- 1.8.4 Contractor shall warranty workmanship for one (1) calendar year from the substantial completion date.

1.9 SITE CONDITIONS

- 1.9.1 Contractor shall prevent access by the public to materials, tools, and equipment during the course of the work.
- 1.9.2 When unattended, all doors and gates shall be re-locked and secured if they were locked upon arrival.
- 1.9.3 Contractor shall be responsible for the daily securing and clean-up of its equipment at the facility, after all work has been completed. No tools, materials or equipment are to be left in the work area unsecured at the end of the workday.
- 1.9.4 Contractor shall be responsible for daily clean-up of debris and dust resulting from contractor's work. Contractor is expected to sweep or vacuum the work area prior to leaving the site.
- 1.9.5 Contractor shall remove all waste materials and rubbish from and about the work site in strict accordance with the specifications and applicable codes and regulations.
- 1.9.6 It is the policy of JEA to provide healthy, tobacco-free facilities for all employees and visitors. This policy prohibits the smoking of any tobacco product and the use of oral tobacco products, as well as e-cigarettes and it applies to employees, contractors, and visitors. Company employees will not use tobacco products while on JEA property or in the course of performing work on behalf of JEA.

1.10 STORAGE, AND HANDLING

- 1.10.1 Contractor is responsible for the storage of all materials and shall store all materials according to manufacturer instructions.
- 1.10.2 Contractor shall remove oily rags, waster, etc. at the end of each day and take every precaution in the prevention of potential fire hazards.
- 1.10.3 Materials shall be placed away from wet or damp surfaces to prevent damage or contamination.
- 1.10.4 Damage or previously used materials shall not be used and shall be removed from the worksite and disposed properly at the contractor's expense.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

- 1.10.5 Materials or equipment left on site overnight are the Contractor's responsibility and any loss or damage to the materials will be at the Contractor's expense.

1.11 HAZARD COMMUNICATION

- 1.11.1 Should the Contractor encounter any hazardous materials, the contractor is responsible for notifying the JEA Contract Administrator or assigned designee immediately for direction.
- 1.11.2 Contractor shall post warning signs to identify hazards that might exist on the job site and should list emergency contact information: company name, company address, emergency contact number and name of project supervisor.
- 1.11.3 When warning signs are to be posted, they shall be printed with the date they were posted and the approximate date they are expected to be taken down or reassigned.
- 1.11.4 Contractor shall ensure that all signs, equipment, machinery, and hazards are marked or painted to identify the hazard. The colors and markings used shall conform to OSHA regulations specified at 29 CFR 1910.144 (Safety Color Code for Marking Physical Hazards), and other State and Local statutes as applicable.

PERSONNEL EQUIPMENT

2.1 PERSONNEL EQUIPMENT

- 2.1.1 Contractor shall provide all equipment required to complete this job at no additional cost to JEA, included but not limited to:
- 2.1.1.1 Personal Protective Equipment (safety glass, hard hats, gloves, hearing protection)
- 2.1.1.2 Respirator mask
- 2.1.1.3 Safety ropes and harnesses.

2.2 COVID-19 GUIDANCE FOR THE CONSTRUCTION WORKFORCE

- 2.2.1 Due to the current Pandemic and for everyone's safety, Contractor shall familiarize all employees with guidelines recommended by OSHA and other industry or local governmental groups and maintain a safe working environment at all times. OSHA recommendations available at: <https://www.osha.gov/Publications/OSHA4000.pdf>
- 2.2.2 Reducing the risk of exposure to the coronavirus, Contractor shall:
- 2.2.2.1 Keep the recommended social distance of 6 feet away from others in gatherings or meetings.
- 2.2.2.2 Wear a face mask before entering the building and during working hours.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

2.2.2.3 Wash your hands often.

2.2.2.4 Avoid touching your eyes, nose or mouth with unwashed hands.

2.2.2.5 Avoid shaking hands when greeting others.

2.2.2.6 Avoid contact with sick people.

2.2.3 Contractor shall provide masks, hand sanitizers and any other equipment required to protect its employees at no additional cost to JEA.

EXECUTION

3.1 PROJECT TIMELINE

3.1.1 The Contract shall be executed immediately after award.

3.1.2 The Contractor shall complete the project no more than six (6) weeks after the Contractor receives authorization from the JEA Contract Administrator.

3.1.3 If the Contractor is aware of deviations from the scheduled project timeline, the Contractor shall communicate this information immediately to the JEA Contract Administrator by email.

3.2 GENERAL REQUIREMENTS

3.2.1 Contractor must receive verbal and written agreement from JEA Contract Administrator or assigned designee prior to commencement of activities.

3.2.2 Services cannot interfere with daily operations.

3.2.3 Contractor shall verify existing conditions, restoration and waterproofing needs prior to starting work. Any discrepancies must be brought to the attention of the JEA Contract Administrator prior to initiating the project. It is the Contractor's responsibility to remove and/or provide additional items as required to comply with the contract documents.

3.2.4 Surfaces not intended to be restored or waterproof, shall be adequately protected from contamination, discoloration, or other damage resulting from operations.

3.2.5 Contractor shall provide any and all dust curtains, temporary partitions, walk-off mats or any other barricade or process necessary to keep site clean, at no expense to JEA.

3.2.6 Some surfaces might require pressure washing, it is expected that the Contractor assume responsibility to protect all electrical equipment. The Contractor must keep debris out of drains to prevent clogging.

3.2.7 If there is graffiti present, it is expected that the Contractor will make every effort to remove it.

3.2.8 The Contractor shall provide and use proper drop cloths, masking tapes, and other protective measures necessary to protect surfaces, including grease fittings, electrical cords, motor shafts, bushings, gauges, gaskets, etc., from accidental

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

spraying, spattering, or spilling of products. Surfaces that have been accidentally sprayed or spattered shall be thoroughly cleaned and all residue removed, at no additional expense to JEA.

- 3.2.9 Any equipment that is not removable shall be masked for protection during the sandblasting, stripping or waterproofing process.
- 3.2.10 All cracks or crevices shall be prepped and filled with a suitable material to prevent future cracks per manufacture recommended procedure.
- 3.2.11 On smaller areas, where corrosion has caused complete deterioration through the metal surface, the Contractor shall use an approved surface patching material that would be applied to fill the subject areas. The patched area would then be sanded smooth to conform to the original surface contours. Where deterioration of the metal surface has occurred, the Contractor shall notify the JEA Contract Administrator for further direction as to the course of action to be followed.
- 3.2.12 All work shall meet or exceed applicable building codes.

3.3 RESTORATION AND WATERPROOFING

- 3.3.1 Contractor is expected but not limited to:
 - 3.3.1.1 Remove bricks above brick relief angle
 - 3.3.1.2 Clean brick relief angle
 - 3.3.1.3 Remove corrosion from brick relief angle
 - 3.3.1.4 Restore metal lintels over windows and coat to prevent rusting
 - 3.3.1.5 Prime brick relief angle
 - 3.3.1.6 Clean and wash building exterior including organic buildup
 - 3.3.1.7 Remove moisture from wall cavity
 - 3.3.1.8 Caulk vertical joints
 - 3.3.1.9 Caulk windows metal perimeter joints
 - 3.3.1.10 Caulk vertical expansion joints around bricks
 - 3.3.1.11 Apply a protective through wall flashing membrane to extend over full face of brick relief angle and out to exterior face of brick
 - 3.3.1.12 Replace Brick above Relief angle and provide a vertical weep in the mortar joints at 36 inches on center
 - 3.3.1.13 Seal exterior of building brick with penetrating sealer.

3.4 DAMAGE TO PUBLIC OR PRIVATE PROPERTY

- 3.4.1 Contractor shall use extreme care to protect site amenities, windows, existing objects, structures, landscaping and vehicles on or around the job site.

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

- 3.4.2 In the event of damage, Contractor shall immediately contact JEA Contract Administrator by email or phone to inform the extent of damages and remedial plan. Contractor shall make all repairs, replacements to damaged materials at the approval of JEA Contract Administrator at Contractor's expense.

3.5 CLEANUP AND RESTORATION

- 3.5.1 As defined on a case by case basis by FDEP and JEA, the Contractor will be accountable for timely clean-up and remediation associated with any containment spills, accidental or otherwise, including, but not limited to diesel fuel, gasoline, lubricants, and cleaning fluids.
- 3.5.2 Contractor must dispose of waste generated as a result of the contract at an officially permitted location: debris, demolished items, and construction waste, including the proper and legal disposing of such. Any fees and/or charges associated with this disposal should be included in bid price of work. JEA will not pay additional charges/fees for waste disposal.
- 3.5.3 If at the completion of the work, the building exterior and/or landscaping, were affected by Contractor work, this shall be restored at no additional cost to JEA.
- 3.5.4 Contractor shall follow all applicable local, State, and Federal requirements for the disposal of this material.
- 3.5.5 Any damage to private or public property resulting from incomplete or improper cleanup shall be the sole responsibility of the contractor to restore at contractor's expense.

3.6 PROJECT COMPLETION

- 3.6.1 At the completion of project, Contractor shall be accountable for timely clean up and remediation associated with any contaminant spills, accidental or otherwise prior to leaving the site.
- 3.6.2 Contractor shall contact JEA Contract Administrator, or designee to confirm completion of work activities. Unless otherwise instructed by the JEA Contract Administrator, Contractor must fully exit JEA property following completion of work.
- 3.6.3 No material or equipment should be left behind at the completion of project.
- 3.6.4 Pictures of completed work shall be provided if requested by JEA Contract Administrator.

3.7 VENDOR PERFORMANCE EVALUATION

- 3.7.1 JEA shall utilize Vendor Performance Evaluation Scorecards as described in "Solicitation Document" and in "Appendix C – Vendor Performance Scorecard" to monitor Company performance during the duration of project.
- 3.7.2 JEA requires a minimum performance level. For any performance below the minimum, remedial action will be required to improve Company's performance

APPENDIX A – TECHNICAL SPECIFICATIONS

RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

level, or the company may be in default of its contract. For specific details of this process, review the Vendor Performance Evaluation section of the “Solicitation Document.”

APPENDIX B – BID FORM
RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

Submit **Bid Form** along with other required documents in an email to:
Sherea Harper (harpsb@jea.com)

Company Name: _____

Company's Address _____

Phone Number _____ FAX No: _____ EMAIL Address: _____

BID SECURITY REQUIREMENTS

☒ **None required**

☐ Certified Check or Bond

_____ % \$ _____

TERM OF CONTRACT

☒ **One-Time Purchase**

☐ Annual Requirements

☐ Other, Specify

SAMPLE REQUIREMENTS

☒ **None required**

☐ Samples required prior to Bid Opening

☐ Samples may be required subsequent to Bid Opening

SECTION 255.05, FLORIDA STATUTES CONTRACT BOND

☒ **None required**

☐ Bond required \$ _____ % of Bid Award

QUANTITIES

☒ **Quantities indicated are exacting**

☐ Quantities indicated reflect the approximate quantities to be purchased throughout Contract period and are subject to fluctuation in accordance with actual requirements

INSURANCE REQUIREMENTS

☐ None required

☒ **Insurance required**

Quote the following materials **F.O.B.: Jacksonville, FL**

Item No.	ENTER YOUR BID FOR THE FOLLOWING DESCRIBED ARTICLES OR SERVICES	TOTAL BID PRICE
1	Total Cost for JEa MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT (as described in Appendix A – Technical Specifications)	\$ _____

____ I have read and understood the Sunshine Law/Public Records clauses contained within this solicitation. I understand that in the absence of a redacted copy my proposal will be disclosed to the public “as-is”.

Bidder's Certification

By submitting this bid, the bidder certifies that the bidder has read and reviewed all of the documents pertaining to this Request For Quote, that the person signing below is an authorized representative of the Company, that the Company is legally authorized to do business in the State of Florida, and that the Company maintains in active status an appropriate contractor's license for the work. The Bidder also certifies that the Bidder complies with all sections (including but not limited to Conflict Of Interest and Ethics) of this Request For Quote.

We have received addenda

_____ through _____

Handwritten Signature of Authorized Officer of Firm or Agent

Date

Printed Name and Title

APPENDIX B – LIST OF SUBCONTRACTORS FORM
RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

JEA RFQ 99742 requires certain major Subcontractors be listed on this form, unless the work will be self-performed by the Company.

The undersigned understands that failure to submit the required Subcontractor information on this form will result in bid rejection, and the Company agrees to employ the Subcontractors specified below: (Use additional sheets as necessary)

Note: This list of Subcontractors shall not be modified subsequent to bid opening, without a showing of good cause and the written consent of JEA.

Type of Work	Corporate Name of Subcontractor	Subcontractor Primary Contact Person & Telephone Number	Subcontractor's License Number (if applicable)	Percentage of Work or Dollar Amount

Signed:_____

Company:_____

Address:_____

Date:_____

APPENDIX B – MINIMUM QUALIFICATION FORM
RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

GENERAL

THE MINIMUM QUALIFICATIONS SHALL BE SUBMITTED ON THIS FORM. IN ORDER TO BE CONSIDERED A QUALIFIED PROPOSER BY JEA YOU MUST MEET THE MINIMUM QUALIFICATIONS LISTED BELOW, AND BE ABLE TO PROVIDE ALL THE SERVICES LISTED IN THIS SOLICITATION/TECHNICAL SPECIFICATION.

THE BIDDER MUST COMPLETE THE BIDDER INFORMATION SECTION BELOW AND PROVIDE ANY OTHER INFORMATION OR REFERENCE REQUESTED. THE BIDDER MUST ALSO PROVIDE ANY ATTACHMENTS REQUESTED WITH THIS MINIMUM QUALIFICATIONS FORM.

THE BIDDER SHALL SUBMIT ALL OF THE REQUIRED BID FORMS ELECTRONICALLY TO SHEREA HARPER AT HARPSB@JEA.COM.

BIDDER INFORMATION

COMPANY NAME: _____

BUSINESS ADDRESS: _____

CITY, STATE, ZIP CODE: _____

TELEPHONE: _____

FAX: _____

E-MAIL: _____

PRINT NAME OF AUTHORIZED REPRESENTATIVE: _____

SIGNATURE OF AUTHORIZED REPRESENTATIVE: _____

NAME AND TITLE OF AUTHORIZED REPRESENTATIVE: _____

MINIMUM QUALIFICATIONS:

Bidder shall meet the following Minimum Qualifications to be considered eligible to submit a Bid in response to this SOLICITATION. It is the responsibility of the Bidder to ensure and certify that it meets the Minimum Qualifications stated below. A Bidder not meeting all of the following criteria may have their Bids rejected.

- Bidder must be licensed by the City of Jacksonville at the time of bid opening.
- Bidder shall maintain a branch office located in Duval county for the term of the project.
- Bidder must have successfully completed three (3) similar Commercial Restoration/Waterproofing contracts in the last three (3) years, ending July 31, 2020. The

APPENDIX B – MINIMUM QUALIFICATION FORM
RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

contract shall be of similar complexity as specified in Appendix A – Technical Specifications.

- A similar contract is defined as providing restoration/waterproofing services for a facility with greater than 25,000 square feet, each contract must meet or exceed estimated square footage provided. Only one (1) of the three projects can be work performed for JEA.

Please provide the reference information requested below pertaining to this contract.

1. REFERENCE

Reference Name _____

Reference Phone Number _____

Reference Company Name _____

Address of Work _____

Reference E-Mail Address _____

Dates of Work/\$ Amount _____

Description of Work _____

2. REFERENCE

Reference Name _____

Reference Phone Number _____

Reference Company Name _____

Address of Work _____

Reference E-Mail Address _____

Dates of Work/\$ Amount _____

Description of Work _____

APPENDIX B – MINIMUM QUALIFICATION FORM
RFQ 99742 JEA MAIN ST LAB BUILDING ENVELOPE WATERPROOFING PROJECT

3. REFERENCE

Reference Name _____

Reference Phone Number _____

Reference Company Name _____

Address of Work _____

Reference E-Mail Address _____

Dates of Work/\$ Amount _____

Description of Work _____
