Page: 1 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 4", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.** SHIP BOXED IN 000 KIT FORM. **

Item Description: PACK ACCESSORY, 6", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN 019 KIT FORM. **

Item Description: PACK ACCESSORY, 8", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. ** SHIP BOXED IN 027 KIT FORM. **

Item Description: PACK ACCESSORY, 10", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN 035 KIT FORM. **

Item Description: PACK ACCESSORY, 12", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS.** SHIP BOXED IN 043 KIT FORM. **

Item Description: PACK ACCESSORY, 3", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN 051 KIT FORM. **

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 14", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN

074 KIT FORM.**

Item Description: PACK ACCESSORY, 16", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4-1/2") & NUTS.

096 **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 18", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") & NUTS.

100 **SHIP BOXED IN KIT.**

Item Description: PACK ACCESSORY, 20", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") AND

112 NUTS. **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 24", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 5") & NUTS.

123 **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 36", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (1" X 5- 1/2") &

NUTS.**SHIP BOXED IN KIT FORM**

XXJINVWCATL JEA Page: 3 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

ADHESIVES & COMPOUNDS

ADCCL

Item Description: CLEANER, HAND WATERLESS, 160Z BOTTLE, TRUE GRIT UNITED 58 REMOVES GROUND-IN SOILS COMPLETELY

010 WHILE CONDITIONING THE SKIN WITH LANOLIN **** NO SUBSTITUTES ****

UNITED LABORATORIES

55812

Item Description: ADHESIVE, M-1, 28 OZ. FOR MANHOLE GRADE FLAT PRO RINGS AND ANGLE RINGS

018 CHEMLINK

C098050

ADCMI

Item Description: SEALANT, DUCT SEAL, 5-POUND BAG, ** PRICED BY THE POUND **, ** ISSUE BY THE POUND IN 5 POUND

005 INCREMENTS. **

ANDERSON ARNCO INC. DUCKSEAL

DSC-5 S 50 1-6 10DSG5

INTER-CHEMICAL ITT/WEAVER JOHN MANVILLE

PERMAGUM DX5 DUX-SEAL

ADCSE

Item Description: SEALANT, SILICONE, BUILDING AND GLAZING, SEALANT COLOR IS CLEAR, 10 TO 11 OZ. CARTRIDGE, 12 PER

140 BOX, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

DEVCON DOW CORNING GENERAL ELECTRIC CO.

17150 732 RTV108

XXJINVWCATL JEA page: 4 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

AUTO TRANSFER SWITCH

ATSER

J7ADTSA30400F5XS, 18B, 18G 31Z, 42NZ3, 44G, 73CC1, NL1169

Item Description: SWITCH, ATS UNIT, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ

002 **ASCO**

J7ADTSA30400N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1, NL1169

Item Description: SWITCH, ATS UNITS, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ 30600.

003 **ASCO**

J7ADTSA30600N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1

Item Description: SWITCH, ATS UNIT, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ, 3100.

004 ASCO

H7ADTSA31000N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1, NL1169

JEA XXJINVWCATL Page: 5 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMAA

Item Description: BRICK, COMMON - #2 SOLID RED BRICK, ASTEM-32, SM AND MS GRADE, PRE-STACKED & BANDED FOR

125 FORKLIFT UNLOADING 2-1/4" X 3-1/2" X 7-3/4", SOLID BRICK ONLY, NO CORED BRICK ALLOWED

BORAL

#2 SOLID/RED

Item Description: CEMENT, 94 LB. BAG (PORTLAND CEMENT)

137

Item Description: HARDENER, CONCRETE, PORTLAND CEMENT QUICK SOLUTION, 5 GALLON PAIL, ANTI-HYDRO OR MAKE SET

233

Item Description: CONCRETE MIX, 60 POUND BAG, COMPRESSIVE STRENGHT OF 4,000 PSI (28 DAY).

241 OUIKRETE

1101

Item Description: LIME, HYDRATED, 50 POUND BAG

250

Item Description: ROD, CONNECTOR - 3/4", (COUPLER) ZINC PLATED.

262

Item Description: CORD-SASH, #8, 1/4" - 100 FT HANK, JUBILEE BRAIDED, SYNTHETIC CORD, MAGNOLIA

274

XXJINVWCATL JEA Page: 6 of: 341

Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMAA

Item Description: PLUG, HYDRAULIC CEMENT MATERIAL FOR STOP- PING WATER INFILTRATION IN MANHOLES OR MASONRY

636 CHEMMASTERS

JAN-05-22 08:40:51

PROSELECT

CHEMPLUG "F" PSHYD5GALFAS

BDMCC

Item Description: LUMBER, PINE - #2, 2" X 4" X 12'.

295

Item Description: INACTIVE - NAIL, COMMON - 16D. SCOTTY'S OR EQUAL

517

Item Description: RECTORSEAL, PIPE JOINT COMPOUND, (1-PINT CAN)

731

BDMDD

Item Description: SEALANT, 3M , MARINE ADH , COLOR WHITE , 100Z TUBE #5200 ****** NO SUBSTITUTES ******

²⁶⁰ **3M**

5200 - 051135-06500

Item Description: INACTIVE***SAME AS BDMAA188***SEALENT, RUBBER, BUTYL-FLEX RUBBER LAP SEALANT, TO BE USED TO

SEAL HDPE MANHOLE RISER RINGS, 10.1 OZ. CAULK TUBE, MEETS ASTM C-1085. MADE BY DAP **** NO

SUB. ****

DAP

18182

XXJINVWCATL Page: 7 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-BUILDING MATERIAL

BDMEE

Item Description: STAKE-WOOD, 1" X 2" X 24" #2 PINE, BANDED, 50/PER BUNDLE SINGLE POINT, DOUBLE CUT. **** 1 EACH
112 = BUNDLE OF 50 STAKES. ****

Item Description: STAKE, WOOD - 1" X 2" X 36", 1 EACH = BUNDLE OF 25

128

Item Description: ROD, STEEL, ALL THREADED, 5/8" X 12', PLAIN FINISH, B7. * 10-12 FT. LENGTHS ONLY *

448

Item Description: ROD, STEEL, ALL THREADED, 3/4-10 X 12', PLAIN FINISH ***** 12-FT. LENGTHS ONLY PLEASE******,

460 **** 1 EACH = 12 FOOT PIECE ****

BDMFF

Item Description: TAPE, ALUMINUM FOIL, DUCT TAPE, 7.4 MILS THICK OVERALL WITH 2-MIL DEAD SOFT ALUM- INUM FOIL,

071 PERMANENT HIGH TACK ADHESIVE, 2" WIDTH. 50 FT ROLL. GRAINGER #2W500

W W GRAINGER

2W500

Item Description: TAPE, SURVEYING ORANGE FLUORESCENT 1 3/16" X 50 YDS, TAFFETA GRADE

134 PRESCO

TFOG

JEA XXJINVWCATL Page: 8 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-BELTS

BELAA

Item Description: BELT, V - 4L560, 1/2" TOP WIDTH X 5/16" THICK X 56" OUTSIDE LENGTH, INDUSTRIAL DUTY, FHP. DEMCO

570 OR EQUAL (ALL BELTS MUST BE MATCHED)

DEMCO INC.

4L560

PUD-BACKFLOW PREVENTERS

BFPAA

Item Description: PREVENTER BACKFLOW, REDUCED PRESSURE TYPE 1", TWO INDEPENDENT CHECK VALVES WITH INTERMEDIATE

020 RELIEF VALVE, BRONZE FULL PORT BALL VALVE SHUT-OFFS TO BE RESILIENT SEATED, 1/4 TURN BALL

VALVES.

WATTS REGULATOR

LF909-OT

Item Description: PREVENTER BACKFLOW 1" DUAL CHECK.

030

Item Description: PREVENTER BACKFLOW 2", REDUCED PRESSURE TYPE WITH BALL VALVE, BALL VALVE TO BE RESILIENT

050 SEATING IN KEEPING WITH CITY OF JACKSONVILLE SPECIFICATIONS.

WILKINS

975-XL2

Item Description: PREVENTER BACKFLOW 6", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

070 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLESS STEEL, SEALS AND RINGS FDA APPROVED

WILKINS

375AOSY

XXJINVWCATL JEA Page: 9 of: 341

Water and Wastewater Master Material Catalog

PUD-BACKFLOW PREVENTERS

BFPAA

Item Description: PREVENTER BACKFLOW 8", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

075 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLES STEEL, SEALS AND RINGS

WILKINS

JAN-05-22 08:40:51

375AOSY

Item Description: PREVENTER BACKFLOW 10", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

080 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLES STEEL, SEALS AND RINGS

WILKINS

375AOSY

BOLTS

BOLEY

Item Description: BOLT, EYE, 3/4"- 10 X 4 1/2", OFFSET, 316 SS

030

Item Description: BOLT, 3/4"-10 X 2 1/2", HEX HEAD CAP, 316 SS, NC 50/100 PER BOX/BAG

040

JEA XXJINVWCATL Page: 10 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

CONDUIT

CDUNL

Item Description: LOCKNUT, CONDUIT, 1", STEEL

022 THOMAS AND BETTS

143

Item Description: LOCKNUT, CONDUIT, 3/4", STEEL

026 THOMAS AND BETTS

142

PUD-CHLORINE

CHLEE

Item Description: REAGENT, POWDER PILLOW - DPD FREE CHLORINE REAGENT FOR 10 ML SAMPLE, POWDER PILLOWS (PP), 100

265 PILLOWS PER PACKAGE -- HACH COMPANY #21055-69

HACH COMPANY

21055-69

CHLGG

Item Description: KIT, TEST, FREE CHLORINE, 100 TESTS PER KIT, COLOR DISC TYPE, 0-3.5 TEST RANGE, KIT TO INCLUDE:

003 TEST TUBES, 100- 5 ML DPD PAKS, COLOR WHEEL/TEST TUBE HOLDER AND CASE. HACH KIT #2231-02 *****

NO SUBSTITUTE ****

HACH COMPANY

2231-02

Item Description: REAGENT, POWDER PILLOW - DPD FREE CHLORINE REAGENT FOR 5 ML SAMPLE, POWDER PILLOWS (PP), 100

026 PILLOW PER PACKAGE -- HACH COMPANY #14077-99 *NO SUBSTITUTE*

HACH COMPANY

14077-99

XXJINVWCATL JEA Page: 11 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CHLORINE

CHLGG

Item Description: KIT, ICE MAKER - KIT TO BE USED FOR TAPPING 3/8" - 1-3/8" COPPER TUBING, KIT INCLUDES 25 FT. OF

204 FDA APPROVED 1/4" O.D NON-TOXIC POLYETHYLENE TUBING (120 PSI MIN), SELF-TAPPING SADDLE VALVE

W/RUBBER WASHER AND COMPRESSION SLEEVE, TWO BRASS INS

JOHNSTONE SUPPLY PROFLO

PT25 PFXIMK25PA

B-80516

CHEMICALS

CHMDE

Item Description: GREASE TRAP MAINTAINER, 5 GALLON PAILS. **** 1 EACH = 5 GALLON PAIL. ****ONCE ON HAND GOES TO

O55 ZERO MAKE ITEM INACTIVE*******

GATEWAY CHEMICALS

3146

Item Description: BIG JIM DEODORIZER / SANITIZER, 55 GALLON DRUMS. ****1 EACH = 55 GALLON DRUM. ****

060

PUD-CHAIN & ATTACHMENTS

CHNAA

Item Description: INACTIVE WHEN DEP*FLIGHTS, FIBERGLASS-SIGMAFIBERGLASS WITH(2)FILLER BLOCKS, DIMENSIONS TO BE:5-

280 1/2' LENGTH X 7-1/2"WIDTHX2-1/2"HEIGHT.FLIGHTS TO BE SUPPLIED WITH STAINLESS STEEL HARDWARE

SETS(8 BOLTS, WASHERS AND NUTS).PRE-DRILLED ONLY.ENVIREX

ENVIREX INC.

H420935-2

JEA XXJINVWCATL Page: 12 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CHAIN & ATTACHMENTS

CHNAA

Item Description: FLIGHTS, FIBERGLASS - SIGMA FIBERGLASS WITH (2) FILLER BLOCKS, APPROXIMATE DIMENSION TO BE 18' 290 LENGTH X 7-1/2" WIDTH X 2-1/2" HEIGHT. FLIGHTS TO BE SUPPLIED WITH STAINLESS STEEL HARDWARE

SETS (8 BOLTS, WASHERS AND NUTS). PRE-DRILLED FLIGHTS

ENVIREX INC.

H420935-1

Item Description: SPROCKET, SPLIT - POLYMERIC, 19 TOOTH, NCS 720S, SPROCKET #603-81163-92 WITH BEARING SLEEVE

590 #603-31144-1, SLEEVE FOR 1-15/16" SHAFT, SLEEVE TO BE INCLUDED WITH SPROKET, ENVIREX ONLY,

NO SUBSTITUTE

ENVIREX INC.

603-81163-92 & 603-31144-1

Item Description: SPROCKET, POLYMERIC, 25 TOOTH, 2-7/16" BORE W/KEYWAY, PITCH DISPLACEMENT TO BE 24.09, TO BE

610 USED WITH NCS720S CHAIN (CROSS COLLECTOR TANKS). ENVIREX ONLY **** NO SUBSTITUTE *****

ENVIREX INC.

603-81162-81

Item Description: SPROCKET, FOR NCS 720S CHAIN, 25 TOOTH, 24.09 PD, 4-15/16" BORE W/KEYWAY, SPLIT POLY BAND CLAMP

630 HEAD, POLYURETHANE CONSTRUCTION. *** ENVIREX ONLY *** ***NO SUBSTITUTE ALLOWED ***

ENVIREX INC.

603-81162-86

PUD-CLAMPS

CLPAA

Item Description: CLAMP, STELLAR, 4", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 2"

010 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Page: 13 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPAA

Item Description: CLAMP, 6", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3-1/2" BOLTS 020 AND NUTS, NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED.

Item Description: CLAMP, STELLAR, 8", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3 030 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 10", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3" 040 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 12", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-050 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 14", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-060 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 16", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 5-070 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

JEA XXJINVWCATL Page: 14 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPBB

Item Description: CLAMP, BELL JOINT LEAK, 4" 010 SMITH-BLAIR INC. 274-0480-000 Item Description: CLAMP, BELL JOINT LEAK, 6" 020 SMITH-BLAIR INC. 274-00000690-000 Item Description: CLAMP, BELL JOINT LEAK, 8" 030 SMITH-BLAIR INC. 274-00000905-000 Item Description: CLAMP, BELL JOINT LEAK, 10" 040 SMITH-BLAIR INC. 274-00001110-000 Item Description: CLAMP, BELL JOINT LEAK, 12" 050 SMITH-BLAIR INC. 274-00001320-000 Item Description: CLAMP, BELL JOINT LEAK, 14" 060 SMITH BLAIR 274-00001530-000 Item Description: CLAMP, BELL JOINT LEAK, 16" 070 MUELLER SMITH-BLAIR INC. H770 274-00001740-000 Item Description: CLAMP, BELL JOINT LEAK, 20" 080 SMITH-BLAIR INC. 274-00002160-000

XXJINVWCATL JEA Page: 15 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPBB

Item Description: CLAMP, BELL JOINT LEAK, 24"

990 SMITH-BLAIR INC.

274-2580-000

Item Description: CLAMP, BELL JOINT LEAK, 36"

smith-blair inc.

274-3796-000

Item Description: CLAMP, FULL CIRCLE, 1/2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES,

218 STAINLESS STEEL BAND, DUCTILE LUGS. .84 O.D. X 6" LENGTH.

JCM SMITH-BLAIR INC.

111-0084-6 244-00008406-000

Item Description: CLAMP, FULL CIRCLE, 3/4" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES,

239 STAINLESS STEEL BAND, DUCTILE LU GS. 1.05 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0105-6 244-00010506-000

Item Description: CLAMP, FULL CIRCLE, 1" - FULL CIRCUMFERENCE, GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

257 STEEL BAND, DUCTILE LUGS, 1.32 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0132-6 244-00013206-000

Item Description: CLAMP, FULL CIRCLE, 1-1/4" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

270 STEEL BAND, DUCTILE LUGS. 1.66 O.D. X 6" LENGTH , OR EQUAL

JCM SMITH-BLAIR INC.

111-0166-6 244-00016606-000

XXJINVWCATL JEA Page: 16 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPBB

Item Description: CLAMP, FULL CIRCLE, 1-1/2" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

294 STEEL BAND, DUCTILE LUGS. 1.90 O.D. X 6" LENGTH.

JCM SMITH-BLAIR INC.

111-0190-6 244-00019006-000

Item Description: CLAMP, FULL CIRCLE, 2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

313 STEEL BAND, DUCTILE LUGS. 2.38 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0238-6 244-00023806-000

CLPCC

Item Description: CLAMP, FULL CIRCLE, 2.35-2.63 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

100 FORDFLEX SMITH-BLAIR INC.

F1-263-7.5 226-023807-000

Item Description: CLAMP, FULL CIRCLE, 2.70-3.00 X 7-1/2", (NOTE: ALL 7-/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

200 FORDFLEX SMITH-BLAIR INC.

F1-300-7.5 226-027507-000

Item Description: CLAMP, FULL CIRCLE, 2.97-3.25 X 7-1/2" SMITH-BLAIR, FORDLEX, OR EQUAL (NOTE: ALL 7-1/2" CLAMPS

300 MUST HAVE 3 BOLTS MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-325-7.5 226-03007-000

Item Description: CLAMP, FULL CIRCLE, 3.46-3.70 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

400 FORDFLEX SMITH-BLAIR INC.

F1-370-7.5 226-035007-000

JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPCC

Item Description: CLAMP, FULL CIRCLE, 3.73-4.00 X 7-1/2", NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM

500 FORDFLEX SMITH-BLAIR INC.

F1-400-7.5 226-037507-000

Item Description: CLAMP, FULL CIRCLE, 3.96-4.25 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

600 FORDFLEX SMITH-BLAIR INC.

F1-425-7.5 226-040007-000

Item Description: CLAMP, FULL CIRCLE, 4.45-4.73 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

700 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-473-7.5 MODEL 3121 4A X 8 226-045007-000

Item Description: CLAMP, FULL CIRCLE, 4.74-5.14 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

800 FORDFLEX SMITH-BLAIR INC.

F1-514-7.5 226-048007-000

Item Description: CLAMP , FULL CIRCLE REPAIR, 4.74 - 5.14 X 15", FOR WATER AND SEWER LINES OF PVC, DI AND CI

PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE RUBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15"

CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS & NUTS)

FORDFLEX SMITH-BLAIR INC.

F151415 226-048015-000

Item Description: CLAMP, FULL CIRCLE, 4.95-5.35 X 7-1/2" NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM

900 FORDFLEX SMITH-BLAIR INC.

F1-535-7.5 226-050007-000

Item Description: CLAMP, FULL CIRCLE REPAIR, 6.84 - 7.24 X 15", FOR WATER AND SEWER LINES OF PVC, DI AND CI

950 PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE RUBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15"

CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS & NUTS)

FORDFLEX SMITH-BLAIR INC.

F172415 226-069015-000

JEA XXJINVWCATL Page: 18 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPCC

Item Description: CLAMP, FULL CIRCLE, MUST COVER 44.50 (OD) RANGE X 30" WIDE.

960 JCM

102

CLPDD

Item Description: CLAMP, FULL CIRCLE, 5.22-5.62 (O.D.) X 7-1/2". (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

000 MINIMUM)

> FORDFLEX SMITH-BLAIR INC.

F1-562 X 7.5 226-052507-000

Item Description: CLAMP, FULL CIRCLE, 5.95-6.35 (O.D.) X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

100 MINIMUM)

> FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-635 X 7.5 MODEL 3121 6A X 8 226-060007-000

Item Description: CLAMP FULL CIRCLE 6" O.D. 6.56-6.96 X 7-1/2" (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

200 MINIMUM)

> FORDFLEX SMITH-BLAIR INC.

F1-696-75 226-066307-000

F1-696-7.5

Item Description: CLAMP, REPAIR FULL CIRCLE 6" O.D. 6.84- 7.24 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3

300 BOLTS MINIMUM)

> FORDFLEX SMITH-BLAIR INC.

F1-724-7.5 226-069007-000

Item Description: CLAMP, FULL CIRCLE, 7.05-7.45 X 12.5",

400 FORDFLEX SMITH-BLAIR INC.

226-071012-000 F1-745-12.5

XXJINVWCATL JEA Page: 19 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPDD

Item Description: CLAMP, FULL CIRCLE, 7.45-7.85 (O.D.) X 12.5"

FORD FORD FORDFLEX SMITH-BLAIR INC.

FS1-785-12 F1-785 X 12.5 226-074512-000

Item Description: CLAMP, FULL CIRCLE, 8.54-8.94 (O.D.) X 12.5"

700 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-894-12.5 3121 8B x 12 226-086312-000

Item Description: CLAMP, FULL CIRCLE, 8.99-9.39 X 12.5",

800 FORDFLEX SMITH-BLAIR INC.

F1-939-12.5 226-090512-000

Item Description: CLAMP, FULL CIRCLE, 9.27-9.67 (O.D.) X 12.5"

900 _____

FORDFLEX SMITH-BLAIR INC.

F1-967-12.5 226-094012-000

CLPEE

Item Description: CLAMP, FULL CIRCLE, 9.70-10.10 (O.D.) X 12.5

000 FORDFLEX SMITH-BLAIR INC.

F1-1010-12.5 226-100012-000

Item Description: CLAMP, FULL CIRCLE, 10.30-10.70 (O.D.) X 12.5

075 SMITH BLAIR

226001030120005

Item Description: CLAMP, FULL CIRCLE, 10.64-11.04 (O.D.) X 12.5.

100 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-1104-12.5 3121 10B X 12 226-107512-000

XXJINVWCATL Page: 20 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CLAMPS

F2-1582-20

CLPEE

Item Description: CLAMP, FULL CIRCLE, 11.04-11.44 (O.D.) X 12.5 200 FORDFLEX SMITH-BLAIR INC. F1-1144-12.5 226-111012-000 Item Description: CLAMP, FULL CIRCLE, 11.75-12.15 (O.D.) X 12.5 400 FORDFLEX SMITH-BLAIR INC. F1-1215-12.5 226-117512-000 Item Description: CLAMP, FULL CIRCLE, 12.00 -12.40 (O.D.) X 12.5. 500 FORDFLEX SMITH-BLAIR INC. F1-1240-12.5 226-120012-000 Item Description: CLAMP, FULL CIRCLE, 12.62-13.02 (O.D.) X 12.5". 650 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC. 3121 12B X 12 226-127512-000 F1-1302-12.5 Item Description: CLAMP, FULL CIRCLE, 13.14-13.50 (O.D.) X 12.5" 700 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC. F1-1350-12.5 3121 12C X 12 226-132012-000 Item Description: CLAMP, FULL CIRCLE, 13.40-13.80 (O.D) X 12.5". 800 FORDFLEX SMITH-BLAIR INC. F1-1380-12.5 226-134012-000 Item Description: CLAMP, FULL CIRCLE, 13.65-14.45 (O.D.) X 20". 875 FORDFLEX SMITH-BLAIR INC. F2-1445-20 227-136520-000 Item Description: CLAMP, FULL CIRCLE, 15.07-15.82 (O.D.) X 20". 900 FORDFLEX SMITH-BLAIR INC.

228-20150720-000

XXJINVWCATL JEA Page: 21 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPEE

Item Description: CLAMP, FULL CIRCLE, 15.92-17.12 (O.D.) X 15", ALL STAINLESS STEEL, MULTI- BAND CONSTRUCTION.

950 FORD SMITH-BLAIR INC.

FS3 263-00159215-000

CLPFF

Item Description: CLAMP, FULL CIRCLE, 17.15-17.90 (O.D.) X 20"

000 FORDFLEX SMITH-BLAIR INC.

F2-1790-20 228-171520-000

Item Description: CLAMP, FULL CIRCLE, 19.23-19.98 (O.D.) X 20"

100 FORDFLEX SMITH-BLAIR INC.

F2-1998-20 228-20192320-000

Item Description: CLAMP, FULL CIRCLE, 21.52-22.27 (O.D.) X 30".

200 FORDFLEX SMITH-BLAIR INC.

F2-2227-30 228-20215230-000

Item Description: CLAMP, FULL CIRCLE - 25.70-26.80 (O.D.) X 30" (MINIMUM), TRIPLE BAND CLAMP.

400 FORDFLEX JCM SMITH-BLAIR INC.

F3-2680-30 102-2580-30 228-257030-000

Item Description: CLAMP, FULL CIRCLE - 27.65-28.75 (O.D.) X 30" (MINIMUM), TRIPLE BAND CLAMP. CLAMP MUST HAVE

453 MINIMUM O.D. RANGE SPECIFIED.

FORD SMITH-BLAIR INC.

F3-2875-30 228-30276530-000

Item Description: CLAMP, FULL CIRCLE, 31.70-32.80 (O.D) X 30", ALL STAINLESS STEEL, INCLUDING S/S NUTS AND BOLTS.

500 **FORD**

F3-3290-30

XXJINVWCATL JEA Page: 22 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPFF

Item Description: CLAMP, FULL CIRCLE, 37.90-39.25 (O.D.) X 30", ALL STAINLESS STEEL

FORD JCM SMITH BLAIR

F4-3925-30 102-3830-30 267-00383030-065

CLPGG

Item Description: CLAMP, REPAIR, HANDI-BAND, 1/2" X 3". ******** NO SUBSTITUTE ***********

010 JCM SMITH-BLAIR INC.

110-0084-3 245-00008403-000

Item Description: CLAMP, REPAIR, HANDI-BAND, 1/2" X 6".

020 JCM SMITH-BLAIR INC.

110-0084-6 245-00008406-000

Item Description: CLAMP, REPAIR, HANDI-BAND, 3/4" X 3" ******** NO SUBSTITUTE **********

030 JCM SMITH-BLAIR INC.

110-0105-3 245-00010503-000

Item Description: CLAMP, REPAIR, HANDI-BAND 3/4" X 6" ******** NO SUBSTITUTE ********

040 JCM SMITH-BLAIR INC.

110-0105-6 245-00010506-000

Item Description: CLAMP, REPAIR, HANDI-BAND, 1" X 3". ******** NO SUBSTITUTE **********

050 JCM SMITH-BLAIR INC.

110-0132-3 245-00013203-000

Item Description: CLAMP, HANDI-BAND, 1" X 6". ********* NO SUBSTITUTE **********

JCM SMITH-BLAIR INC.

110-0132-6 245-00013206-000

XXJINVWCATL JEA Page: 23 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPGG

070 JCM SMITH-BLAIR INC.

110-0166-3 245-00016603-000

Item Description: CLAMP, HANDI-BAND, 1-1/2" X 3". ********* NO SUBSTITUTE ***********

080 JCM SMITH-BLAIR INC.

110-0190-3 245-00019003-000

090 JCM SMITH-BLAIR INC.

110-0190-6 245-00019006-000

Item Description: CLAMP, HANDI-BAND, 2" X 3". ********* NO SUBSTITUTE ***********

100 JCM SMITH-BLAIR INC.

110-0238-3 245-00023803-000

Item Description: CLAMP, HANDI-BAND, 2" X 6". ********* NO SUBSTITUTE **********

JCM SMITH-BLAIR INC.

110-0238-6 245-00023806-000

CLPHH

Item Description: CLAMP, HOSE (WORM GEAR), #1, 7/32" - 5/8" ALL STAINLESS STEEL. DIXON #MAH-4

010 **DIXON**

MAH-4

Item Description: CLAMP, HOSE (WORM GEAR), #6, 3/8" - 7/8", ALL STAINLESS STEEL. DIXON #HSS-6

020 **DIXON**

HSS-6

JEA XXJINVWCATL Page: 24 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPHH

Item Description: CLAMP, HOSE (WORM GEAR), #8, 7/16" - 1", ALL STAINLESS STEEL. 030 DIXON HSS-8 Item Description: CLAMP, HOSE (WORM GEAR), #10, 9/16" - 1-1/16, ALL STAINELESS STEEL. DIXON #HSS-10 040 DIXON HSS-10 Item Description: CLAMP, HOSE (WORM GEAR), #16, 11/16"- 1-1/2", ALL STAINLESS STEEL DIXON #HSS-16 050 DIXON HSS-16 Item Description: CLAMP, HOSE (WORM GEAR, #32, 1-9/16" - 2-1/2" ALL STAINLESS STEEL. DIXON #HSS-32 080 DIXON HSS-32 Item Description: CLAMP, HOSE (WORM GEAR), #36, 1-13/16" - 2-3/4", ALL STAINLESS STEEL. DIXON #HSS-36 090 DIXON HSS-36 Item Description: CLAMP, HOSE (WORM GEAR), #96, 3-5/8" - 6-1/2", ALL STAINLESS STEEL. 120 DIXON HSS-96 Item Description: CLAMP, HOSE (WORM GEAR), #104, 4-1/8" - 7", ALL STAINLESS STEEL. DIXON #HSS-104 130 DIXON HSS-104 Item Description: CLAMP, HOSE (WORM GEAR), #128, 5-5/8" - 8-1/2", ALL STAINLESS STEEL, DIXON #HSS-128 140 DIXON HSS-128

PUD-CLAMPS

CLPHH

Item Description: CLAMP, HOSE (WORM GEAR), #188, 9-3/8" - 12-1/4", ALL STAINLESS STEEL. DIXON #HSS-188

142 DIXON

HSS-188

Item Description: CLAMP, HOSE #KS-28 7" INSIDE DIAMETER ALL CLAMPS TO BE "FAST-LOK" BRAND "K-CLAMPS" ALL CLAMPS

148 MUST BE HEAVY DUTY, STAINLESS STEEL.

FAST-LOK

KS-28

CLPJJ

Item Description: CLAMP, SERVICE, 1.61-1.92 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

600 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00019209-000

Item Description: CLAMP, SERVICE, 2.35-2.56 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED

> FORD SMITH-BLAIR INC.

> F202 (2.35-2.50) 313-00025607-000

Item Description: CLAMP, SERVICE, 2.38 X 3/4, BRONZE, COPPER TO COPPER THREAD, MUELLER, CLOW, OR EQUAL.

800 CLOW FORD MUELLER

3401 S70-203 H-13420

Item Description: CLAMP, SERVICE, 2.35-2.56 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

900 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202-250-CC4-I 34132A1CC 313-025609-000

F202 (3.80-4.25)

JEA XXJINVWCATL Page: 26 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPKK

Item Description: CLAMP, SERVICE, 2.38 X 1", BRONZE, COPPER TO COPPER THREAD.

000 FORD MUELLER

> S70-204 H-13420

Item Description: CLAMP, SERVICE, 2.44-2.91 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

029107-000

Item Description: CLAMP, SERVICE, 2.44-2.91 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00029109-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

13-035407-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

500 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00035409-000

Item Description: CLAMP, SERVICE, 3.74 - 4.55 X 1-1/2", NPT

650 SMITH-BLAIR INC.

315-000-45512-000

PUD-CLAMPS

CLPKK

Item Description: CLAMP, SERVICE, 3.74-4.55 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED SMITH-BLAIR #313-045507-000 OR EQUAL

SMITH-BLAIR INC.

313-00045507-000

Item Description: CLAMP, SERVICE, 3.74-4.13 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

900 MINIMUM O.D. RANGE NOTED

> FORD SMITH-BLAIR INC.

F202 (3.80-4.25) 313-041309-000

CLPLL

Item Description: CLAMP, SERVICE, 4.50 X 1", BRONZE, COPPER TO COPPER THREAD. MUELLER, CLOW, FORD, OR EQUAL.

000 CLOW FORD MUELLER

3401 S70-404 H-13428

Item Description: CLAMP, SERVICE, 4.74 - 5.14 (OD) X 2", NPT, SERVICE CLAMP MUST HAVE MINIMUM OD RANGE NOTED.

075 DOUBLE BALE.

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED

> FORD POWER SEAL SMITH BLAIR

F202 (4.74-5.26) 3413-4B x %CC 313-00051407-000

Item Description: CLAMP, SERVICE, 4.74-5.63 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP.

F202 (4.74-5.26) 34134B1CC XXJINVWCATL JEA Page: 28 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-CLAMPS

CLPLL

Item Description: SADDLE, C900 PIPE, 4"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

250 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 4.74 - 5.26.

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED

FORD POWER SEAL SMITH-BLAIR INC.

F202 (4.74-5.26) 3413-4C x 1\(\frac{1}{3}\)CC 313-00051413-000

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 2", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

400 MINIMUM O.D. RANGE NOTED

POWER SEAL SMITH-BLAIR INC.

 $3413-4C \times 2CC$ 313-00051415-000

Item Description: CLAMP, SERVICE, 5.94 - 6.69 X 2", NPT

475

Item Description: CLAMP, SERVICE, 5.94 - 6.70 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED

FORD SMITH-BLAIR INC.

F202 (5.94-6.69) 313-66309

CLPMM

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 2", IPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D. RANGE

050 NOTED

XXJINVWCATL JEA Page: 29 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPMM

Item Description: PARTIAL SURPLUS - CLAMP, SERVICE, 6.84-7.60 (O.D.) X 3/4", COPPER TO COPPER THREAD, CLAMP

100 SERVICE MUST HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-076007-000

Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" X 1" US (6.55-7.42)

110 FORD METER BOX COMPANY TPS

F1-696-75-CC4 T3SS-0742-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 6' X 1" OS (6.84-7.65)

115 FORD METER BOX COMPANY TPS

F1-745-75-CC4 T3SS-0765-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" x 2" US (6.55-7.42)

120 FORD METER BOX COMPANY TPS

F1-696-75-CC7 T3SS-0742-2011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" x 2" OS (6.84-7.65)

125 FORD METER BOX COMPANY TPS

F1-745-75-CC7 T3SS-0765-2011EX

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202 (6.84-7.60) 34136B1CC 313-076009-000

Item Description: SADDLE, C900 PIPE, 6"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

250 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 6.84-7.60.

ORDER BY DESCRIPTION

N/A

PUD-CLAMPS

CLPMM

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 2", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HABE THE

400 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202 (6.84-7.60) 34136B2CC 313-076015-000

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2", SS, NPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D.

475 RANGE NOTED

Item Description: CLAMP, SERVICE, 7.79 - 8.72 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

575 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00087209-000

Item Description: CLAMP, SERVICE, 8.63 X 1", COPPER TO COPPER THREAD, BRONZE

700 FORD MUELLER

> S70-804 H - 13433

CLPNN

Item Description: INACTIVE - CLAMP, SERVICE, 8.54-10.10 O.D. X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST

000 HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-101007-000

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP. SMITH-BLAIR INC.

> F202 (4.74-5.26) 34138B1CC 313-00101009-000

PUD-CLAMPS

CLPNN

Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 1" US (8.54-9.44)

110 FORD METER BOX COMPANY TPS

F1-939-75-CC4 T3SS-0944-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 1" OS (8.98-9.84)

115 FORD METER BOX COMPANY TPS

F1-967-75-CC4 T3SS-0984-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 2" US (8.54-9.44)

120 FORD METER BOX COMPANY TPS

F1-939-75-CC7 T3SS-0944-2011EX

Item Description: T3, WIDE RANE SERVICE SADDLE, 8" x 2" OS (8.98-9.84)

125 FORD METER BOX COMPANY TPS

F1-967-75-CC7 T3SS-0984-2011EX

Item Description: SADDLE, C900 PIPE, 8"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

150 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 8.99-9.79. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 8.54-10.10 (OD) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00101013-000

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED

POWERSEAL CORP. SMITH-BLAIR INC.

34138B2CC 313-101015-000

XXJINVWCATL Page: 32 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPNN

Item Description: CLAMP, SERVICE, 10.64 - 12.12 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

MINIMUM O.D. RANGE NOTED

POWERSEAL CORP. SMITH-BLAIR INC.

341310B1CC 313-121209-000

Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 1" US (10.64-11.46)

640 FORD METER BOX COMPANY TPS

F1-1144-75-CC4 T3SS-1146-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 1" OS (11.34-12.16)

645 FORD METER BOX COMPANY TPS

F1-1215-75-CC4 T3SS-1216-1011EX

Item Description: SADDLE, C900 PIPE, 10"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

650 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 11.10-12.12. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: T3, WIDE RANGE SERVICE SADDLES, 10" x 2" US (10.64-11.46)

660 FORD METER BOX COMPANY TPS

F1-1144-75-CC7 T3SS-1146-2011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 2" OS (11.34-12.16)

665 FORD METER BOX COMPANY TPS

F1-1215-75-CC7 T3SS-1216-2011EX

Item Description: CLAMP, SERVICE, 10.64 - 12.12(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

800 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00121215-000

PUD-CLAMPS

CLPNN

Item Description: INACTIVE - CLAMP, SERVICE, 12.62-14.32 (O D) X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST

900 HAVE THE MINIMUM O.D. RANGE.

SMITH-BLAIR INC.

313-143207-000

CLPPP

Item Description: CLAMP, SERVICE, 12.62 - 14.32 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

000 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP. SMITH-BLAIR INC.

F2021438CC4 341312B1CC 313-143209-000

Item Description: SADDLE, C900 PIPE, 12"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

050 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 13.20-14.38. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 12.62-14.32(OD) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00143213-000

Item Description: T3, WIDE RANGE SERVICE SADLES, 12" x 1" US (12.62-13.56)

110 FORD METER BOX COMPANY TPS

> F1-1350-15-CC4 T3SS-1356-1011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 1" OS (13.65-14.42)

115 FORD METER BOX COMPANY TPS

> F1-1440-15-CC4 T3SS-1442-1011EX

PUD-CLAMPS

CLPPP

Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 2" US (12.62-13.56)

120 FORD METER BOX COMPANY TPS

> F1-1350-15-CC7 T3SS-1356-2011EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 2" OS (13.65-14.42)

125 FORD METER BOX COMPANY TPS

> F1-1440-15-CC7 PT# T3SS-1442-2011EX

Item Description: CLAMP, SERVICE, 12.62 - 14.32(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

> FORD POWERSEAL CORP. SMITH-BLAIR INC.

F2021438CC7 341312B2CC 313-143215-000

Item Description: CLAMP, SERVICE, 14.73 - 15.65(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

400 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-156515-000

CLPOO

Item Description: INACTIVE - CLAMP, SERVICE, 17.40-18.88 (O.D.) X 3/4", COPPER TO COPPER THREAD, DOUBLE STRAP,

001 STRAPS CARBON STEEL (ELECTRO- GALVANZIED) WITH DI-CHROMATE SEAL, NUTS/ WASHERS DI-CHROMATE

SEALED

SMITH-BLAIR INC.

313-188807-000

Item Description: CLAMP, SERVICE, 17.40-18.88 (O.D.) X 1", COPPER TO COPPER THREAD, DOUBLE STRAP CARBON STEEL

012 (ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL, NUTS/WASHERS DI-CHROMATE SEALED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

FC2021840CC4 341316A1CC 313-188809-000 XXJINVWCATL JEA Page: 35 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPQQ

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 1" US (17.25-18.18)

020 FORD METER BOX COMPANY TPS

F2-1790-15-CC4 T3SS-1818-1011EX

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 1" OS (18.42-19.23)

025 FORD METER BOX COMPANY TPS

F2-1921-15-CC4 T3SS-1923-1011EX

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 2" US (17.25-18.18)

030 FORD METER BOX COMPANY TPS

F2-1790-15-CC7 T3SS-1818-2011EX

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 2" OS (18.42-19.23)

031 FORD METER BOX COMPANY TPS

F2-1921-15-CC7 T3SS-1923-2011EX

Item Description: CLAMP, SERVICE 17.40-18.88 (O.D.) X 2", COPPER TO COPPER THREAD, DOUBLE STRAP STRAPS-CARBON

034 STEEL (ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL, NUTS/WASHERS DI-CHROMATE SEALED

SMITH-BLAIR INC.

313-00188815-000

Item Description: CLAMP, SERVICE 21.35 - 22.10 (O.D.) X 1" COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS

045 (CARBON STEEL MUST HAVE ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221009-000

Item Description: CLAMP, SERVICE, 21.35 - 22.10 (O.D.) X 2", COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS

056 (CARBON STEEL WITH ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221015-000

PUD-CLAMPS

CLPQQ

Item Description: CLAMP, SERVICE, 17.40-18.88 (O.D.) X 2", NPT, DOUBLE STRAP, STRAPS-CARBON STEEL (ELECTRO 078 GALVANIZED) WITH DI-CHROMATE SEAL, NUTS AND WASHERS DI-CHROMATE SEALED, SADDLE MUST HAVE

MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00188814-000

Item Description: CLAMP, SERVICE, 25.55-26.32 (O.D.) X 2" NPT, TRIPLE STRAP, STRAPS AND NUTS TO BE CARBON STEEL,

089 DUCTILE IRON BODY, SADDLE MUST HAVE MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

366-00263214-000

Item Description: CLAMP , SERVICE 14.73 TO 15.65 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS , STRAP-

115 CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

Item Description: CLAMP , SERVICE 25. 75 TO 25. 85 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS ,

126 STRAP-CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

FORD JCM SMITH-BLAIR INC.

FC202 (25.60-26.50) 406-2650-09CC 317-00258009

Item Description: CLAMP, SERVICE 4" X 2" IPT, O.D. 4.74"-5.26" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

136 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (4.74-5.26) 317-00051414-000

Item Description: CLAMP, SERVICE 6" X 2" IPT, O.D. 6.84"-7.60" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

146 MINIMUM O.D. RANGE NOTED

> SMITH BLAIR FORD

FC202 (6.84-7.60) 317-00076014-000

PUD-CLAMPS

CLPQQ

Item Description: CLAMP, SERVICE 8" X 2" IPT, O.D. 8.99"-9.79" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

156 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (8.99-9.79) 317-00101014-000

Item Description: CLAMP, SERVICE 10" X 2" IPT, O.D. 10.75"-11.10" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

166 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (10.75-11.10) 317-00121214-000

Item Description: CLAMP, SERVICE 12" X 2" IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

176 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (12.75-13.20) 317-00143214-000

Item Description: CLAMP, SERVICE 16" X 2" IPT, O.D. 17.40"-18.40" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

186 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (17.40-18.40) 317-00178014-000

Item Description: CLAMP, SERVICE 20" X 2" IPT, O.D. 21.20"-22.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

196 MINIMUM O.D. RANGE NOTED

> FORD SMITH BLAIR

FC202 (21.20-22.20) 317-00216014-000

Item Description: CLAMP, SERVICE 24" X 2" IPT, O.D. 25.60"-26.50" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

206 MINIMUM O.D. RANGE NOTED

> SMITH BLAIR FORD

FC202 (25.60-26.50) 317-00258014-000

XXJINVWCATL Page: 38 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPQQ

Item Description: CLAMP , SERVICE 12.62 TO 14.32 O.D. RANGE X 2" NPT,DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

215 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00143214-000

Item Description: CLAMP , SERVICE 14.73 TO 15. 65 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

216 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00156514-000

Item Description: CLAMP , SERVICE 19.50 TO 20.50 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

219 MINIMUM O.D. RANGE NOTED.

FORD

FC202 (19.50-20.50)

Item Description: CLAMP , SERVICE 21.35 TO 22.10 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

222 MINIMUM O.D. RANGE NOTED.

FORD SMITH BLAIR

FC202 (21.20-22.20) 317-00216014-000

Item Description: CLAMP , SERVICE 31.75 TO 32.50 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS MUST HAVE

233 MINIMUM O.D. RANGE NOTED

SMITH BLAIR

366-00325014-000

Item Description: CLAMP , SERVICE 37.71 TO 38.46 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS , MUST HAVE

239 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

366-00384614-000

XXJINVWCATL JEA Page: 39 of: 341

Water and Wastewater Master Material Catalog

PUD-CLAMPS

JAN-05-22 08:40:51

CLPRR

Item Description: CLAMP, 12X15 SS REP CLMP 13.10-13.50 WITH 1" CC OUTLET

100 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD F1-1350-15-CC4

JCM MUELLER

OBD OBD

Item Description: CLAMP, 16X15 SS REP CLMP 17.50-17.90 WITH 1" CC OUTLET

200 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD F2-1790-15-CC4

JCM MUELLER

OBD OBD

CLEANING SUPPLIES

CLSBB

Item Description: BUCKET-GALVANIZED, 14 QT EXTRA/HEAVY DUTY

300 DOVER

14

Item Description: CAN GARBAGE-GALVANIZED 20 GALLON, WITH/ LID, PRE-GALVANIZED *****NO SUBSTITUTE*****

500 **WITT**

WCD20CL

Item Description: CLEANER, AUTOMOTIVE - VEHICLE WASHING SOLUTION ONE GALLON CONTAINERS (4 GAL PER CASE) UNITED

686 LAB. #12 ********* NO SUBSTITUTE*********

UNITED LABORATORIES INC.

CLEANING SUPPLIES

CLSCC

Item Description: CLEANER-HAND-WATERLESS, 4-1/2 LB. CAN

000 GO-JO INDUSTRIES, INC.

1115

Item Description: DEODORIZER, WASTEWATER, ODOR NEUTRALIZER CONCENTRATE, 2.5 GAL. PLASTIC CONTAINERS BIODEGRADABLE

413 AND NON-TOXIC. ANOTEC ODOR NEUTRALIZER ***NO SUBSTITUTE***

Item Description: DISINFECTANT, 80% PINE OIL, 1 GALLON CONTAINERS PER CASE, (CONTAINERS MUST BE LABELED)

800 AERO PINE OIL VERSAPRO

609541SA 80-10-10 CB5188

CLSEE

Item Description: SOAP-HAND WITH BORAX, POWDERED, HEAVY-DUTY, 5 LB. PACKAGE (10 PER CASE)

500 BORAXO

2303

Item Description: ANT KILLER, POWDER, 6 OZ. PLASTIC SQUEEZE BOTTLE, (6 BOTTLES PER BOX), ***NO SUBSTITUTE***

853 SHARE CORP

06040103

CLSGG

Item Description: DEGREASER, SANITARY SEWER, ULTRA HIGH-TEMP SOLVENT, GRANULAR, 50-55 LB. CONTAINERS.

220 ABC COMPOUNDING UNITED LABORATORIES INC.

706250SA F023

Item Description: DEGREASER, FLOATING, FOR LIFT STATION MAINTENANCE, ******* GAL TO A PAIL******

CLEANING SUPPLIES

CLSHH

Item Description: ABSORBENT, SAFETY 1ST., 40 LB. PAIL *PRO-CHEM ONLY

109 PRO-CHEM

SAFTY 1ST

CONNECTORS

CNNTL

Item Description: CONNECTOR, FORK TERMINAL, VINYL-INSULA TION SUPPORT, BARREL TYPE, BRAZED SEAM, TIN PLATED

F53 BRASS, WIRE SIZE 16-14 AWG, STUD #6, ***PACKAGE OF 100 EACH***

THOMAS AND BETTS

14RB-6F

Item Description: CONNECTOR, RING TERMINAL, NON-INSULATED, BARREL TYPE, BRAZED SEAM, TIN PLATED BRASS, WIRE SIZE

R29 9-8-7 AWG, STUD 1/4" ***PACKAGE OF 25 EACH***NO SUBSTITUTE***

THOMAS AND BETTS

D8-14-SK

CNNWC

Item Description: CONNECTOR, BUTT TYPE SPLICE, VINYL EXPANDED INSULATION, BARREL TYPE, BRAZED SEAM, TIN PLATED

003 BRASS, WIRE SIZE 12-10 AWG***PACKAGE OF 100 EACH***

BURNDY CORP. LAWSON PRODUCTS THOMAS AND BETTS

SP10 P39545 2RC10X

Item Description: CONNECTOR, WIRE NUT, "Y" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 22-12 AWG ***PACKAGE

210 OF 100 EACH***NO SUBSTITUTE**

> 3M IDEAL LAWSON PRODUCTS

054007-20041 30-451 P35026 XXJINVWCATL Page: 42 of: 341

Water and Wastewater Master Material Catalog

CONNECTORS

JAN-05-22 08:40:51

CNNWC

Item Description: CONNECTOR, WIRE NUT, "B" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 12-6 AWG ***PACKAGE

OF 100 EACH***NO SUBSTITUTE**

3M IDEAL LAWSON PRODUCTS

054007-43150 30-454 P35382

Item Description: CONNECTOR, WIRE NUT, "R" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 14-10 AWG ***PACKAGE

220 OF 100 EACH***

3M IDEAL LAWSON PRODUCTS

R-BOX 30-452 P35117

XXJINVWCATL Page: 43 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

ELECTRICAL PARTS, COMMON

ELEBT

Item Description: BATTERY, 1.5 V, SIZE C, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

048 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

MN1400 EN93 DRY0080

PC1400

RAYOVAC

RAYOVALC

Item Description: BATTERY, 1.5 V, "AA", EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

O65 DURACELL ENERGIZER EVEREADY BATTERY

MN1500 EN-91 EN-91

PC-1500

INTERSTATE BATTERIES RAYOVAC DRY0070 AL-AA

Item Description: BATTERY, 1.5 V, "D", ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

O68 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

PC1300 EN95 DRY0085

RAYOVAC RAYOVALD

Item Description: BATTERY, 6 V, LANTERN, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

076 DURACELL EVEREADY BATTERY

MN908 EN-529

Item Description: BATTERY, 9 V, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

078 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

MN1604 EN22 DRY0196

PC1604

JEA XXJINVWCATL Page: 44 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMAB

Item Description: BATTERY, SIZE C, NICKEL-CADMIUM, RECHARGEABLE. EVERYEADY, RAY-O-VAC, EXPIRATION DATE MUST 460 APPEAR ON EACH INDIVIDUAL ITEM

EVEREADY BATTERY

NH35BP-2

ELMAE

Item Description: CLEANER, CONTACT, AEROSOL 15 OZ., NON-FLAMMABLE, CRC CHEMICAL #02140, PRECISION ELECTRONIC CLEANING SOLVENT ** NO SUBSTITUTE - NON-FLAMMABLE ONLY ** 440

CRC CHEMICALS, USA

02140

Item Description: CLEANER, ELECTRIC MOTOR AND EQUIPMENT CLEANER, NON-FLAMMABLE, 20 OZ CAN ** NO SUBSTITUTE *****

447 CRC CHEMICALS, USA

02018

Item Description: COIL, STARTER, 115VOLTS-60HZ. 95 VOLTS-50HZ, GENERAL ELECTRIC #15D21GZ, FOR SIZE 0 AND NEW 460 STARTER

GENERAL ELECTRIC CO.

15D21GZ

ELMAF

Item Description: RELAY, GENERAL PURPOSE, OCTAGONAL BASE, 8-PIN, DPDT, 120 VAC, 10 AMPS, CLEAR POLYCARBONATE DUST 440 COVER, SILVER-CADIUM OXIDE CONTACTS --- POTTER & BRUMFIEL #KRPA11AG

POTTER AND BRUMFIELD

KRPA11AG

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMAK

Item Description: KIT, CONTACT, AUXILIARY, 1-N.O. FOR SIZE 0 THRU 7, CUTLER-HAMMER #C320KA1

560 CUTLER-HAMMER

C320KGS20

ELMBA

Item Description: KIT CONTACT, UNIT, AUXILIARY, FOR 200 LINE MAGNETIC CONTACTORS & STARTERS, ADDER BLOCKS, 1 N.O.

260 FOR NEMA SIZE 0-5, (2XE) 600V MAX., 250V DC MAX, FOR CR305-308 DEVICES. GENERAL ELECTRIC

#CR305X100D

GENERAL ELECTRIC CO.

CR305X100D

ELMBB

Item Description: CORD-EXTENSION, 25 FT. ORANGE (OSHA APPROVED) FOR INDOOR OR OUTDOOR 14-3 ROUND

260 CAROL CABLE

03328.63.04

Item Description: CORD, EXTENSION, 100' HEAVY DUTY, ORANGE / BLK STRIPE 14 AWG, 13 AMP, SJTW-A JACKET, 3-PRONGED

300 UL LISTED, MEETS OSHA, INDOOR/OUTDOOR MOLDED ON CONNECTORS AND CAPS

CAROL CABLE

03304.63.04

ELMBC

Item Description: MONITOR, PHASE PLUG-IN MOUNTING, OCTAGON 8 PIN CONFIGURATION, AUTO RESET, 190-270 VAC., 50/60

090 HZ. DIVERSIFIED #SLA-230-ASA --OR-- SYRELEC #PWRU-220 **** NO SUBSTITUTES ****

DIVERSIFIED ELECTRONICS SYRACUSE ELECTRONICS

SLA-230-ASA PWRU-220

ELECTRICAL COMPONENTS

ELMBE

Item Description: FUSE, KTK- 1.0, 600 VOLT, 1 AMPERE, NON-TIME-DELAY, 13/32" X 1-1/2", FAST ACTING, LIMITRON.

140 BUSS OR EOUAL

BUSS FUSES

KTK-1.0

Item Description: FUSE, KTK 6.0, 600 VOLT, 6 AMPERE, 13/32" X 1-1/2", NON-TIME-DELAY, FAST ACTING. BUSS, SHAWMUT

900 #A6Y6, OR EQUAL

> BUSS FUSES CHASE SHAWMUT CO.

KTK-6.0 A6Y6

ELMBG

Item Description: HEATER PACK , STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER #H2010B-3 **NO SUBSTITUTE**

723 CUTLER-HAMMER

H2010B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER # H2011B-3 **NO SUBSTITUTE**

726 CUTLER-HAMMER

H2011B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER

731 CUTLER-HAMMER

H2013B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER # H2014B-3 **NO SUBSTITUTE**

735 CUTLER-HAMMER

H2014B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2015B-3 **NO SUBSTITUTE**

741 CUTLER-HAMMER

H2015B-3

ELECTRICAL COMPONENTS

ELMBG

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2016B-3 **NO SUBSTITUTE**

744 CUTLER-HAMMER

H2016B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2017B-3 **NO SUBSTITUTE**

749 CUTLER-HAMMER

H2017B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER, CUTLER HAMMER #H2022-3 **NO SUBSTITUTE**

750 CUTLER-HAMMER

H2022-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2023-3 **NO SUBSTITUTE**

756 CUTLER-HAMMER

H2023-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2024-3 **NO SUBSTITUTE**

758 **CUTLER-HAMMER**

H2024-3

ELMBJ

Item Description: LAMP-60 WATT, 120 VOLT FROSTED 48/PKG, NAED #22114-3 60-A17/52/SS, SYL #17755

260 SYLVANIA

54A19TS/8M/SS

Item Description: LAMP-100 WATT, 130 VOLT, IF ROUGH SERVICE, 125/130 VOLT 48/CASE, NAED #20337-2 100 A/RS/VS SYL

280 #12991, 100A19/RS SYL #12991, 100A19/RS

PHILLIPS SYLVANIA

20337-2 100-A/RS/VS 100A/RS/RP130V

ELECTRICAL COMPONENTS

ELMBJ

Item Description: LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE, A-21 BULB.(GE

340 LAMP ORDERING CODE #150A21/RS, PRODUCT CODE #13140), (PHILLIPS ORDERING CODE #150A21/RS/VS,

PRODUCT CODE #32272-7)

GENERAL ELECTRIC CO. SYLVANIA PHILLIPS

13140 150A21/RS 32272-7 150A21/RS/VS 15241 150A23/RS 120V

Item Description: LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE PS25 BULB. GE

360 ORDERING CODE #150/RS PRODUCT CODE #19616. PHILLIPS CODE #32272-7

GENERAL ELECTRIC CO. PHILLIPS

19616 150/RS 32272-7

Item Description: LAMP, FLOOD - 120 VOLT, 120 WATT. SYLVANIA #14855, 120PAR/CAP/FL. 15 LAMPS PER CASE

380 SYLVANIA

14855 120PAR/CAP/FL

Item Description: LAMP, INCANDESCENT, TUNGSTEN HALOGEN LAMP, 500 W, 120V, T-3 BULB, R.S.C. BASE, CLEAR, CLASS "C",

480 TYPE C-8 FILAMENT. PHILIPS #FCL

PHILLIPS

FCL

Item Description: LAMP-FLUORESCENT, COOL WHITE 15/PER CASE 60 WATT, 96", SINGLE PIN PHILLIPS #34189-1,

700 F96T12/CW/SS G.E. NO. F96T12/CW/WM/15 PK, OSRAM #29815 SYL #29476, NAED #34189-1

GENERAL ELECTRIC CO. OSRAM PHILLIPS

F96T12/CW/WM 29815 34189-1 F96T12/CW/SS

SYLVANIA

29476

Item Description: LAMP, FLUORESCENT, BI-PIN, 95WATT, F96T1 2/CW/HO/SS RECESSED CONTACTS. SYLVANIA- 25010-0;

720 PHILLIPS NAED #21010

> PHILLIPS SYLVANIA

21010 25010-0

JEA XXJINVWCATL Page: 49 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMBJ

Item Description: LAMP, #259, PANEL, 6.3 VOLT, .25 AMPHERE, WEDGE BASE, TYPE C-2R FILAMENT, 1.06" OVERALL LENGTH. 880 GENERAL ELECTRIC #259 OR EQUAL (10 PER BOX)

GENERAL ELECTRIC CO.

259

ELMBK

Item Description: LOCKOUT, SAFETY, 1-1/2", FOR LOCKING OUT POWER SOURCES SUCH AS SWITCHES AND PANEL DISCONNECT. 760 DOUBLE INTER-LOCKING HASP OF TEMPERED STEEL WITH INTER-LOCKING TABS FOR EXTRA SECURITY. RIVETED CONSTRUCTION, ZINC PLATED. SIX HOLE LOCKING BODY C

PANDUIT CORP.

PSL-MLDH-X

ELMCA

Item Description: MONITOR, POWER - 3-PHASE, 520 VAC MAX. INPUT, PLUG-IN TYPE, ADJUSTMENT RANGE TO BE 380-480 VAC, 180 .05 SECOND DROP-OUT TIME, CONTACT RATING TO BE 3 AMPS @ 115V. TIME MARK MODEL #A258-B-480,

TIME MARK CORP.

9800326-03 MOD. A258-B-480

ELMCB

Item Description: CONNECTOR, WATER TITE, FEMALE, WOODHEAD #15W47, THREE WIRE, 15A, 125 VOLT, GROUNDING BACKWIRED, 780 INSULATED

WOODHEAD

15W47

ELECTRICAL COMPONENTS

ELMCF

Item Description: KIT, SPLICING, POWER CABLE, FOR WEATHER EXPOSED OR DIRECT BURIAL LOCATION ON UNSHIELDED

220 SYNTHETIC INSULATED CABLE RATED TO A MAXIMUM OF 5KV KIT ACCOMDATES CONDUCTOR SIZE #2 AWG MAX.

CONNECTOR O.D TO BE 13/32" MAX. CABLE O.D.NOT TO EXCEED 5/

3M

82-A1

Item Description: KIT, SPLICING, SCOTCHLOK 89D3, MINNESOTA MINING & MFG. CO. #82A3

240 MINNESOTA MINING AND MANUFACTU SCOTCHLOK

82A3 89D3

Item Description: STARTER, SIZE 1, NEMA-GENERAL PURPOSE, 120 VOLT COIL. FREEDOM SERIES. CUTLER-HAMMER #AN16DNOAB

***** NO SUBSTITUTE ****

CUTLER-HAMMER

AN16DNOAB

Item Description: STARTER, SIZE 2, 240 VOLT. FREEDOM SERIES CUTLER-HAMMER #AN16GNOBB ***** NO SUBSTITUTE *****

700 CUTLER-HAMMER

AN16GNOBB

Item Description: STARTER, SIZE 2, CUTLER HAMMER FREEDOM SERIES, ****NO SUBSTITUTE****

720 CUTLER-HAMMER

AN16GNOAB

Item Description: STARTER, SIZE 4, FREEDOM SERIES. CUTLER-HAMMER #AN16NNOA ***** NO SUBSTITUTE *****

780 CUTLER-HAMMER

AN16NNOA

Item Description: STARTER, SIZE 3, 120 VOLT COIL, 3 PHASE, WITHOUT CONTROL TRANSFORMER, NO ENCLOSURE, TO BE

790 SUPPLIED WITH OVER-LOAD RELAY. CUTLER HAMMER #AN16KNOA ***** NO SUBSTITUTE *****

CUTLER-HAMMER

AN16KNOA

JEA XXJINVWCATL Page: 51 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMCJ

Item Description: SWITCH, FLOAT, DIRECT ACTING, SINGLE POLE, DOUBLE THROW W/WEIGHT KIT, 40-FT CABLE, NORMALLY

420 OPEN OR NORMALLY CLOSED TYPE, ***OR APPROVED EQUAL***

ROTO - FLOAT

S40NONC

ELMCK

Item Description: SWITCH TOGGLE, DOUBLE POLE, SINGLE THROW, ON-OFF, SCREW TERMINALS, 20 AMP, 277VAC, 1.5 HP, 4

700 TERMINALS MCGILL #0121-0001 (FORMER #0111-0001)

MCGILL ELECTRIC

0121-0001

Item Description: TERMINAL, EASY DISCONNECT, FEMALE - 14-16 GAUGE WIRE, NYLON INSULATED, FOR .250" X .032 " MALE

900 TAB, FUNNELED WIRE ENTRY. THOMAS & BETTS STA-KON #RB14-250F (100 PER BOX)

THOMAS AND BETTS

RB14-250F STA-KON

ELMCL

Item Description: TIMER, 24 HOUR, MULTI OPERATION, 96 TRIPPERS, STEEL ENCLOSURE WITH GRAY ENAMEL FINISH AND HASP

480 FOR LOCKING, 15 MINUTE MINIMUM SETTING, 24 HOUR MAXIMUM SETTING, UL LISTED, 125 VOLT, 60 HZ.

GRAINGER (DAYTON) #2E026

DAYTON

2E026

ELECTRICAL COMPONENTS

ELMCM

Item Description: VALVE, SOLENOID 3/4" - 220 VAC, 11 WATTS, CLASS "F" COIL, ASCO VALVE TYPE PFX FOR USE WITH 720 WATER, FLUID TEMPERA- TURES TO 180 DEGREES, NORMALLY CLOSED OPERATION, OPERATING PRESSURE FROM 0 TO 100 PSI, BRASS BODY, 2-WAY VALVE, ASCO #8210G95 (

ASCO

8210G95

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, GREEN INSULATION, 0.03" HDPE INSULATION THICKNESS, 951 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT-1230GHS500 PRO-TRACE-744120532

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, BLUE INSULATION, 0.03" HDPE INSULATION THICKNESS, 955 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT-1230BHS500 PROTRACE-744120232

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, PURPLE INSULATION, 0.03" HDPE INSULATION THICKNESS, 957 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL, (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

PROTRACE 744120832 SOLOSHOT 1230PHS500

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, BLUE INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN. RATED 960 BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL. (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845BEHS500 PROTRACE 746440232

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, GREEN INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN. 962 RATED BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL. (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845GEHS500 PROTRACE 746440532 XXJINVWCATL JEA Page: 53 of: 341

Water and Wastewater Master Material Catalog

ELECTRICAL COMPONENTS

ELMCM

JAN-05-22 08:40:51

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, PURPLE INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN.

964 RATED BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845PEHS500 PROTRACE 746440832

ELMCP

Item Description: TRANSDUCER, LEVEL, 4-20 MA OUTPUT, 24 VDC SUPPLY, 316 SS BODY, SS DIAPH., CALIBRATION RANGE 0-

576 24 FEET, 100 FT CABLE, CABLE MANUF. SPECTRUM, COND SIZE 18 AWG, 16/30 TC INSUL., .010 POLYE

CABLE 2 COND. WITH 18 AWG DRAIN WIRE, ALUM MYLAR WRAP

GP:50 SIGMA CONTROLS

311-SZ-Y367 6100MP-015-1-DS-CD-SO-WC100

Item Description: TRANSDUCER, PRESSURE - 1-100 PSIG, 15 - 45 VDC INPUT SIGNAL, 4 - 20 MA OUTPUT SIGNAL, 316 SS

578 BODY, 10 FT OF CABLE, CALIBRATED IN PSIG NOT IN FEET FOR FRESH WATER PRESSURE

AUTOMATION PRODUCTS GROUP, INC

PT-500A-100-PSI-S-L1-E0-P5-

5-N0-B0

Item Description: TOOL, CRIMPING, COPPER, COMPRESSION, BURNDY TYPE "MY" DIELESS HYTOOL. TOOL RANGE SIZE TO BE #8-

643 250. BURNDY TOOL #MY29-3

BURNDY CORP.

MY29-3

XXJINVWCATL JEA Page: 54 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FASTENERS

FASAA

Item Description: PARTIAL SURPLUS - BOLT, EYE 5/8" - OFFSET, NATIONAL COURSE THREAD, 4" LONG, MUST MEET ASTM A017 242 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL

MINIMUM.

Item Description: BOLT, EYE 3/4" - OFFSET, NATIONAL COURSE THREAD, 4-1/2" LONG, BOLT MUST MEET ASTM A-242

020 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL

MINIMUM. 50 EACH PER BOX.

Item Description: INACTIVE - BOLT, HEX HEAD - 3/4"-10 X 3", ZINC CHROME, GRADE 5

140

Item Description: INACTIVE - BOLT, HEX HEAD, 3/4" X 3-1/2", ZINC PLATED, BOLT TO BE GRADE 5 ONLY.

145

Item Description: INACTIVE - BOLT, HEX HEAD 3/4" X 4", GRADE 5, ZINC PLATED

150

FASBB

Item Description: BOLT, T HEAD, 1" X 6" WITH HEX NUT. NOTE: BOLTS TO BE MADE OF HIGH STRENGTH, CORROSION

RESISTANT ALLLOY. BOLTS MUST BE COMPATIBLE WITH CAST/DUCTILE IRON MECHANICAL JOINT FITTINGS.

(FOR 36" MJ FITTINGS)

JEA XXJINVWCATL Page: 55 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FASTENERS

FASCC

Item Description: LUG, TIE (DUC), DUCTILE - USED WITH TIE RODS TO RESTRAIN MJ FITTINGS, LUGS MUST ACCEPT 3/4" 045

ALL-THREAD ROD. 72,000 LB. TENSILE STRENGTH (MIN.), 50,000 LB. YIELD STRENGTH (MIN.), APPROVED

MANUF. ONLY, *** NO SUBSTITUE***

ASTRAL CORPORATION ROMAC INDUSTRIES

S14 DUCTILE LUG

Item Description: NUT, HEX, 5/8"-11, ZINC PLATED

500

Item Description: NUT, HEX HEAD 3/4", PLAIN, NATIONAL COURSE THREAD (BLACK)

600

Item Description: NUT, HEX HEAD - 3/4"-10, STANDARD GRADE, HEAVY PATTERN, NATIONAL COURSE THREAD (50 OR 100 PER

700 BOX OR BAG)

Item Description: WASHER, FLAT 3/4", ROUND CUT, 1/8" THICK 2" OUTSIDE DIAMETER, USS ZINC PLATED

910

Item Description: WASHER, FLAT, 4" X 4" SQUARE, 1/8" THICK CARBON STEEL WITH 7/8" CENTER HOLE

JEA XXJINVWCATL Page: 56 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FILTERS

FLTAA

Item Description: FILTER, AIR, 10" X 20" X 1" DISPOSABLE TYPE PRECISIONAIRE OR EQUAL

030

Item Description: FILTER, AIR 12" X 24" X 1", DISPOSABLE, HEAVY DUTY POLYESTER FILTER ONLY, HEAVY GRADE FILTER

036 WITH METAL ON BOTH SIDES SEASONAIRE COMMERCIAL GRADE

AMERICAN AIR FILTER

229-319-231

Item Description: FILTER, AIR, 20" X 20" X 1", DISPOSABLE

090 AMERICAN AIR FILTER

700-061

PUD-FITTINGS

FTGAA

Item Description: FLANGE, ADAPTER 3", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

005

Item Description: FLANGE, ADAPTER 8", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

015

Item Description: FLANGE, FILLER 6" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8

EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS. 050

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAA

Item Description: FLANGE, FILLER 8" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8 055 EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS.

Item Description: FLANGE, ADAPTER 3", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET.

070

Item Description: FLANGE, ADAPTER 8", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET.

075

Item Description: UNIFLANGE, FLANGE, ADAPTER, 3", #200S FOR 3.50 O.D. STEEL PIPE, CLASS 150, TO BE SUPPLIED WITH

100 GASKET.

Item Description: FLANGE, ADAPTER, 4", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

200

Item Description: UNIFLANGE, FLANGE, ADAPTER, 6", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH

300 GASKET

UNIFLANGE

200C OR 400C

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 4", #900C FOR USE WITH CAST IRON O.D. PVC PIPE

PUD-FITTINGS

FTGAA

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 6", #900C FOR USE WITH CAST IRON O.D. PVC PIPE 700

FTGAE

Item Description: ADAPTER, PIPE - GALVANIZED, 3/4", MALE HOSE BARB X MALE IRON PIPE THREAD.

010

Item Description: ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" FEMALE IRON PIPE THREAD

030 (FIPT), RIGID HEXAGON (FIPT 2") X SWIVEL CONNECTION (FNST - 2-1/2")

DESANNO DIXON FNW VALVE CO.

73 RSF25F20T FNW9301LL

SEALFAST

K35R25NST2NPT

Item Description: ADAPTER, BRASS - 2-1/2" MALE NATIONAL STANDARD THREAD (MNST) X 2" FEMALE IRON PIPE THREAD

040 (FIPT).

> MOON POWHATTAN U.F.S.

356 15216-2

Item Description: ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" MALE IRON PIPE THREAD

050 (MIPT), SWIVEL CONNECTION (FNST-2-1/2") X RIGID HEXAGON (MIPT-2")

DESANNO DIXON

72 SM25F20T

Item Description: ADAPTER, BULL HEAD SERVICE 2" FIP INLET: (4) FOUR 1" FIP OUTLETS:

115 FORD

Y11-474-NT

JEA XXJINVWCATL Page: 59 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAE

Item Description: WYE, BRASS NL, 1" SINGLE BRANCH W/TWO MULTI-BRANCH- 1", PACK JOINT FOR COPPER OR PLASTIC TUBING

120 (CTS) BOTH ENDS

FORD

Y44-244-NL

Item Description: WYE, BRASS NL, 2" SINGLE BRANCH W/TWO MULTI-BRANCH- 1", PACK JOINT FOR COPPER OR PLASTIC TUBING

125 (CTS) BOTH ENDS

FORD

Y44-274-NL

Item Description: BUSHING, NO LEAD BRASS - 1 "CC X 3/4 "CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO REDUCE

200 DOWN SIZE OF THREAD.

FORD

BBAA-43-NL

Item Description: BUSHING, BRASS - 1-1/2"CC X 1"CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO REDUCE DOWN

250 SIZE OF THREAD.

FORD

BBAA-64-NL

Item Description: BUSHING, NO LEAD BRASS - 2"CC X 1-1/2"CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO

300 REDUCE DOWN SIZE OF THREAD. FORD OR EQUAL

FORD

BBAA-76-NL

Item Description: BUSHING, PIPE - BRASS, 1/4"MIPT X 1/8" FIPT.

XXJINVWCATL Page: 60 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGAE

Item Description: BUSHING, PIPE - BRASS, 3/8"MIPT X 1/4" FIPT.

530

Item Description: BUSHING, PIPE - BRASS, 1/2"MIPT X 1/4" FIPT.

540

Item Description: BUSHING, PIPE - BRASS, 1/2"MIPT X 3/8" FIPT

550

Item Description: BUSHING, PIPE - BRASS, 3/4" X 1/4".

560

Item Description: BUSHING, PIPE - BRASS 3/4" X 3/8".

570

Item Description: BUSHING, PIPE-NO LEAD BRASS, 3/4"MIPT X 1/2"FIPT

580 MERIT BRASS

XNL114 3/4"x1/2"

Item Description: BUSHING, PIPE - NO LEAD BRASS 1"MIPT X 1/2"FIPT.

590 **MERIT BRASS**

XNL114 1"x1/2"

Item Description: BUSHING, PIPE - NO LEAD BRASS 1"MIPT X 3/4"FIPT.

600 MERIT BRASS

XNL114 1"x3/4"

JEA XXJINVWCATL Page: 61 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAE

Item Description: BUSHING, PIPE - NO LEAD BRASS, 3" X 2"

602 MERIT BRASS

IBRLFBMK

XNL114-4832

Item Description: BUSHING, PIPE - NO LEAD BRASS, 2" X 1-1/2"

604 MERIT BRASS

IBRLFBKJ

XNL114-3224

Item Description: BUSHING, PIPE - NO LEAD BRASS 1-1/2" X 3/4".

606 MERIT BRASS

XNL114 1-1/2"x3/4"

Item Description: BUSHING, METER-NO LEAD BRASS, 2" (MALE) X 1-1/2" (FEMALE), THREADED MALE SIDE TO HAVE A

610 MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT

ACCEPTABLE ****

FORD

BBTM-66-NI

Item Description: BUSHING, METER - NO LEAD BRASS, 2-1/2" (MALE) X 2" (FEMALE), THREADED MALE SIDE TO HAVE A

620 MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT

ACCEPTABLE ****

FORD

BBIM-77-NL

FTGAJ

Item Description: ELL, PIPE - BRASS, 1" FIPT BOTH ENDS, 45 DEGREE

001 MERIT BRASS

XNL102-16

JEA XXJINVWCATL Page: 62 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAJ

Item Description: ELL, PIPE - BRASS, 1-1/4" FIPT BOTH ENDS, 45 DEGREE

002 MERIT BRASS

XNL102-20

Item Description: ELL, PIPE - BRASS,1-1/2" FIPT BOTH ENDS, 45 DEGREE.

003

Item Description: ELL, PIPE - BRASS, 2" FIPT BOTH ENDS, 45 DEGREE.

004 MERIT BRASS

XNL102-32

Item Description: INACTIVE - COUPLING, PIPE - BRASS, 1/4".

020

Item Description: COUPLING BRASS 1/2"

040

Item Description: COUPLING, PIPE - NO LEAD BRASS, 3/4".

050 MERIT BRASS

XNL111 3/4"

Item Description: ELL, PIPE - NO LEAD BRASS, 45 DEGREE, 3/4".

650 MERIT BRASS

XNL102 3/4"

Item Description: ELL, PIPE - BRASS, 90 DEGREE, 1/4".

JEA XXJINVWCATL JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

Page: 63 of: 341

PUD-FITTINGS

FTGAJ

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 3/4".

756 MERIT BRASS

XNL101 3/4"

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 1-1/2".

782 MERIT BRASS

XNL101 1-1/2"

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 2".

797 MERIT BRASS

XNL101 2"

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X CLOSE.

086

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE. SCH 40, 1/4" X 2".

095 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 2".

098

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 3".

JEA XXJINVWCATL Page: 64 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 6".

130

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X CLOSE.

210

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 2".

220

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 8".

270

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, SCH 40, 1/2" X CLOSE.

300 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X CLOSE.

310

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 3".

320

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 4".

JEA XXJINVWCATL Page: 65 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 5".

340

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 6".

350

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 8".

360

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X CLOSE.

410

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 3".

420

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 5".

430

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 6".

440

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 10".

JEA XXJINVWCATL

Page: 66 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X CLOSE.

510

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X 3".

523

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" CLOSE

525 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 3'

530 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, O-LEAD BRASS, 1-1/4" X 4"

540 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 6"

550 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 12"

560 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X CLOSE.

XXJINVWCATL JEA

Page: 67 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 3".

617

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x4"

618 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 4".

620

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x6"

630 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 6".

639

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x12"

700 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/2" X 12"

705 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS 2" X CLOSE.

JEA XXJINVWCATL Page: 68 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x CLOSE

715 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 4".

720

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 6".

730

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x 6"

735 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 12".

740

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x 12"

745 ORDER BY DESCRIPTION

OBD

FTGAN

Item Description: PLUG, PIPE - BRASS, 3/8".

XXJINVWCATL JEA Page: 69 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAN

Item Description: PLUG, PIPE - BRASS, 1/2".

540

Item Description: PLUG, PIPE - BRASS, 3/4".

550

Item Description: PLUG, PIPE, NO-LEAD BRASS, 1"

555 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, PIPE, NO-LEAD BRASS, 1-1/4"

557 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, PIPE - BRASS, 1-1/2".

560

Item Description: PLUG, PIPE, NO-LEAD BRASS, 2"

570 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, 3/4" SOLID BRASS, WITH CC THREADS.

620 **MUELLER**

10033N

Item Description: PLUG, MUELLER - BRASS, 1".

JEA XXJINVWCATL JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

Page: 70 of: 341

PUD-FITTINGS

FTGAN

Item Description: INACTIVE - PLUG, MUELLER - BRASS, 1-1/2".

650

Item Description: PLUG, MUELLER - BRASS, 2".

660

FTGAP

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/4" X 1/8".

010

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/8".

040

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/4".

050

FTGAR

Item Description: TEE, PIPE - NO-LEAD BRASS, 1/4" X 1/4" X 1/4".

020

Item Description: TEE, PIPE - NO-LEAD BRASS, 3/4" X 3/4" X 3/4".

JEA XXJINVWCATL Page: 71 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAR

Item Description: TEE, PIPE - NO-LEAD BRASS, 1 " X 1 " X 1 " CTS

070 FORD

T444-444

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

110

Item Description: BEND, DUCTILE IRON, 6", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

120

Item Description: BEND, DUCTILE IRON, 8", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

130

Item Description: BEND, DUCTILE IRON, 10", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

140

Item Description: BEND, DUCTILE IRON, 12", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

150

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

185

200

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 175

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 180

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 190

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 210

Item Description: BEND, DUCTILE IRON, 14", 22-1/2 DEGREE, MECHANICAL JOINT, EPOXYLINED TO BE SUPPLIED WITHOUT 260 ACCESSORIES

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
280

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
285

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT. WITHOUT ACCESSORIES. UNION, TYLER, US PIPE, OR EQUAL

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
295

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES) 300

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Page: 74 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: INACTIVE - BEND, FLANGED, 4", 45 DEGREE, DUCTILE IRON, SHORT PATTERN.

317 TYLER PIPE

#5-705

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

320

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANCIAL JOINT, WITHOUT ACCESSORIES.

330

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

340

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, WITHOUT ACCESSORIES.

350

Item Description: BEND, DUCTILE IRON, 14", 45 DEGREE, MECHANICAL JOINT, EPOXYLINED, WITHOUT ACCESSORIES

360

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

370

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

390

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

391

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

392

Item Description: BEND, DUCTILE IRON, 3", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

395

Item Description: BEND, DUCTILE IRON, 3", 90 DEGREE, FLANGED.

400

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, FLANGED.

415 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

420

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, FLANGED.

425

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

430

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, FLANGED.

435

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

440

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, FLANGED.

Page: 77 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

495

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES). 450

Item Description: BEND, DUCTILE IRON, 14", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 460

Item Description: BEND, DUCTILE IRON, 16", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 470

Item Description: BEND, DUCTILE IRON, 24", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES). 490

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 500 WITHOUT ACCESSORIES)

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 505

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 510 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES). 515

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 520 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 530 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 540 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED 550 WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 6", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT

602 ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 8", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT

604 ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 10", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED,

606 WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 12", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED,

608 WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED

610

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

612 WITHOUT ACCESSORIES)

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 632

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

JEA Page: 81 of: 341 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 636

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 638

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 642

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 644 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 646

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 648 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 650 ACCESSORIES).

Page: 82 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 655 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 660

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 662

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 664

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 666

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES. 668

Item Description: BEND, DUCTILE IRON, 16", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 670 ACCESSORIES).

Page: 83 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 680 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 690 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 700 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 710 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT 720 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 14", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 772

PUD-FITTINGS

FTGAV

Item Description: CAP, DUCTILE IRON, 3" MECHANICAL JOINT, WITHOUT ACCESSORIES

010 ORDER BY DESCRIPTION

OBD

Item Description: CAP, DUCTILE IRON, 6", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

020

Item Description: CAP, DUCTILE IRON, 8", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

030

Item Description: CAP, DUCTILE IRON, 10", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).

040

Item Description: CAP, DUCTILE IRON, 12", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).

050

Item Description: CAP, DUCTILE IRON, 16", TAP 2, MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

061

FTGAZ

Item Description: CROSS, DUCTILE IRON, 4" X 4", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGAZ

040

060

090

Item Description: CROSS, DUCTILE IRON, 6" X 6", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 020

Item Description: CROSS, DUCTILE IRON, 8" X 6", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 030

Item Description: CROSS, DUCTILE IRON, 8" X 8", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

Item Description: CROSS, DUCTILE IRON, 10" X 8", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

Item Description: CROSS, DUCTILE IRON, 12" X 6", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

Item Description: CROSS, DUCTILE IRON, 12" X 12", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES. 120

Item Description: CROSS, DUCTILE IRON, 16" X 10", MECHANICAL JOINT. TO BE SUPPLIED W/ 16" ACCESSORIES. 150

Item Description: CROSS, DUCTILE IRON,16" X 12", MECHANICAL JOINT.TO BE SUPPLIED W/ 16" ACCESSORIES. 160

PUD-FITTINGS

FTGAZ

Item Description: CROSS, DUCTILE IRON, 16" X 16", MECHANICAL JOINT. TO BE SUPPLIED WITH ACCESSORIES.

170

Item Description: CROSS, DUCTILE IRON, 20" X 12", MECHANICAL JOINT. TO BE SUPPLIED W/ 20" ACCESSORIES.

180

FTGBB

Item Description: FLANGE, THREADED, REDUCING, 9" FLANGE WIAH A 2" THREADED TAP, 125 LB. CLASS, 8-HOLE,

287 CAST/DUCTILE, MUST MEET ANSI & ASTM. (FLANGE FOR 4" PIPE WITH A 2" THREADED TAP)

SMITH-COOPER INTERNATIONAL

18RT1020090

FTGBD

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 4", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.

020

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES.

030

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.

040

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 8", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES.

PUD-FITTINGS

FTGBD

Item Description: OFFSET, CAST IRON, MECHANICAL JOINT, 8", W/18" DROP, FULL BODY, DUCTILE IRON, WITHOUT

ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES.

070

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/18 DROP, FULL BODY, WITHOUT ACCESSORIES.

080

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES.

090

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/18 DROP, FULL BODY, WITHOUT ACCESSORIES.

100

FTGBF

Item Description: PLUG, DUCTILE IRON, 3" TAPPED 2", MJ.

007

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" WITHOUT ACCESSORIES.

Page: 88 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBF

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" TAPPED 2", WITHOUT ACCESSORIES.

030

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" WITHOUT ACCESSORIES.

040

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" TAPPED 2", WITHOUT ACCESSORIES.

070

Item Description: PLUG, DUCTILE IRON, MECHANCIAL JOINT, 8" WITHOUT ACCESSORIES.

080

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 8" TAPPED 2", WITHOUT ACCESSORIES.

090

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 10", WITHOUT ACCESSORIES.

110

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 10" TAPPED 2", WITHOUT ACCESSORIES.

130

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 12" WITHOUT ACCESSORIES.

XXJINVWCATL JEA Page: 89 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBF

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 12" TAPPED 2". WITHOUT ACCESSORIES.

160

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 16" WITHOUT ACCESSORIES.

170

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 20", WITHOUT ACCESSORIES.

180

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 24", WITHOUT ACCESSORIES.

190

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 4" X 3", WITHOUT ACCESSORIES.

000

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 6" X 4", WITHOUT ACCESSORIES.

010

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 4", WITHOUT ACCESSORIES.

Page: 90 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 6", WITHOUT ACCESSORIES.

030

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 4".WITHOUT ACCESSORIES.

040

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 6", WITHOUT ACCESSORIES.

050

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 8", WITHOUT ACCESSORIES.

060

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 4", EXPOXYLINED, WITHOUT ACCESSORIES

070

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", EXPOXYLINED, WITHOUT ACCESSORIES

075

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", WITHOUT ACCESSORIES.

080

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", EXPOXYLINED, WITHOUT ACCESSORIES

Page: 91 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", WITHOUT ACCESSORIES.

090

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", EXPOXYLINED, WITHOUT ACCESSORIES

095

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", WITHOUT ACCESSORIES.

100

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 14" X 12", EXPOXYLINED, WITHOUT ACCESSORIES

105

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 10", WITHOUT ACCESSORIES.

130

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 12", WITHOUT ACCESSORIES.

140

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 14", SHORT BODY, W/OUT ACCESSORIES.

145

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 20" X 12" WITHOUT ACCESSORIES.

JEA XXJINVWCATL Page: 92 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBH

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 24" X 20", WITH ACCESSORIES.

186

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 6" X 3 FOOT.

200

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 6" X 12".

203

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 8" X 3 FOOT.

205

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 8" X 12".

207

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 10" X 3 FOOT.

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 3", SHORT PATTERN, WITHOUT ACCESSORIES DOMESTIC ORIGIN

003 CASTINGS ONLY. UNION, TYLER, U.S. PIPE, OR EQUAL.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 4", SHORT PATTERN, WITHOUT ACCESSORIES

010 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 4", 12 LONG PATTERN, WITHOUT ACCESSORIES.

015 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, 4", "GROUND DOWN". SHORT PATTERN, STANDARD MJ SLEEVE AND ONE (1)

021 ACCESSORY PACK TO BE "GROUND DOWN" TO AN ID OF 5.25". THE OTHER END OF SLEEVE WILL REMAIN

STANDARD. ** SHIP ASSEMBLED **

SIGMA STAR TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

XXJINVWCATL Page: 94 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, 4", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

025 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 6", SHORT PATTERN, WITHOUT ACCESSORIES.

030 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 6", 12 LONG PATTERN, WITHOUT ACCESSORIES.

035 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, 6", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ NE (1) ACCESSORY

042 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, 6" DUCTILE IRON, GROUND DOWN, SHORT PATTERN, STANDARD MJ SLEEVE AND (1) ACCESSORY PACK

TO BE "GROUND DOWN" TO AN ID OF 7.40" ONE END OF A STANDARD SLEEVE AND THE OTHER END WILL

REMAIN STANDARD. ** SHIP ASSEMBLED. **

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 8", SHORT PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 8", 12 LONG PATTERN, WITHOUT ACCESSORIES

052 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, 8", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

053 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, 8" DUCTILE IRON, GROUND DOWN, SHORT PATTERN, STANDARD MJ SLEEVE AND (1) ACCESSORY PACK

O55 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 10", 12" LONG PATTERN, WITHOUT ACCESSORIES.

061 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 10", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

065 ACCESSORY

> SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 12", 12 LONG PATTERN, WITHOUT ACCESSORIES.

071 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 12", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

075 ACCESSORY PACK TO BE "GROUND DOWN" TO AN ID OF 13.70". THE OTHER END OF THE SLEEVE WILL REMAIN

STANDARD. ** SHIP ASSEMBLED**.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 14", 15" LONG PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 14", "GROUND DOWN". 15; LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

085 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 16", 15" LONG PATTERN, WITHOUT ACCESSORIES.

090 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 16", "GROUND DOWN". 15; LONG PATTERN STANDARD MJ SLEEVE AND ONE (1)

095 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 18", 15" LONG PATTERN, WITHOUT ACCESSORIES.

100 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 18", "GROUND DOWN". STANDARD MJ SLEEVE AND ONE (1) ACCESSORY PACK TO BE

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 20", 15" LONG PATTERN, WITHOUT ACCESSORIES.

110 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 20", "GROUND DOWN". 15; LONG PATTERN STANDARD MJ SLEEVE AND ONE (1)

120 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 24", 15" LONG PATTERN, WITHOUT ACCESSORIES.

130 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, 24", "GROUND DOWN". 15; LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

135 ACCESSORY

> SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 30", 15; LONG PATTERN W/OUT ACCESSORIES.

140 STCMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15" LONG PATTERN EPOXY LINED, WITHOUT ACCESSORIES

145 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15; LONG PATTERN W/OUT ACCESSORIES.

150 SIGMA TYLER PIPE STAR PIPE PRODUCTS

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: INSTA-VALVE, 4", COMPLETE FITTING O.D RANGE 4.60-5.00 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS

304 FLANGE - HYDRA-STOP (PART NUMBERS 25480250-CS & 25CARTLH04-250).

HYDRA-STOP

25480250-CS

25CARTLH04-250

JEA XXJINVWCATL Page: 100 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: INSTA-VALVE, 4", COMPLETE FITTING O.D RANGE 4.98-5.28 FOR CI, AC -SS SLEEVE & NOZZLE CS FLANGE

305 HYDRA-STOP

25513250-CS

Item Description: INSTA-VALVE, 6", COMPLETE FITTING O.D RANGE 6.70-7.10 FOR CI, DI, AC, PVC -SS SLEEVE & NOZZLE CS

306 FLANGE - HYDRA-STOP (PART NUMBERS 25663250-CS & 25CARTLH06-250).

HYDRA-STOP

25CARTLH06-250

25663250-CS

Item Description: INSTA-VALVE, 8", COMPLETE FITTING O.D RANGE 8.85-9.25 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS

308 FLANGE. LBS 192 - HYDRA-STOP (PART NUMBERS 25863250-CS & 25CARTLH08-250).

HYDRA-STOP

25CARTLH08-250

25863250-CS

Item Description: INSTA-VALVE, 6", COMPLETE FITTING O.D RANGE 7.05-7.35 FOR CI, AC -SS SLEEVE & NOZZLE CS FLANGE

309 HYDRA-STOP

25720250-CS

Item Description: INSTA-VALVE, 10", COMPLETE FITTING O.D RANGE 10.90-11.30 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE

310 CS FLANGE. LBS 360 - HYDRA-STOP (PART NUMBERS 251075250-CS & 25CARTLH10-250).

HYDRA-STOP

25CARTLH10-250

251075250-CS

Item Description: INSTA-VALVE, 12", COMPLETE FITTING O.D RANGE 13.00-13.35 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE

312 CS FLANGE. LBS 430 - HYDRA-STOP (PART NUMBERS 251275250-CS & 25CARTLH12-250).

HYDRA-STOP

25CARTLH12-250

251275250-CS

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: INSTA-VALVE, 8", COMPLETE FITTING O.D RANGE 9.17-9.47 FOR CI, AC -SS SLEEVE & NOZZLE CS FLANGE

313 HYDRA-STOP

25932250-CS

Item Description: INSTA-VALVE, 10", COMPLETE FITTING O.D RANGE 11.15-11.45 FOR CI, AC -SS SLEEVE & NOZZLE CS

315 FLANGE -HYDRA-STOP

HYDRA-STOP

251130250-CS

Item Description: INSTA-VALVE, 12", COMPLETE FITTING O.D RANGE 13.35-13.65 FOR CI,AC -SS SLEEVE & NOZZLE CS

318 FLANGE

HYDRA-STOP

251350250-CS

Item Description: TAPPING SLEEVE, 4X2 IP 316SS TAPN SLV 4.50-4.80

440 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D. RANGE OF 4.70 - 4.90, SLEEVE TO BE FURNISHED W/ALL NECESSARY HARDWARE - SLEEVE TO BE 450

SUPPLIED AS PER JEA SPECIFICATIONS.

Item Description: SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

455 O.D.RANGE OF 4.80 - 5.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

JEA XXJINVWCATL Page: 102 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: TAPPING SLEEVE, 6X2 IP 316SS TAPN SLV 6.63-7.00

525 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER OBD

OBD

Item Description: SLEEVE, TAPPING, 6" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

530 O.D.RANGE OF 6.90 - 7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE, SLEEVE TO BE

SUPPLIED AS PER JEA SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

540 O.D. RANGE OF 6.90-7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

544 O.D.RANGE OF 7.10 - 7.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

548 O.D.RANGE OF 7.30 - 7.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

XXJINVWCATL JEA Page: 103 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: TAPPING SLEEVE, 8X2 IP 316SS TAPN SLV 8.63-9.05

555 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 8" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

570 O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6" ALL STAINLESS STEEL W/DUCTILE IRON GLAND ON BRANCH, 6" MJ GASKET,

572 W/FULL 1/4" THICK CHEK-O-SEAL W/MULTI O-RING SEALING RIBS, MIN. OD RANGE 9.05-9.45, SUPPLIED

W/ALL NECESSARY HARDWARE.

POWERSEAL CORP.

3490MJ

Item Description: SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

580 O.D.RANGE OF 9.05 - 9.35 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

XXJINVWCATL JEA Page: 104 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

585 O.D.RANGE OF 9.30 - 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

590 O.D.RANGE OF 9.30 - 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 10X2 IP 316SS TAPN SLV 10.75-11.10

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 10" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

600 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

610 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

XXJINVWCATL JEA Page: 105 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

620 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

625 O.D.RANGE OF 11.40-11.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

630 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 12X2 IP 316SS TAPN SLV 12.75-13.20

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD

Item Description: SLEEVE, TAPPING, 12" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 12" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

0.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

670 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

680 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

690 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 16X2 IP 316SS TAPN SLV 17.32-17.80

705 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

XXJINVWCATL JEA Page: 107 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 16" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

710 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178004

Item Description: SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

720 O.D.RANGE OF 17.40-17.80 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178006

Item Description: SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

725 O.D.RANGE OF 17.75-18.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 16" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

730 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178008

Item Description: SLEEVE, TAPPING, 16" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

740 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178010

XXJINVWCATL JEA Page: 108 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 16" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

750 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS JCM 432-1740X

Item Description: SLEEVE, TAPPING, 20" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

760 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

770 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

780 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

795 O.D.RANGE OF 21.90-22.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 24" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

800 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 24" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

900 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 3" X 3" X 3", WITHOUT ACCESSORIES.

000

Item Description: TEE, BLACK JOINT, 2" X 1" BRASS

005 FORD METER BOX COMPANY

T441-774-NL

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", WITHOUT ACCESSORIES,

010

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 4", WITHOUT ACCESSORIES.

Page: 110 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6", WITHOUT ACCESSORIES. 040

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8 X 4", WITHOUT ACCESSORIES.

060

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 6", WITHOUT ACCESSORIES.

070

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8", WITHOUT ACCESSORIES.

080

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 6", WITHOUT ACCESSORIES.

100

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 8", WITHOUT ACCESSORIES.

110

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", WITHOUT ACCESSORIES.

120

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 6", WITHOUT ACCESSORIES.

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 8",WITHOUT ACCESSORIES.

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 10", WITHOUT ACCESSORIES.

160

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", WITHOUT ACCESSORIES.

170

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 6", WITHOUT ACCESSORIES.

190

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 8", WITHOUT ACCESSORIES.

200

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 10", WITHOUT ACCESSORIES.

210

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 12", WITHOUT ACCESSORIES.

220

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 16", WITHOUT ACCESSORIES.

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 16", WITHOUT ACCESSORIES.

260

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 20", WITHOUT ACCESSORIES.

270

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 24" X 24" X 24", WITHOUT ACCESSORIES.

280

Item Description: TEE, DUCTILE IRON, 3" X 3" X 3", FLANGED

530 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TEE, DUCTILE IRON, 4" X 4" X 4", FLANGED

535 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TEE, DUCTILE IRON, 6" X 6" X 6", FLANGED

540

Item Description: TEE, DUCTILE IRON, 8" X 8" X 8", FLANGED

545

Item Description: TEE, DUCTILE IRON, 10" X 10" X 10", FLANGED

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

600

Item Description: DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE,

605

Item Description: DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8" X 8", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE

610

Item Description: DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", 40-MIL EPOXYLINED, WITHOUT

615

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

620

FTGBO

Item Description: GASKET, SEWER SADDLE, 4.20 - 4.80, UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE, OR EQUAL.

000 FORD ROMAC INDUSTRIES

> FSS-GASKET-4-S CB-4.20-4.63

Item Description: GASKET, SEWER SADDLE 6.30-6.66 UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE (GASKET FOR USE

100 WITH A SDR 35 LATERAL), OR EOUAL.

> FORD ROMAC INDUSTRIES

FSS-GASKET-6-S CB-6.30-6.66

XXJINVWCATL Page: 114 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBQ

Item Description: CASTING SADDLE (BODY) FOR ROMAC SEWER SADDLE- BODY ONLY

300 FORD ROMAC INDUSTRIES

FSS-SADDLE-4 CB-4.63

Item Description: CASTING SADDLE (BODY) - BODY ONLY

500 FORD ROMAC INDUSTRIES

FSS-SADDLE-6 CB-6.66-6.90

Item Description: STRAP, SEWER SADDLE, 48", FOR SEWER SADDLE

800 FORD ROMAC INDUSTRIES

FSS-BAND-1440 CB-S48

Item Description: STRAP, SEWER SADDLE, 96", FOR SEWER SADDLE

900 FORD ROMAC INDUSTRIES

FSS-BAND-2580 CB-S96

FTGBR

Item Description: SADDLE, 4X2 IP, DOUBLE STRAP, 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

CASCADE DRESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-480-IP7-Q-I

JCM MUELLER SMITH BLAIR

OBD OBD OBD

Item Description: SADDLE, 6X2 IP, DOUBLE STRAP 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

200 CASCADE DRESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-690-IP7-Q-I

JCM MUELLER SMITH BLAIR

OBD OBD OBD

XXJINVWCATL JEA Page: 115 of: 341

JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

| | | - | _ |
|---|-------|----|---|
| H | ۱۰(- | ÷К | к |
| | | | |

| Item 300 | Description: | SADDLE, | 8X2 II | P, DOUBLE | STRAP 31 | 6 STAINLESS | STEEL EPOXY. | USED | ON PVC PIPE. | |
|-----------------|---------------------|---------|--------|------------|-------------------------|---------------|---------------|-------|--|--|
| | CASCADE OBD JCM OBD | | | | DRESSER OBD MUELLER OBD | INDUSTRIES, | INC. | F | FORD METER BOX (FC202-905-IP7-Q SMITH BLAIR DBD | |
| Item 400 | Description: | SADDLE, | 10X2 I | IP, DOUBLE | E STRAP 3 | 316 STAINLESS | STEEL EPOXY. | USEI | O ON PVC PIPE. | |
| | CASCADE OBD JCM OBD | | | | DRESSER OBD OBD | INDUSTRIES, | INC. | F | FORD METER BOX (FC202-1110-IP7-(SMITH BLAIR DBD | |
| Item 500 | Description: | SADDLE, | 12X2 | IP, DOUBLE | E STRAP, | 316 STAINLES | S STEEL EPOXY | . USE | ED ON PVC PIPE. | |
| | CASCADE OBD JCM OBD | | | | DRESSER OBD MUELLER OBD | INDUSTRIES, | INC. | F | FORD METER BOX (FC202-1320-IP7-(SMITH BLAIR DBD | |
| Item 600 | Description: | SADDLE, | 16X2 I | IP, DOUBLE | E STRAP, | 316 STAINLES | S STEEL EPOXY | . USE | ED ON PVC PIPE. | |
| | CASCADE OBD JCM OBD | | | | DRESSER OBD MUELLER OBD | INDUSTRIES, | INC. | F | FORD METER BOX (FC202-1840-IP7-(SMITH BLAIR DBD | |
| Item 700 | Description: | SADDLE, | 20X2 | IP, DOUBLE | E STRAP, | 316 STAINLES | S STEEL EPOXY | . USE | ED ON PVC PIPE. | |
| | CASCADE OBD JCM OBD | | | | DRESSER OBD MUELLER OBD | INDUSTRIES, | INC. | F | FORD METER BOX (FC202-2050-IP7-(SMITH BLAIR DBD | |

XXJINVWCATL JEA Page: 116 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGBR

Item Description: SADDLE, 24X2 IP, DOUBLE STRAP, 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

ORESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-2650-IP7-0

JCM MUELLER SMITH BLAIR

OBD OBD OBD

FTGBU

Item Description: ADAPTER, NO LEAD COUPLING, 2", CORPORATION STOP, 1/8 BEND, (#LA14-87), 2-1/2" FEMALE IRON PIPE

110 THREAD ON ONE END, 2" COMPRESSION FITTING FOR CTS POLYETHYLENE ON THE OTHER END. (2" OLD STYLE)

FORD

LA14-87

Item Description: NO LEAD COUPLING, ADAPTER - 3/4", CORPORATION STOP, OLD STYLE, 1/8 BEND, WIPED LEAD FEMALE

310 THREAD (WITH SEAT) X CTS COMPRESSION. FORD OR EQUAL

FORD

T-A104-33G

Item Description: NO LEAD COUPLING, ADAPTER - 1", CORPORATION STOP OLD STYLE, 1/8 BEND, (#LA104-44G), WIPED LEAD

320 FEMALE THREAD (WITH SEAT) X CTS COMPRESSION.

FORD

LA104-44G-NL

Item Description: NO LEAD COUPLING, ADAPTER - STRAIGHT, 1/2" INTERNAL COUPLING THREAD X 3/4" COPPER TUBE NUT.

390 COUPLING THREAD TO HAVE SEAT (INCLUDES GASKET).

FORD

C102-13-NL

XXJINVWCATL Page: 117 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBU

Item Description: NO LEAD COUPLING, ADAPTER, CORPORATION STOP, 3/4", (#C104-33G) OLD STYLE, STRAIGHT, WIPED LEAD

400 FEMALE THREAD (WITH SEAT) X CTS COMPRESSION.

FORD

C104-33-G-NL

Item Description: COUPLING, ADAPTER, CORPORATION STOP, 1", (#C104-44G) OLD STYLE, STRAIGHT, WIPED LEAD FEMALE

404 THREAD (WITH SEAT) X CTS COMPRESSION.

FORD

C104-44G

Item Description: NO LEAD COUPLING, ADAPTER 1", STRAIGHT, FEMALE IRON PIPE THREAD (#C14-44G) X CTS COMPRESSION.

410 FORD, OR EQUAL.

FORD

C14 - 44G

Item Description: NO LEAD COUPLING, ADAPTER 1-1/2", STRAIGHT FEMALE IRON PIPE THREAD X CTS COMPRESSION.

420 **FORD**

C14 - 66G

FTGBW

Item Description: NO LEAD COUPLING, CORPORATION STOP, 1", 1/8 BEND INLET: FEMALE COPPER TUBE NUT THREAD, OUTLET:

120 COPPER TUBE NUT.

FORD MUELLER

LA21-44 15063N

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item Description: COUPLING, BOLTED - 1/2", FOR GALVANIZED PIPE (.8400D), STEEL CONSTRUCTION, BOLT SIZE = 7/16"

010 DIAMETER X 6-5/8" LENGTH, SLEEVE LENGTH 3 1/2", 1500 PSI MINIMUM WORKING PRESSURE.

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00008401-015

Item Description: COUPLING, BOLTED - 3/4", FOR GALVANIZED PIPE (1.050 OD), STEEL CONSTRUCTION, BOLT SIZE =7/16"

020 DIAMETER X 6-5/8"LENGTH COUPLING LENGTH 4-1/2", 1500 PSI MINIMUM WORKING PRESSURE, DRESSER

STYLE 38 W/ ARMORED GASKET

DRESSER INDUSTRIES SMITH BLAIR

0038-0003-013 411-00010501-015

Item Description: COUPLING, BOLTED - 1", FOR GALVANIZED PIPE (1.315 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2"

030 DIAMETER X 7" LENGTH, COUPLING 5", 1500 PSI MIN. WORKING PRESSURE. (STYLE 38 W/ARMORED GASKET)

DRESSER INDUSTRIES, INC. SMITH BLAIR

0038-0004-013 411-00013201-015

Item Description: COUPLING, BOLTED- 1-1/4", FOR GALVANIZED PIPE (1.66 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2"

040 DIAMETER X 7" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00016601-015

Item Description: COUPLING, BOLTED- 1-1/2", FOR GALVANIZED PIPE (1.90 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2"

050 DIAMETER X 7" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00019001-015.

Item Description: COUPLING, BOLTED - 2", FOR GALVANIZED PIPE (2.375 OD), STEEL CONSTRUCTION, BOLT SIZE=5/8"

060 DIAMETER X 8" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 2 BOLTS

DRESSER INDUSTRIES, INC. SMITH BLAIR

38-0012-013 411-00023851-015

XXJINVWCATL JEA Page: 119 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item Description: COUPLING, BOLTED - 2-1/2", FOR GALVANIZED PIPE (2.875 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8"

070 DIAMETER X 8" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 3 BOLTS

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00028801-015

Item Description: COUPLING, BOLTED - 3", FOR GALVANIZED PIPE (3.50 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8"

080 DIAMETER X 6" LENGTH, COUPLING LENGTH 5", 1100 PSI MINIMUM WORKING PRESSURE, 4 BOLTS

DRESSER INDUSTRIES, INC.

0038-9187-013

Item Description: COUPLING BOLTLESS 1/2" GALVANIZED, LONG.

210 DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-0840-150

Item Description: COUPLING BOLTLESS 3/4" GALVANIZED, LONG. DRESSER STYLE 65 W/ ARMORED GASKET

220 DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1050-150

Item Description: COUPLING BOLTLESS 1" GALVANIZED, LONG, DRESSER STYLE 65 W/ ARMORED GASKET

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1315-150

Item Description: COUPLING BOLTLESS 1-1/4" GALVANIZED, LONG.

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1660-150

Item Description: COUPLING BOLTLESS 1-1/2" GALVANIZED, LONG

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-19000-150

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGBY

Item Description: COUPLING BOLTLESS 2" GALVANIZED, LONG.

260 DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-2375-150

Item Description: NO LEAD COUPLING, STRAIGHT - 1/2" FEMALE IRON PIPE THREAD X COPPER TUBE NUT.

390 FORD C21-31

Item Description: NO LEAD COUPLING, STRAIGHT BRONZE - 1" COPPER FLARE NUT ONE END, 1" FEMALE IRON PIPE THREAD

410 OTHER END.

> FORD MUELLER C21-44 H-15450N

Item Description: NO LEAD COUPLING, STRAIGHT BRONZE - 1" COPPER FLARE NUT ONE END 1" MALE IRON PIPE THREAD OTHER

610 END.

> FORD MUELLER C28-44 H-15425

FTGCA

Item Description: INACTIVE - COUPLING, FLEXIBLE - 4" X 4", CLAY/CLAY.

050 FERNCO 1001-44

Item Description: COUPLING, FLEXIBLE - 4" X 4", CLAY/PVC.

060 FERNCO 1002-44

Item Description: COUPLING, FLEXIBLE, 4" X 4", PVC/PVC.

070 FERNCO 1056-44

XXJINVWCATL JEA Page: 121 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item Description: COUPLING, FLEXIBLE - 6" X 4", CLAY/CLAY. 080 FERNCO 1001-64 Item Description: COUPLING, FLEXIBLE - 6" X 4", CLAY/PVC. 090 FERNCO 1002-64 Item Description: COUPLING, FLEXIBLE - 6" X 4", PVC/CLAY 100 FERNCO 1002-46 Item Description: COUPLING, FLEXIBLE - 6" X 4", PVC/PVC. 110 FERNCO 1056-64 Item Description: COUPLING, FLEXIBLE - 6 X 6, CLAY/CLAY. 120 FERNCO 1001-66 Item Description: COUPLING, FLEXIBLE - 6" X 6", CLAY/PVC. 130 FERNCO 1002-66 Item Description: COUPLING, FLEXIBLE - 6" X 6", PVC/PVC. 140 FERNCO INDIANA SEAL CO. 1056-66 156-66 Item Description: COUPLING, FLEXIBLE - 8" X 6", CLAY/PVC 155 FERNCO 1002-86

JEA XXJINVWCATL Page: 122 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item Description: COUPLING, FLEXIBLE - 8" X 6", PVC/PVC. 160 FERNCO 1056-86 Item Description: INACTIVE - COUPLING, FLEXIBLE - 8" X 8", CLAY/CLAY. 170 FERNCO 1001-88 Item Description: COUPLING, FLEXIBLE - 8" X 8", CLAY/PVC. 180 FERNCO 1002-88 Item Description: COUPLING, FLEXIBLE - 8" X 8", PVC/PVC. 190 FERNCO 1056-88 Item Description: COUPLING, FLEXIBLE - 10" X 10", CLAY/PVC 210 FERNCO 1002-1010 Item Description: COUPLING, FLEXIBLE - 10" X 10", PVC/PVC. 220 FERNCO 1056-1010 Item Description: INACTIVE - COUPLING, FLEXIBLE - 12" X 12", CLAY/CLAY 230 FERNCO 1001-1212 Item Description: COUPLING, FLEXIBLE - 12" X 12", CLAY/PVC 240 FERNCO 1002-1212

JEA XXJINVWCATL Page: 123 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

6T/C

FTGCA

Item Description: COUPLING, FLEXIBLE - 12" X 12", PVC/PVC. 250 FERNCO 1056-1212 Item Description: COUPLING, FLEXIBLE - 15" X 15", CLAY/PVC 270 FERNCO 1002-1515 Item Description: COUPLING, FLEXIBLE - 15" X 15", PVC/PVC. 280 FERNCO 1056-1515 Item Description: COUPLING, FLEXIBLE - 18" X 18",CLAY/CLAY 290 FERNCO 1001-1818 Item Description: COUPLING, FLEXIBLE - 21" X 21", CLAY/CLAY (OUTSIDE DIAMETER SIZE 24.85) 300 FERNCO 1001-2121 Item Description: COUPLING, FLEXIBLE - 24" X 24", CLAY/CLAY ** (OUTSIDE DIAMETER SIZE 29.40) 310 FERNCO 1001-2424 Item Description: SADDLE TEE, DFW 6", WITH CLAMPS, SADDLE DESIGN TO ACCOMMODATE 6" - 12" POLYETHYLENE PIPE USED 410 IN SLIP LINNING SEWER SYSTEMS, INLET RANGE FROM SCH-40 DOWN TO SDR-26, COLOR BLACK NDS

JEA XXJINVWCATL JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

Page: 124 of: 341

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 1/4" FIPT.

030

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 3/8" FIPT.

040

Item Description: BUSHING, PIPE - GALVANIZED, 3/4" MIPT X 1/2" FIPT.

050

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/4" FIPT.

070

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/2" FIPT.

080

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MITP X 3/4" FIPT.

110

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MIPT X 1" FIPT.

120

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 3/4" FIPT.

JEA XXJINVWCATL

Page: 125 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1" FIPT.

150

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1-1/4" FIPT.

155

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 3/4" FIPT.

165

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1" FIPT.

170

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/4" FIPT

180

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/2" FIPT.

190

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 1-1/2" FIPT.

220

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 2" FIPT.

JEA XXJINVWCATL JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

Page: 126 of: 341

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 1-1/4" FIPT.

250

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 2" FIPT.

270

Item Description: INACTIVE - BUSHING, PIPE - GALVANIZED, 4" MIPT X 3" FIPT.

340

FTGCF

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 3/4" FIPT.

030

Item Description: CAP, PIPE - GALVANIZED, 1" FIPT.

040

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 1-1/4" FIPT.

050

Item Description: CAP, PIPE - GALVANIZED, 1-1/2" FIPT.

JEA XXJINVWCATL Page: 127 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCF

Item Description: CAP, PIPE - GALVANIZED, 2" FIPT.

070

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 1/4" FIPT X 1/4" FIPT.

020

Item Description: COUPLING, PIPE - GALVANIZED, 1/2" FIPT X 1/2" FIPT.

040

Item Description: COUPLING, PIPE - GALVANIZED, 3/4" FIPT X 3/4" FIPT.

050

Item Description: COUPLING, PIPE - GALVANIZED, 1" FIPT X 1" FIPT.

060

Item Description: COUPLING, PIPE - NO-LEAD BRASS 1" FIPT x 1" FIPT

065 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/4" FIPT X 1-1/4" FIPT.

JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCH

Item Description: COUPLING, PIPE - NO-LEAD BRASS, 1-1/4" FIPT x 1-1/4" FIPT

075 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/2" FIPT X 1-1/2" FIPT.

080

Item Description: COUPLING, PIPE - NO-LEAD BRASS, 1-1/2" FIPT x 1-1/2" FIPT

085 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 2" FIPT X 2" FIPT. MUST BE SMOOTH OUTSIDE, NO RIDGES.

090

Item Description: COUPLING, PIPE - STAINLESS 316 GRADE, 2" FIPT x 2" FIPT

095 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 2-1/2" FIPT X 2-1/2" FIPT.

100

Item Description: COUPLING, PIPE - GALVANIZED, 3" FIPT X 3" FIPT

110

Item Description: COUPLING, PIPE - GALVANIZED, 4" FIPT X 4" FIPT.

Page: 129 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCH

Item Description: COUPLING, DRIVING - 2", GALVANIZED, FULLY THREADED FOR DRIVING GALVINIZED PIPE. BOTH ENDS TO BE 500 THREADED FIPT, WATERWELL REAMED AND DRIFTED COUPLING, AS SUPPLIED BY CAPITAL OR APPROVED EQUAL.

Item Description: COUPLING, 2", PIPE - 304 STAINLESS STEEL, FIPT X FIPT. ** NO SUBSTITUTE ** 920

FTGCL

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 1/4" FIPT BOTH ENDS. 45 DEGREE.

020

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 45 DEGREE.

030

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 45 DEGREE.

040

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 45 DEGREE.

050

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS, 45 DEGREE.

Page: 130 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 45 DEGREE.

070

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 45 DEGREE.

080

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 90 DEGREE.

230

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 90 DEGREE.

240

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 90 DEGREE

250

Item Description: ELL, PIPE - NO-LEAD BRASS, 1" FIPT BOTH ENDS, 90 DEGREES

255 ORDER BY DESCRIPTION

OBD

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS. 90 DEGREE.

260

Item Description: ELL, PIPE - NO-LEAD BRASS, 1/1/4: FIPT BOTH ENDS, 90 DEGREES

265 ORDER BY DESCRIPTION

OBD

JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 90 DEGREE.

270

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 90 DEGREE.

280

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 2-1/2" FIPT BOTH ENDS. 90 DEGREE.

290

Item Description: INACTIVE - ELL, PIPE - STREET, GALVANIZED, 1/2" FIPT X 1/2" MIPT. 90 DEGREE.

415

Item Description: ELL, PIPE - STREET, GALVANIZED, 3/4" FIPT X 3/4" MIPT. 90 DEGREE.

425

Item Description: ELL, PIPE - STREET, GALVANIZED, 1" FIPT X 1" MIPT. 90 DEGREE.

430

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1" FIPT x 1" MIPT 90 DEGREE

435 ORDER BY DESCRIPTION

OBD

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/4" FIPT X 1-1/4" MIPT. 90 DEGREE.

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1-1/4" FIPT x 1-1/4" MIPT, 90 DEGREES
445

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/2" FIPT 1-1/2" MIPT. 90 DEGREE.

450

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1/1/2" FIPT x 1/ 1/2" MIPT, 90 DEGREES

455

Item Description: ELL, PIPE - STREET, GALVANIZED, 2" FIPT X 2" MIPT. 90 DEGREE.

460

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 2" FIPT x 2" MIPT 90 DEGREES

465 ORDER BY DESCRIPTION

OBD

Item Description: ELL, 2", 90 DEGREE, PIPE - 304 STAINLESS STEEL, FIPT BOTH ENDS. ** NO SUBSTITUTE **

920

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X CLOSE MIPT BOTH ENDS.

Page: 133 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X 4" MIPT BOTH ENDS.

070

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 1/4" X 5" MIPT BOTH ENDS

080

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 4" MIPT BOTH ENDS.

240

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 6" MIPT BOTH ENDS.

260

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X CLOSE. MIPT BOTH ENDS.

300

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 2" MIPT BOTH ENDS.

310

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X 2-1/2" MIPT BOTH ENDS.

320

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 3" MIPT BOTH ENDS.

Page: 134 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 4" MIPT BOTH ENDS.

340

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 5" MIPT BOTH ENDS.

350

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 6" MIPT BOTH ENDS.

360

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 8" MIPT BOTH ENDS.

370

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 10" MIPT BOTH ENDS.

380

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 12" MIPT BOTH ENDS.

390

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 2" MIPT BOTH ENDS.

410

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 3" MIPT BOTH ENDS.

Page: 135 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 4" MIPT BOTH ENDS.

430

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 5" MIPT BOTH ENDS.

440

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 6" MIPT BOTH ENDS.

450

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 8" MIPT BOTH ENDS.

460

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 10" MIPT BOTH ENDS.

470

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 12" MIPT BOTH ENDS.

480

Item Description: NIPPLE, PIPE - GALVANIZED,1-1/4" X CLOSE MIPT BOTH ENDS.

490

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 3" MIPT BOTH ENDS.

Page: 136 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 4" MIPT BOTH ENDS.

510

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 5" MIPT BOTH ENDS.

520

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 6" MIPT BOTH ENDS.

530

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 8" MIPT BOTH ENDS.

540

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 10" MIPT BOTH ENDS.

550

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 12" MIPT BOTH ENDS.

560

Item Description: NIPPLE, PIPE - GALVANIZED,1-1/2" X CLOSE MIPT BOTH ENDS.

570

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 3" MIPT BOTH ENDS.

Page: 137 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 4" MIPT BOTH ENDS.

590

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 5" MIPT BOTH ENDS.

600

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 6" MIPT BOTH ENDS.

610

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 8" MIPT BOTH ENDS.

620

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 10" MIPT BOTH ENDS.

630

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 12" MIPT BOTH ENDS.

640

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X CLOSE MIPT BOTH ENDS.

650

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 3" MIPT BOTH ENDS.

Page: 138 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 4" MIPT BOTH ENDS.

670

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 5" MIPT BOTH ENDS.

680

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 6" MIPT BOTH ENDS.

690

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 8" MIPT BOTH ENDS.

700

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 10" MIPT BOTH ENDS.

710

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 12" MIPT BOTH ENDS.

720

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 6" MIPT BOTH ENDS.

750

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 8" MIPT BOTH ENDS.

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3" X 4" MIPT BOTH ENDS.

820

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 5" MIPT BOTH ENDS.

830

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 6" MIPT BOTH ENDS.

840

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 8" MIPT BOTH ENDS.

850

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 10" MIPT BOTH ENDS.

860

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 12" MIPT BOTH ENDS.

870

Item Description: NIPPLE, PIPE - GALVANIZED, 4" X 12" MIPT BOTH ENDS.

940

Item Description: NIPPLE, PIPE, 2" X 3", 304 STAINLESS STEEL, MIPT BOTH ENDS.

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE, 2" X 3", 316 STAINLESS STEEL, MIPT BOTH ENDS.

962 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, 2" X CLOSE END, 304 STAINLESS STEEL, MIPT BOTH ENDS.

965

Item Description: NIPPLE, PIPE, 2" X 12" , 304 STAINLESS STEEL, MIPT BOTH ENDS. ** NO SUBSTITUTE **

970

FTGCP

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1/2" MIPT.

040

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3/4" MIPT.

050

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1" MIPT.

060

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/4" MIPT.

JEA XXJINVWCATL

Page: 141 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCP

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/2" MIPT.

080

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 2" MIPT.

085

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3" MIPT.

100

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1/2" X 3/8" FIPT BOTH ENDS.

050

Item Description: REDUCER, PIPE - GALVANIZED, 3/4" X 1/2" FIPT BOTH ENDS.

070

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 1/2" FIPT BOTH ENDS.

080

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 3/4" FIPT BOTH ENDS.

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 3/4 FIPT BOTH ENDS.

110

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 1" FIPT BOTH ENDS.

120

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1/2" FIPT BOTH ENDS.

130

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 3/4 FIPT BOTH ENDS.

140

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1" FIPT BOTH ENDS.

150

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1-1/4" FIPT BOTH ENDS.

160

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1/2" FIPT BOTH ENDS.

170

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 3/4" FIPT BOTH ENDS.

JEA XXJINVWCATL Page: 143 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1" FIPT BOTH ENDS.

190

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/4" FIPT BOTH ENDS.

200

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/2" FIPT BOTH ENDS.

210

Item Description: REDUCER, PIPE - GALVANIZED, 2-1/2" X 2" FIPT BOTH ENDS.

220

Item Description: REDUCER, PIPE - GALVANIZED, 3" X 2" FIPT BOTH ENDS.

230

Item Description: REDUCER, PIPE - GALVANIZED, 4" X 3".

260

FTGCT

Item Description: TEE, PIPE - GALVANIZED, 3/4"X 3/4"X 3/4" FIPT.

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCT

Item Description: TEE, PIPE - GALVANIZED,1" X 1" X 1" FIPT

070

Item Description: TEE, PIPE - NO-LEAD BRASS 1x1x1 FIPT

075 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

Item Description: TEE, PIPE - GALVANIZED, 1-1/4" X 1-1/4" X 1-1/4" FIPT.

090

Item Description: TEE, PIPE - NO-LEAD BRASS 1-1/4" x 1-1/4" x 1-1/4" FIPT

095 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

Item Description: TEE, PIPE - GALVANIZED, 1-1/2" X 1-1/2" X 1-1/2" FIPT.

100

Item Description: TEE, PIPE - NO-LEAD BRASS 1 1/2" x 1-1/2" x 1 1/2" FIPT

105 ORDER BY DESCRIPTION

OBD

Item Description: TEE, PIPE - GALVANIZED, 2" X 2" X 2" FIPT.

120

Item Description: TEE, PIPE - NO-LEAD BRASS, 2x2x2 FIPT

125 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

PUD-FITTINGS

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT 1", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION END FOR 250 PSI

120 POLYBUTYLENE TUBING.

FORD MUELLER

C04-44-NL H-15071N

Item Description: NO LEAD COUPLING, STRAIGHT 1-1/2", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION FOR 250 PSI

POLYBUTYLENE TUBING.

FORD MUELLER

C04-66-NL H-15071N

Item Description: NO LEAD COUPLING, STRAIGHT 2", (#C04-77), FEMALE COPPER THREAD X COMPRESSION. COMPRESSION FOR

210 250 PSI POLYBUTYLENE TUBING.

FORD MUELLER

C04-77-NL H-15071N

Item Description: NO LEAD COUPLING, STRAIGHT 3/4", COMPRESSION X COMPRESSION, FOR POLYBUTYLENE TUBING.

220 FORD MUELLER

C44-33-NI H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 1", COMPRESSION X COMPRESSION, FOR POLYBUTYLENE TUBING.

230 FORD MUELLER

C44-44-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 1 1/2", (#C44-66), COMPRESSION X COMPRESSION. FOR POLYBUTYLENE

310 TUBING.

FORD MUELLER

C44-66-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 2", COMPRESSION X COMPRESSION. FOR POLYBUTYLENE TUBING.

320 ____

FORD MUELLER C44-77-NL H-15403N

XXJINVWCATL JEA Page: 146 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT, 3/4", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

330 **FORD MUELLER** C84-33-NL H-15428N

Item Description: NO LEAD COUPLING, STRAIGHT, 1", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

410 FORD MUELLER

C84-44-NL H-15428N

Item Description: NO LEAD COUPLING, STRAIGHT, 1-1/2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

420 FORD MUELLER

C84-66-NL H-15428N

Item Description: NO LEAD COUPLING, STRAIGHT, 2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

430 FORD MUELLER

C84-77-NL H-15428N

Item Description: NO LEAD COUPLING, CORPORATION STOP, 3/4", 1/8 BEND INLET: INSIDE COPPER TUBE NUT THREAD,

500 OUTLET: COMPRESSION (OR PACK JOINT) FOR CTS POLYBUTYLENE TUBING.

FORD MCDONALD

LA04-33-NL 4750-T

Item Description: COUPLING, MAXFIT 8", INCLUDES NUTS, AND BOLTS TO BE COATED WITH THERMOPLASTIC POLYMER, RILSAN

608 NYLON 11, FITS THE FOLLOWING PIPE, DUCTILE IRON, C900PVC, CAST IRON, STEEL, AC, AND IPS PVC. OD

RANGE 8.59 TO 9.25.

MUELLER

MFC 0890

JEA XXJINVWCATL Page: 147 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDD

Item Description: CEMENT, PVC CHEMICAL, HD, HIGH VISCOSITY, QUART

093 EZ WELD OATEY CO.

> EZ WELD 216 SUPERDUTY 31008

Item Description: CEMENT, PVC CHEMICAL - GALLON CANS, FOR SCH40 FITTINGS 1/2" THROUGH 2" SIZE, CLEAR.

110 EZ WELD OATEY CO.

> 205 31016

Item Description: CEMENT, PVC CHEMICAL, HD, HIGH VISCOSITY, OUART SIZE, OATEY #31105

120 OATEY CO.

31105

Item Description: CEMENT, PVC-HEAVY DUTY, "BLUE" INDUSTRIAL GRADE CEMENT FOR SCH 80, MEDIUM BODIED FAST SET, FAST

130 CURING. WET/DRY PVC CEMENT QUART CANS ONLY.

OATEY CO.

30894

Item Description: CLEANER, PVC - PVC PIPE AND FITTING CLEANER, CHEMICAL FORMULA WHICH ALLOWS QUICK CLEANING AND

210 RAPID EVAPORATION. E-Z WELD PIPE CLEANER OR EOUAL ---- **** ONE GALLON CONTAINERS ONLY ****

EZ WELD OATEY CO.

EZ WELD 214-05 30766

Item Description: LUBRICANT, PVC, EASE ON PIPE JOINT LUBRICANT, CONCORD CHEMICAL CO. OR ACCEPTABLE EQUAL FOR

310 ASSEMBLY OF PUSH ON PIPE JOINTS WITH RUBBER OR SYNTHETIC RUBBER TYPE GASKETS. **** ONE GALLON

CONTAINERS ONLY ****

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", BELL X FEMALE PIPE THREAD.

100

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 2", BELLED & GASKETED ON ONE END, MALE PIPE THREAD ON

105 OTHER END, MINIMUM PRESSURE RATING TO BE 200 PSI, PVC 1. LASCOTITE

LASCOTITE

21308

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X FEMALE PIPE THREAD.

110

Item Description: ADAPTER, PIPE - PVC, SCH 40, 3/4", SLIP X FEMALE PIPE THREAD.

115

Item Description: ADAPTER, REDUCING, 3/4" SLIP X 1/2" FEMALE PIPE THREAD, SCH40.

118

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X FEMALE PIPE THREAD.

120

Item Description: ADAPTER, REDUCING, 1" SLIP X 3/4" FEMALE PIPE THREAD, SCH40.

Page: 149 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1 1/4", SLIP X FEMALE PIPE THREAD.

125

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X FEMALE PIPE THREAD.

130

Item Description: BUSHING, PIPE-PVC, SCH 40, 1 1/2"-SLIP X 1" FEMALE PIPE THREAD.

132

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X FEMALE PIPE THREAD.

134

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2" SLIP X 3/4" MALE PIPE THREAD.

135

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X MALE PIPE THREAD.

140

Item Description: ADAPTER, PIPE- PVC, SCH 40, 3/4", SLIP X MALE PIPE THREAD.

145

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X MALE PIPE THREAD.

Page: 150 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 1-1/4", SLIP X MALE PIPE THREAD.

155

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X MALE PIPE THREAD.

160

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X MALE PIPE THREAD.

165

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 3", SLIP X MALE PIPE THREAD.

170

Item Description: BUSHING, REDUCING, 3/4" SLIP X 1/2" FIPT PVC SCH40

190

Item Description: BUSHING, PVC, SCH-40, 1" SLIP X 3/4" FEMALE IRON PIPE THREAD

195 CHARLOTTE PIPE AND FOUNDRY

P40SFBGF

Item Description: BUSHING, PVC - SCH 40, 3/4" X 1/2", REDUCING BUSHING, SLIP X SLIP.

200

Item Description: BUSHING, PVC - SCH 40, 3/4" X 1", REDUCING BUSHING, THREADED

XXJINVWCATL Page: 151 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: BUSHING, PVC - SCH 40, 1" X 3/4", REDUCING BUSHING, SLIP X SLIP.

210

Item Description: BUSHING, PVC - SCH 40, 1" X 1-1/4", REDUCING BUSHING, SLIP X SLIP.

227

Item Description: BUSHING, PVC - SCH 40, 1-1/2" X 1-1/4", REDUCING BUSHING, THREADED

230

Item Description: BUSHING, PVC - SCH 40, 1-1/4" X 1-1/2", REDUCING BUSHING, SLIP X SLIP

240

Item Description: BUSHING, PVC - SCH 40, 2" X 1-1/2", REDUCING BUSHING, SLIP X SLIP.

246

Item Description: BUSHING, PVC SCH-40, 2" SLIP X 1" REDUCING BUSHING, SLIP X SLIP

247 CHARLOTTE PIPE AND FOUNDRY

P40SBKG

Item Description: CAP, PVC - SCH 40, 1/2", SLIP.

250

Item Description: CAP, PVC - SCH 40, 3/4", SLIP.

Page: 152 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: CAP, PVC - SCH 40, 3/4", THREADED.

265

Item Description: CAP, PVC - SCH40, 1", SLIP.

279

Item Description: CAP, PVC - SCH 40, 1", THREADED.

283

Item Description: CAP, PVC - SCH 40, 2". SLIP.

290

Item Description: CAP, PVC - SCH 40, 2", THREADED.

295

Item Description: CAP, PVC - SCH 40, 4", SLIP.

300

Item Description: CAP, PVC - SCH 40, 6", SLIP.

305

Item Description: COUPLING, COMPRESSION 1-1/4", SCH40.

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDF

Item Description: COUPLING, PVC - SCH 40, 1/2", SLIP X SLIP

350

Item Description: COUPLING, PVC - SCH 40, 3/4", SLIP X SLIP

355

Item Description: COUPLING, PVC - SCH 40, 1", SLIP X SLIP.

360

Item Description: INACTIVE - COUPLING, PVC - SCH 40, 1-1/4", SLIP X SLIP.

365

Item Description: COUPLING, PVC - SCH 40, 1-1/2", SLIP X SLIP.

370

Item Description: COUPLING, REDUCER - PVC, SCH40, S X S, 1-1/2" X 1".

373

Item Description: COUPLING, PVC - SCH 40, 2", SLIP X SLIP.

375

Item Description: COUPLING, PVC - SCH 40, 3", SLIP X SLIP.

XXJINVWCATL JEA

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

Page: 154 of: 341

PUD-FITTINGS

FTGDF

Item Description: COUPLING, PVC - SCH 40, 4", SLIP X SLIP.

385

Item Description: COUPLING, PVC - SCH 40, 6", SLIP X SLIP.

390

FTGDH

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1/2", SLIP X SLIP.

500

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3/4", SLIP X SLIP.

505

Item Description: ELL, PVC - 45 DEGREE, 1", SLIP X SLIP, SCH40.

510

Item Description: ELL, PVC - 45 DEGREE, 1-1/4", SCH40, SLIP X SLIP.

513

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1 1/2", SLIP X SLIP.

Page: 155 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 2", SLIP X SLIP

525

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3", SLIP X SLIP.

530

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 6", SLIP X SLIP.

540

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1/2", SLIP X SLIP.

600

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X SLIP.

610

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X FEMALE PIPE THREAD.

615

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1", SLIP X SLIP.

620

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1" X 3/4", 1" SLIP X 3/4" FEMALE PIPE THREAD.

Page: 156 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: ELL, STREET 1", PVC, SCH40, 90 DEGREE, FEMALE SLIP X MALE PIPE THREAD.

627

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/4", SLIP X SLIP.

630

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/2", SLIP X SLIP.

640

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 2", SLIP X SLIP.

650

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3", SLIP X SLIP.

660

Item Description: ELL, PVC - SCH 40, 4", 90 DEGREE, SLIP X SLIP.

670

Item Description: PLUG, PVC - SCH 40, 1/2", MALE PIPE THREAD.

710

Item Description: PLUG, PVC - SCH 40, 3/4", MALE PIPE THREAD.

XXJINVWCATL Page: 157 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: INACTIVE - PLUG, PVC - SCH 40, 4", SPIGOT

740

Item Description: PLUG, PVC - SCH 40, 4", THREADED

745

Item Description: TEE, PVC - SCH 40, 1/2", SLIP X SLIP X SLIP.

815

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X FEMALE PIPE THREAD.

820

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X SLIP.

825

Item Description: TEE, PVC - SCH 40, 1", SLIP X SLIP X SLIP.

830

Item Description: TEE, PVC - SCH 40, 1-1/4", SLIP X SLIP X SLIP.

835

Item Description: TEE, PVC - SCH40, 1-1/2", SLIP X SLIP X SLIP.

XXJINVWCATL JEA page: 158 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDH

Item Description: INACTIVE - TEE, PVC - SCH 40, 2", SLIP X SLIP X FEMALE PIPE THREAD.

845

Item Description: TEE, PVC - SCH 40, 2", SLIP X SLIP X SLIP.

850

FTGDK

Item Description: ADAPTER , PVC- SCH40, 3/4", MALE INSERT X FEMALE SLIP.

060

Item Description: ADAPTER, PIPE - PVC, SCH 80, 1-1/2", SLIP X MALE IRON PIPE THREAD.

075

Item Description: ADAPTER, 2" PVC, SCH 80, SLIP X FEMALE IRON PIPE THREAD

080

Item Description: ADAPTER, 1-1/2" PVC, SCH-80, SLIP X FEMALE IRON PIPE THREAD

ORDER BY DESCRIPTION

835-015 OBD

Item Description: ADAPTER, PIPE - PVC, SCH 80, 2", SLIP X MALE IRON PIPE THREAD.

Page: 159 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ADAPTER, PIPE - PVC, SCH 80, 3", SLIP X MALE IRON PIPE THREAD.

090

Item Description: ADAPTER, PIPE - PVC, SCH 80, 4", MALE SLIP X MALE IRON PIPE THREAD.

095

Item Description: COUPLING, PVC - SCH 80, 1/2", SLIP X SLIP

110

Item Description: INACTIVE - COUPLING, PVC - SCH 80, 1/2", THREADED.

115

Item Description: COUPLING, PVC - SCH 80, 3/4", SLIP X SLIP

120

Item Description: COUPLING, PVC - SCH 80, 3/4", THREADED.

125

Item Description: COUPLING, PVC - SCH80, 1", SLIP X SLIP.

130

Item Description: COUPLING, PVC - SCH 80, 1-1/4", SLIP X SLIP.

Page: 160 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: COUPLING, PVC - SCH 80, 1-1/2", SLIP X SLIP.

145

Item Description: COUPLING, PVC - SCH 80, 2", SLIP X SLIP.

150

Item Description: COUPLING, PVC - SCH 80, 3", SLIP X SLIP.

155

Item Description: COUPLING, PVC - SCH 80, 4", SLIP X SLIP.

160

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 1/2", SLIP X SLIP.

180

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3/4", SLIP X SLIP.

190

Item Description: ELL, PVC-SCH 80, 45 DEGREE, 1-1/2", SLIP X SLIP.

200

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3", SLIP X SLIP.

Page: 161 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC - SCH 80, 1/2", 90 DEGREE, SLIP X SLIP.

220

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", SLIP X SLIP.

230

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", THREADED

235

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1", SLIP X SLIP.

240

Item Description: ELL, PVC - SCH80, 90 DEGREE, 1", FIPT X FIPT.

247

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/4", SLIP X SLIP.

250

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/2", SLIP X SLIP

260

Item Description: ELL, PVC - SCH 80, 2", 90 DEGREE, SLIP X SLIP.

Page: 162 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC-SCH 80, 2-1/2", 90 DEGREE, SLIP X SLIP

275 CHARLOTTE PIPE AND FOUNDRY ORDER BY DESCRIPTION

PVC 08300 2200 OBD

Item Description: ELL, PVC-SCH 80, 2", 45 DEGREE, SLIP X SLIP

276 CHARLOTTE PIPE AND FOUNDRY ORDER BY DESCRIPTION

PVC 08309 2000 OBD

Item Description: ELL, PVC - SCH 80, 3", 90 DEGREE, SLIP X SLIP.

280

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 4", SLIP X SLIP.

290

Item Description: INACTIVE - TEE, PVC - SCH 80, 1/2", SLIP X SLIP X SLIP.

430

Item Description: TEE, PVC - SCH 80, 3/4", SLIP X SLIP X SLIP.

450

Item Description: TEE, PVC - SCH 80, 3/4", THREADED.

460

Item Description: TEE, PVC - SCH 80, 1", SLIP X SLIP X SLIP.

JEA XXJINVWCATL Page: 163 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: TEE, PVC - SCH 80, 2", SLIP X SLIP X SLIP.

497

Item Description: INACTIVE - UNION, PVC - SCH 80, 1/2", SLIP X SLIP.

530

Item Description: UNION, PVC - SCH 80, 3/4", SLIP X SLIP.

550

Item Description: INACTIVE - UNION, PVC - SCH 80, 1-1/2", THREADED.

570

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 3".

723

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 5".

741

Item Description: NIPPLE, PVC - SCH 80, 3/4" X CLOSE.

807

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 3".

JEA XXJINVWCATL

Page: 164 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 5".

848

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 6", THREADED

852

Item Description: NIPPLE, PVC - SCH 80, 1" X CL, THREADED.

897

Item Description: NIPPLE, PVC - SCH 80, 1" X 4", THREADED.

904

Item Description: NIPPLE, PVC - SCH 80, 1" X 6", THREADED.

912

Item Description: NIPPLE, PVC - SCH 80, 1" X 8", THREADED.

928

Item Description: NIPPLE, PVC - SCH 80, 1" X 12", THREADED .

936

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 6", THREADED.

JEA XXJINVWCATL Page: 165 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDK

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 12", THREADED. 991

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 4"

027

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 6"

044

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 12"

082

Item Description: NIPPLE, PVC - SCH 80, 2" X 4"

126

Item Description: NIPPLE, PVC - SCH 80, 2" X 6"

149

Item Description: INACTIVE - NIPPLE, PVC - SCH 80, 2" X 8"

JEA XXJINVWCATL Page: 166 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 2" X 12"

184

Item Description: FLANGE, PVC - SCH 80, 4", 8-HOLE, SLIP.

320

FTGDQ

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 4", BELL X SPIGOT, SPIGOT END TO BE FULL CHAMFERED, BELL TO

104 BE GASKETED.

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X BELL, BOTH BELL ENDS TO BE GASKETED.

108

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE

112 GASKETED.

Item Description: BEND, PVC - SDR26, 22.5 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE

128 GASKETED.

Page: 167 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDQ

Item Description: BEND, PVC - SDR 26, 45 DEGREE, 4", BELL X BELL, BOTH ENDS GASKETED

144

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X BELL, BOTH ENDS GASKETED.

148

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED

152

Item Description: BEND, PVC - SDR26, 45 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

156

Item Description: BEND, PVC - SDR26, 90 DEGREE, 4", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

172

Item Description: BEND, PVC - SDR26, 90 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

180

Item Description: CAP, PVC - SDR26. 6", BELL TO BE GASKETED

PUD-FITTINGS

FTGDQ

Item Description: COUPLING, PVC - 6", COUPLING TO FIT SDR-26 OD ON ONE END AND C900 OD ON THE OTHER, COUPLING TO BE BELLED & GASKETED ON BOTH ENDS.

THE HARRINGTON CORP (HARCO)

337-060

Item Description: PLUG, PVC - SDR 26, 6", SLIP

410

Item Description: PLUG, PVC - SDR 26, 8", SLIP

420

Item Description: TEE, PVC - SDR26, 4", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

510

Item Description: TEE, PVC - SDR26, 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

520

Item Description: TEE, PVC - SDR26, 8" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

540

Item Description: TEE, PVC - SDR26, 10" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

Page: 169 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDQ

Item Description: WYE, PVC - SDR26, 4" X 4" X 4", BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 610

Item Description: WYE, PVC - SDR26, 6" X 6" X 6", BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

620

Item Description: WYE, PVC - SDR26, 8" X 8" X 6", BELL X BELL X BELL. ALL BELLS TO BE GASKETED.

630

FTGDU

Item Description: TEE, PVC - DR18, 8" X 8" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS TO 000 BE INJECTION MOLDED.

Item Description: TEE, PVC - DR18, 10" X 10" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS 010 TO BE INJECTION MOLDED.

Item Description: BEND, PVC - DR 18, 22 1/2 DEGREE, 6", C-900 (AWWA C 907: Class 150 rated). 040

Item Description: BEND, PVC - DR 18, 45 DEGREE, 6", C900.

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGDU

Item Description: RESTRAINER KIT, 3", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. **MUST BE BOXED

203 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1103 SLDEP3 SGDPPK03N

Item Description: RESTRAINER KIT, 4", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

214 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1104 SLDEP4 SGDPPK04N

Item Description: RESTRAINER KIT, 6", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

226 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1106 SLDEP6 SGDPPK06N

Item Description: RESTRAINER KIT, 8", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

238 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1108 SLDEP8 SGDPPK08N

Item Description: RESTRAINER KIT, 10", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

240 BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1110 SLDEP10 SGDPPK10N

Item Description: RESTRAINER KIT, 12", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

256 BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1112 SLDEP12 SGDPPK12

PUD-FITTINGS

FTGDU

Item Description: RESTRAINER KIT, 14", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1114 SSLDEP14 SGDPPK14

Item Description: RESTRAINER KIT, 16", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

266 BOXED IN KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1116 SSLDEP16 SGDPPK16

Item Description: RESTRAINER, MJ FITTING - 18", ONE PIECE GLAND REPLACES MJ FOLLOWER GLAND. USED WITH DUCTILE

287 PIPE. ** MUST BE BOXED IN KIT FORM **

EBAA IRON FORD SIGMA

1118 SERIES 1400 SLCEP18

STAR

SGDPPK18

Item Description: RESTRAINER KIT, 20", TO INCLUDE GLAND, MJ RUBBER GASKET, MJ BOLTS AND NUTS. ** MUST BE BOXED IN

290 KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1120 SSLDEP20 SGDPPK20

Item Description: RESTRAINER KIT, 24", TO INCLUDE GLAND, MJ RUBBER GASKET, MJ BOLTS AND NUTS. ** MUST BE BOXED IN

292 KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1124 SSLDEP24 SGDPPK24

Item Description: RESTRAINER KIT, 30", TO INCLUDE GLAND, MJ NUTS. ** MUST BE BOXED IN KIT FORM ** RUBBER GASKET,

294 MJ BOLTS AND

EBAA IRON SIGMA STAR PIPE PRODUCTS

1130 SSLDEP30 SGDPPK30

PUD-FITTINGS

FTGDU

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 4" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

310 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR-1500-4A-I SLCEP4 PVCPK4004G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 6" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

315 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR1500-6A-I SLCEP6 PVCPK4006G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 8" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

320 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR-1500-8A-I SLCEP8 PVCPK4008G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 10" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

325 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP10 PVCPK4010G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 12" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

330 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP12 PVCPK4012G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 16" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

335 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP16 PVCPK4016N

PUD-FITTINGS

FTGDW

Item Description: RESTRAINER, SPLIT GLAND, 4" - RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

400 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C4 PRC1004G2 UFR 1300-C-4-1

Item Description: RESTRAINER, SPLIT GLAND, 6" - RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

500 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWMC6 PRC1006G2

Item Description: RESTRAINER, SPLIT GLAND, 8" - RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

600 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWM-C8 PRC1008

Item Description: UNIFLANGE, RESTRAINER GLAND, 8", WITH BOLTS AND NUTS, FOR STEEL PIPE SIZE PVC PIPE, USED TO

950 RESTRAIN MJ FITTINGS TO PVC PIPE.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PVM-S8 PRS1008 1300S

Item Description: RESTRAINER, SPLIT GLAND, 10"- RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

970 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C10 PRC1010G2 1300C

FTGDY

Item Description: RESTRAINER, SPLIT GLAND, 12"- RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

000 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWMC12 PRC1012

PUD-FITTINGS

FTGDY

Item Description: RESTRAINER, GLAND, 12", FOR PVC PIPE W/STEEL PIPE O.D.

050 SIGMA STAR PIPE PRODUCTS UNIFLANGE

PVM-S12 PRS1012 1300S

Item Description: RESTRAINER, SPLIT GLAND, 16"- RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

060 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C16 PRC1016 1300C

Item Description: RESTRAINER, FLANGE 8" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE.

080 FORD SIGMA STAR PIPE PRODUCTS

1390C PWP-C8 PRC1108

Item Description: RESTRAINER, FLANGE 12" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

100 SIGMA STAR PIPE PRODUCTS

PWP-C12 PRC1112

Item Description: RESTRAINER, FLANGE 16" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

110 FORD SIGMA STAR

1390C PWP-C16 PRC1116

Item Description: RESTRAINER, FLANGE 20" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

120 FORD SIGMA STAR

1390C PWP-C20 PRC1120

Item Description: RESTRAINER, SPLIT X SPLIT, SERRATED, 24" PVC BELL JOINT RESTRAINT, TO BE USED FOR RESTRAINING

124 BELL JOINTS OF C905 PIPE

FORD SIGMA STAR

1390C PWP-C24 PRC1124

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGDY

Item Description: RESTRAINER, FLANGE 30", TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

130

Item Description: RESTRAINER, FLANGE 36", TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

136

Item Description: RESTRAINER, UNIFLANGE 6", USED TO RESTRAIN PVC DR18 FITTINGS TO 6" C-900 PIPE.

200 FORD SIGMA

UFR1360-C-6-I PWPFC6

Item Description: RESTRAINER, UNIFLANGE 8", USED TO RESTRAIN PVC DR18 FITTINGS TO 8" C-900 PIPE.

218 SIGMA STAR UNIFLANGE

PRC1208 PWPF-C8 1360

Item Description: RESTRAINER, UNIFLANGE 10", USED TO RESTRAIN PVC DR18 FITTINGS TO 10" C-900 PIPE.

225 SIGMA STAR UNIFLANGE

1360 PWPF-C10 PRC1210

Item Description: SERIES 1390 PIPE RESTRAINER FOR DUCTILE IRON PIPE, 4", TO COME COMPLETE WITH THE FOLLOWING

504 ITEMS, TWO CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 6", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO

506 CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

PUD-FITTINGS

FTGDY

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 8", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO

508 CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS

FORD SIGMA STAR

1390 PWP-C8 1100C

Item Description: 1500 CA MEGA LUG KIT, TO FIT 3" IPS AND SCH-40 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J.

RUBBER GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 20" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER

GASKET, M.J. BOLTS & NUTS. MUST BE BOXED IN KIT FORM.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 24" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER

GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG RESTRAINER KIT, TO FIT 30" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND,

630 M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

Item Description: 1500 CA MEGA LUG RESTRAINER KIT, TO FIT 36" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND,

636 M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

JEA XXJINVWCATL Page: 177 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, 3", RANGE 3.13-3.36, FITS AC, DI, CI, PVC, HDPE - LENGTH 8.38" EPOXY COATED-003 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION

(NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

260-04130413651 (MACRO) 260-0363631 (MACRO)

Item Description: COUPLING, 3" HYMAX, RANGE 3.46-4.33 EACH SIDE, FITS AC, DI, CI, PVC HDPE - LENGTH 8.7" - EPOXY

005 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE

INSTALLATION (NO DISASSEMBLY REOUIRED)

KRAUSZ USA

2000-0433-260 (HYMAX) 860-54-0088-16 (HYMAX)

Item Description: COUPLING, 4", MIN RANGE 4.40-5.60, FITS AC, DI, CI, PVC HDPE - LENGTH 8.7-11.19 EPOXY COATED-

010 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION

(NO DISASSEMBLY REQUIRED)

KRAUSZ USA

860-54-0108-16 (HYMAX) 2000-0563-260 (HYMAX)

Item Description: COUPLING, 4", MIN RANGE 4.50-4.90, FITS DI, CI, PVC, PVC-IPS, HDPE, LENGTH 11.85- SINGLE UNIT,

012 FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB

TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-04901231 (ALPHA) 266-04901211 (ALPHA)

JEA XXJINVWCATL Page: 178 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION 3"- MINIMUM O.D. RANGES TO BE 3.45-3.60 ONE END & 4.07- 4.20 OTHER END,

015 SLEEVE TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND

NUTS, GRADE 30 GASKETS

FORD

FC2A360420

Item Description: COUPLING, 6", MIN RANGE 6.60-7.60, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY COATED-

040 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION

(NO DISASSEMBLY REQUIRED)

KRAUSZ USA

2000-0768-260 (HYMAX)

860-54-0163-16 (HYMAX)

Item Description: COUPLING, 6", MIN RANGE 6.60-7.00, FITS DI, CI, PVC, PVC-IPS, HDPE, LENGTH 11.98- SINGLE UNIT,

045 FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB

TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-07001211 (ALPHA)

Item Description: COUPLING, 8", MIN RANGE 8.60-9.75, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY COATED-

050 WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION

(NO DISASSEMBLY REQUIRED)

KRAUSZ USA

2000-0984-260 (HYMAX)

860-54-0217-16 (HYMAX)

XXJINVWCATL JEA Page: 179 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGEE

Item Description: COUPLING, 8", MIN RANGE 8.60-9.10, FITS DI, CI, PVC, PVC-IPS, HDPE, LENGTH 13.19- SINGLE UNIT,

FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB

TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-09101211 (ALPHA)

Item Description: COUPLING, 10", MIN RANGE 10.70-11.90, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19- EPOXY

060 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE

INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA ROMAC INDUSTRIES

860-54-0278-16 2601190851 (MACRO)

2000-1200-260/K86056027216

(HYMAX)

Item Description: COUPLING, 10", MIN RANGE 11.00-12.20, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19- EPOXY

065 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE

INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA ROMAC INDUSTRIES

860-54-0278-16 260-1220851 (MACRO XL)

2000-1226-260 (HYMAX OS)

Item Description: COUPLING, 10", MIN RANGE 10.75-11.20, FITS DI, CI, PVC, PVC-IPS, HDPE, - LENGTH 12.74- SINGLE

UNIT, FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH

END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-11201211 (ALPHA)

XXJINVWCATL JEA Page: 180 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

JAN-05-22 08:40:51

FTGEE

Item Description: COUPLING, 12", MIN RANGE 12.70-13.66, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY

070 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE

INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA ROMAC INDUSTRIES

860-54-0315-16 2601380851 (MACRO)

2000-1366-260/K86056031516

(HYMAX)

Item Description: COUPLING, 12", MIN RANGE 13.15-14.40, FITS AC, DI, CI, PVC HDPE - LENGTH 10.8-11.19 EPOXY

075 COATED-WATER/SEWER APPLICATIONS - 2 EACH STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE

INSTALLATION (NO DISASSEMBLY REQUIRED)

KRAUSZ USA ROMAC INDUSTRIES

2000-1441-260 (HYMAX OS) 260-1440851 (MACRO XL)

860-54-0315-16 (HYMAX)

Item Description: COUPLING, 12", MIN RANGE 12.75-13.30, FITS DI, CI, PVC, PVC-IPS, HDPE, LENGTH 13.30- SINGLE

080 UNIT, FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END)

STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-13301211 (ALPHA)

Item Description: COUPLING, TRANSITION 10", LENGTH 12", DUCTILE IRON (MEETING ASTM A 536-80)-BOLTED COUPLING,

0.D. ONE END TO BE 10.89-11.40, O.D. OTHER END TO BE 11.80-12.12, GASKET SUPPLIED W/COUPLING

MUST BE NEOPRENE (BUNA) COMPOUNDED FOR SEWER SERVICE

ROMAC INDUSTRIES

501-12121140201

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 11.10-11.60 ONE END AND 11.65-11.88 OTHER END,

SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL BOLTS AND

NUTS. GRADE 30 GASKETS.

SMITH BLAIR

441-11881160-900

Item Description: COUPLING, TRANSITION - COUPLING RANGES TO BE 11.10-11.60 O.D. ONE END AND 11.90 -12.20 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL

BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-12201160-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 ONE END AND 13.20-13.50 OTHER END,

SLEEVES TO BE DUCTILE IRON (CENTER AND END RINGS) HIGH STRENGHT LOW ALLOY STEEL BOLTS AND NUTS,

GRADE 30 GASKETS.

FORD ROMAC INDUSTRIES SMITH BLAIR

FC1-1356-1356 501 441-00001350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 13.90-14.20 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-14201350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 14.21-14.40 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES SMITH BLAIR

501-14401355700 441-14401350-900

JEA XXJINVWCATL Page: 182 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 17.32-17.50 O.D. ONE END AND 17.72-17.94 O.D.

236 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

JCM

212-1780-1740

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 21.35-21.75 O.D. ONE END AND 21.75-22.25 O.D.

274 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD ROMAC INDUSTRIES

FC2A-2175-2225 501

FC2A-2206-2206

Item Description: COUPLING, CAST - 42", 3 FT. LENGTH, FUSION BONDED EPOXY INSIDE AND OUT (FOR SEWER USE), EPOXY

400 MUST COMFORM TO AWWA C213. STAINLESS STEEL BOLTS, NUTS AND WASHERS. 150 PSI RATING (MINIMUM).

O.D. RANGE TO BE 44.20-44.50 (MIN). TWO (2) GASKETS

Item Description: SLEEVE, DUCTILE IRON, 4", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

600 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCILE IRON, 6", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

620 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

PUD-FITTINGS

FTGEE

Item Description: SLEEVE, DUCTILE IRON, 8", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 10", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 12", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 16", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 18", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 20", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

JEA XXJINVWCATL Page: 184 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGEE

Item Description: SLEEVE, DUCTILE IRON, 30", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

880 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 36", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT

890 ACCESSORIES

Item Description: SLEEVE, DUCTILE IRON, 48", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT

960 ACCESSORIES

FTGEG

Item Description: SLEEVE, PIPE, DUCTILE IRON, 12 INCH, MECHANICAL JOINT, POLY LINED.

905

Item Description: SLEEVE, MJ, DUCTILE 24", 10-MIL EPOXY LINED.

906

Item Description: REDUCER, DUCTILE 6" X 4", MJ, 40 MIL EPOXY LINED, WITHOUT ACCESSORIES

XXJINVWCATL JEA Page: 185 of: 341

Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGIP

Item Description: NO LEAD COUPLING, COMPRESSION, 1", CTS COMP X IPS COMP COUP.

000 FORD MUELLER

C46-44-NL H-15409N

FUSES

JAN-05-22 08:40:51

FUSSU

Item Description: FUSE, 3 AMP, 250 VAC, ONE-TIME CARTRIDGE TYPE BUSSMAN P/N NON-3

036 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-3. OT3/250 OT-3

LITTELFUSE

NLN-3.

Item Description: FUSE, 5 A, 250 V, ONE-TIME, CARTRIDGE TYPE BUSSMAN P/N NON-5 GOULD SHAMUT P/N OT-5N

037 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-5 OT5/250 OT-5

LITTELFUSE

NLN-5

Item Description: FUSE, 6 AMPS, 250 VAC, CARTRIDGE TYPE, ONE-TIME

038 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-6- OT6/250 OT-6

LITTELFUSE

NLN-6

XXJINVWCATL JEA page: 186 of: 341

Water and Wastewater Master Material Catalog

FUSES

JAN-05-22 08:40:51

FUSUG

Item Description: FUSE, ONE TIME, 10 AMP RATING, 250 VOLT FERRULE TYPE

008 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-10 OT10/250 OT-10

LITTELFUSE

NLN-10

Item Description: FUSE, ONE TIME, 15 AMP RATING, 250 VOLT FERRULE TYPE

009 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-15 OT15/250 OT-15

LITTELFUSE

NLN-15

Item Description: FUSE, ONE TIME, 20 AMP RATING, 250 VOLT FERRULE TYPE

010 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-20 OT20/250 OT-20

LITTELFUSE

NLN-20

JEA XXJINVWCATL Page: 187 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-GAUGES

GAGAA

Item Description: GAUGE, STAINLESS STEEL, GLYCERIN FILLED, 2-1/2", 0-100 PSI, 1/4", 656 SERIES STAINLESS STEEL

070 LOWER MOUNT CONNECTION

> U.S. GAUGE WIKA

256010LG 9833574

PUD-GASKETS

GKTAA

700

Item Description: GASKET, TRANSITION 3" - MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTING FOR

USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM

D2000 3 BA715

SIGMA STAR

TG3 MJGAST03

Item Description: GASKET, TRANSITION 4" - MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

719 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

Item Description: GASKET, TRANSITION 6" - MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR

727 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

XXJINVWCATL JEA Page: 188 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-GASKETS

GKTAA

Item Description: GASKET, TRANSITION 8" - MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR

USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

Item Description: GASKET, TRANSITION 10" - MJ X IPS GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR USE ON

743 IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3

BA715.

Item Description: GASKET, TRANSITION 12" - MJ X IPS GASKET. GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

751 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3BA715.

Item Description: GASKET, TRANSITION 16" - MJ X IPS GASKET. GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

XXJINVWCATL JEA Page: 189 of: 341

Water and Wastewater Master Material Catalog

HARDWARE

JAN-05-22 08:40:51

HDWTW

Item Description: TWINE, NYLON, SIZE NO. 21, 0.065" DIA., 887 FT SPOOL, 215 LB TENSILE STRENGTH,

020 AAM STRAND ROPES PURITAN MILLS INC. R.F. EDrER CO.

50700 10497 62116

PUD-HOSE & FITTINGS

HSEAA

Item Description: HOSE, AIR 3/4" 50', 250 PSI, PIPE THREAD SHORT SHANK BRASS CONNECTORS, MALE ONE END/FEMALE ONE

000 END

Item Description: HOSE, AIR, 3/4" X 50', 250 PSI, W/UNIVERSAL CONNECTORS (#AM-6) EACH END

010 FLEXTRAL GOODYEAR

AR15-075UUX050YW MA3104637

Item Description: CONNECTOR, QUICK DISCONNECT 3/4" AIR UNIVERSAL #AM6

050 UNIVERSAL VALVE

АМб

Item Description: COUPLING, HOSE 3" - FEMALE QUICK DISCONNECT X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-TITE PART

100 "C" COUPLER OR EQUAL

PUD-HOSE & FITTINGS

HSEBB

Item Description: COUPLING, HOSE 3" - QUICK DISCONNECT, MALE ADAPTER X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-

110 TITE PART "E" OR EQUAL.

EVER-TITE

Ε

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

120 EVER-TITE PART "D" .

EVER-TITE

D

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, MALE THREAD

ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE SEAL FAST

1

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON

140 OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE SEAL FAST

C

Item Description: COUPLING, HOSE 4" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, HOSE SHANK

150 ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE SEAL FAST

E

Item Description: COUPLING, HOSE 4" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, MALE THREAD

155 ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE SEAL FAST

F

XXJINVWCATL JEA Page: 191 of: 341

Water and Wastewater Master Material Catalog

PUD-HOSE & FITTINGS

HSEBB

JAN-05-22 08:40:51

Item Description: COUPLING, HOSE 6" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, MALE THREAD

ON OTHER END, ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST PART "F"

EVER-TITE SEAL FAST

. T

Item Description: COUPLING, HOSE 6" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON

170 OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE SEAL FAST

C

Item Description: COUPLING, HOSE 6" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

175 EVER-TITE OR EQUAL

EVER-TITE

D

Item Description: COUPLING, HOSE 6" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, HOSE SHANK

180 ON OTHER END, ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST

EVER-TITE SEAL FAST

E]

Item Description: COUPLING, ADAPTER - 3", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH OUICK DISCONNECT

199 COUPLINGS, ALUMINUM CONSTRUCTION. EVER-TITE OR EQUAL

EVER-TITE

Α

Item Description: GUIDE, FLEXIBLE HOSE, AQUATECH SERIES "C", COMBINATION SEWER JET AND SUCTION UNIT

800 TIGERTAIL

XXJINVWCATL JEA Page: 192 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-HOSE & FITTINGS

HSECC

Item Description: HOSE, DISCHARGE - 3" X 50 FT., WITH MALE QUICK DISCONNECT ALUMINUM COUPLING ON ONE END AND FEMALE OUICK DISCONNECT ALUMINUM COUPLING ON OTHER END.

GOODYEAR

PRIMELINE-GRAY

Item Description: HOSE, DISCHARGE - 4" X 50 FT., WITH MALE QUCIK DISCONNECT ALUMINUM COUPLING ON ONE END AND FEMALE OUICK DISCONNECT ALUMINUM COUPLING ON OTHER END. GOODYEAR GRAY PRIMELINE HOSE ONLY

GOODYEAR

PRIMELINE-GRAY

Item Description: HOSE, DISCHARGE, 4" X 300', 45 LB. WORK PRESSURE, 1 EACH = 300 FOOT ROLL, PURCHASE BY THE 030 EACH.

GOODYEAR KURIYAMA

PRIMELINE-GRAY VF400

Item Description: HOSE, DISCHARGE, 6" X 300', 35 LB. WORK PRESSURE.

040 GOODYEAR

PRIMELINE-GRAY

Item Description: COUPLING, ADAPTER - 4", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT COUPLINGS, ALUMINUM CONSTRUCTION.

EVER-TITE

PART-A

Item Description: COUPLING, ADAPTER - 6", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT COUPLINGS, ALUMINUM CONSTRUCTION.

EVER-TITE

PART-A

PUD-HOSE & FITTINGS

HSECC

Item Description: COUPLING, HOSE 3" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

136 EVER-TITE OR EQUAL

EVER-TITE

PART-D

Item Description: STRAINER, HOSE 3" - STEEL STRAINER FOR USE ON 3" SUCTION HOSE. BASKET TYPE STRAINER IS USED TO

151 KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR

CONNECTION TO SUCTION HOSE.

Item Description: STRAINER, HOSE 4" - STEEL STRAINER FOR USE ON 4" SUCTION HOSE. BASKET TYPE STRAINER IS USED TO

KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR

CONNECTION TO SUCTION HOSE.

Item Description: INACTIVE - STRAINER, HOSE 6" - STEEL STRAINER FOR USE ON 6" SUCTION HOSE. BASKET TYPE STRAINER

176 IS USED TO KEEP SOLIDS LARGER THAN 7/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE

THREAD FOR CONNECTION TO SUCTION HOSE.

HSEDD

163

Item Description: HOSE, FIRE - 1-1/2" X 50', SINGLE JACKET ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM

010 COUPLINGS. NST THREAD. NATIONAL STYLE OR EQUAL

ALL AMERICAN HOSE NATIONAL FIREHOSE CORP.

XXJINVWCATL JEA Page: 194 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-HOSE & FITTINGS

HSEDD

Item Description: HOSE, FIRE - 2-1/2" X 50', SINGLE JACKET, ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM

020 COUPLINGS. NST THREAD.

ALL AMERICAN HOSE

6P25X50W25N

HSEEE

Item Description: HOSE-GARDEN, 5/8" X 50 FT. NYLON REINFORCED, VINYL

000 **SWAN**

SNWF58050

Item Description: HOSE, GASKET RUBBER 3" - FOR QUICK DISCONNECT COUPLING.

108

Item Description: GASKET, KAM LOCK HOSE RUBBER 4", FOR QUICK DISCONNECT COUPLING

126

Item Description: HOSE, GASKET RUBBER 6" FOR QUICK DISCONNECT COUPLINGS.

147

HSEHH

Item Description: HOSE, SUCTION - 3" X 20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK

720 DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), 1 C/S 2-BOLT SPIRAL CLAMP ON

EACH HOSE END, (SHIP IN COILED FORM)

KANAFLEX

KANALINE SR

XXJINVWCATL JEA Page: 195 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-HOSE & FITTINGS

HSEHH

Item Description: HOSE, SUCTION-4"X 20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, ALUMINUM FEMALE QUICK

730 DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), DOUBLE BOLT STEEL CLAMPS ON

EACH END. (SHIP IN COILED FORM),

KANAFLEX

KANALINE SR-4

Item Description: HOSE, SUCTION-6"X20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK DISCONNECT

740 COUPLING ON OTHER END (EVER- TITE PART"C" OR EQUAL), DOUBLE CARBON STEEL BOLTED CLAMPS ON EACH

END.

KANAFLEX

KANALINE SR-6

PUD-FIRE HYDRANTS & PARTS

HYDAA

Item Description: VALVE, BOTTOM, FIRE HYDRANT AMERICAN DARLING

020 AMERICAN DARLING

5042

Item Description: INACTIVE - GASKET, NEOPRENE, FIRE HYDRANT, 1/8" THICK X 5-5/16" I.D. X 6-13/16" O.D. 60 DURO 3-

047 1/6" HOLES

Item Description: EXTENSION, FIRE HYDRANT, 6", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" VALVE

126 OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

JEA XXJINVWCATL Page: 196 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FIRE HYDRANTS & PARTS

HYDAA

Item Description: EXTENSION, FIRE HYDRANT, 18", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" 135 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005961

Item Description: EXTENSION, FIRE HYDRANT, 24", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" 140 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005962

Item Description: EXTENSION, FIRE HYDRANT, 12", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" 150 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005960

Item Description: REPAIR KIT, FIRE HYDRANT, 4-1/2"

205 AMERICAN DARLING

MARK 73

HYDBB

Item Description: EXTENSION 18", CLOW 4-1/2 FOR FIRE HYDRANT F-2500

020 CLOW

F-2500

Item Description: KIT, REPAIR, BREAKAWAY FLANGE FOR CLOW F-2500, 4-1/2", FIRE HYDRANT.

030 CLOW

R-1620562

PUD-FIRE HYDRANTS & PARTS

HYDBB

Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR CLOW 4-1/2" FIRE HYDRANT. FOR CLOW MODEL F-2545.

053 CLOW PART #R-1620652

CLOW

R-1620652

Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR AVK 5-1/4" FIRE HYDRANT.

AMERICAN AVK COMPANY

27-150-75

HYDDD

Item Description: GREASE, FIRE HYDRANT, AMERICAN FLOW CONTROL HYDRANT GREASE (FOOD GRADE), 1 LB. CAULK TUBE

250 "ORDER BY DESCRIPTION"

> AMERICAN FLOW CONTROL Clarion KEYSTONE LUBRICANTS

NOT APPROVED 655699009-NLGI-NO.2 441636T

Mystik

FG-2

Item Description: NUT, HOLD DOWN FIRE HYDRANT, 4-1/2" M & H, FOR 1988 OR NEWER HYDRANTS. ** NO SUBSTITUTE **

300 м & н

446760

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" M & H, OPEN RIGHT. FOR 1997 OR NEWER HYDRANTS. *** NO

305 SUBSTITUTE ***

м & н

446754

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" VALVE OPENING, US PIPE FIRE HYDRANT.

330 U.S. PIPE

PUD-FIRE HYDRANTS & PARTS

HYDEE

100

Item Description: LUBRICANT, FIRE HYDRANT - ALL WEATHER HYDRANT LUBRICATING OIL, 10.5 OZ.

040 MUELLER

A-51

Item Description: O-RING FOR TOP BONNET, MUELLER FIRE HYDRANT

070 MUELLER

190348

Item Description: EXTENSION KIT, FIRE HYDRANT, 12" - KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT INCLUDES: BARREL

EXTENSION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS, STAINLESS STEEL

COTTER PINS, GASKET, BOLTS, NUTS AND CAN OF HYDRANT LUBRI

Item Description: KIT, EXTENSION FIRE HYDRANT, 18" - 18" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO

110 INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS,

STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, C

Item Description: KIT, EXTENSION FIRE HYDRANT, 6" - 6" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO

124 INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS,

STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, CAN

Item Description: KIT, REPAIR, FIRE HYDRANT, 4-1/2", SAFETY FLANGE REPAIR KIT, (FOR CENTURIAN FIRE HYDRANT) WITH

130 STEEL COUPLING (OLD MUELLER #A-24095). (FOR HYDRANTS MANUFACTURED AFTER 1972)

MUELLER

A300

Page: 199 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FIRE HYDRANTS & PARTS

HYDEE

Item Description: RING, SEAT FIRE HYDRANT 4-1/2", MUELLER #H87

140 MUELLER

H87

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3' BURY DEPTH. SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2"

190 PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS

STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL AVK M & H B-84-B 2780 - 3' 129TY - 3' H-3M MUELLER US PIPE A-423 - 3'129TYNI, - 3' MET M94 - 3'

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3-1/2' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1 200 1/2" PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304

STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL м & н AVK

B-84-B - 3-1/2'2780 - 3 1/2' 129TY - 5-1/4" X 3-1/2'

H-3M MUELLER US PIPE

MET M94 - 3 - 1/2'129TYNL - 5-1/4 X 3-1/2 A423 - 3-1/2

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 4' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2" 210 PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS

STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL AVK M & H

B-84-B - 4' 2780 - 4' 129 - 5-1/4" X 4'

M&H MUELLER US PIPE A-423 - 4'MET M94 - 4' 129TYNL - 5-1/4" X 4'

PUD-FIRE HYDRANTS & PARTS

HYDEE

AMERICAN FLOW CONTROL AVK M & H

M&H MUELLER US PIPE

129TYNL - 5-1/4" X 4.5' A-423 - 4.5' MET M94 - 4.5'

Item Description: KIT, REPAIR FIRE HYDRANT 5-1/4" MUELLER #A-301-00 WITH BRASS COUPLING

240 MUELLER

A-301-00

HYDFF

Item Description: PACKAGE, MAINTENANCE FIRE HYDRANT 5" PACER, WATEROUS #K449, PACKAGE IN PLASTIC CASES.

005 **WATEROUS**

K449

Item Description: KIT, EXTENSION 12" FIRE HYDRANT WATEROUS WB67

020 **WATEROUS**

WB67

Item Description: KIT, EXTENSION FIRE HYDRANT, 18" HIGH 5" DIA., WATEROUS #WB67

030 WATEROUS

WB67

Item Description: KIT, REPAIR MAINTENANCE FIRE HYDRANT WATEROUS WB67

040 WATEROUS

WB67

PUD-FIRE HYDRANTS & PARTS

HYDFF

Item Description: KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS WB67 5", FOR WATEROUS HYDRANTS

050 MANUFACTURED AFTER JUNE, 1980; PART #K528

WATEROUS

WB67 #K528

Item Description: KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS WB67 5", FOR WATEROUS HYDRANTS

060 MANUFACTURED PRIOR TO JUNE, 1980; PART #K525

HYDRANT REPAIR PARTS INC WATEROUS

HRPI-S-W528 WB67 #K525

Item Description: KIT, EXTENSION, FIRE HYDRANT 6", WATEROUS WT/77D, WATEROUS #K479-6

100 WATEROUS

WT/77D #K479-6

Item Description: KIT, EXTENSION, FIRE HYDRANT 12", WATEROUS WT/77D

150 WATEROUS

WT/77D

Item Description: KIT, REPAIR, TRAFFIC, YELLOW.

200 WATEROUS

WT/77D

Item Description: COUPLING, HALF - FIRE HYDRANT, STEM COUPLING FOR WATEROUS FIRE HYDRANT, (2 PER SET)

202 WATEROUS

WT/77D #14

Item Description: ARM, CROSS, FOR WATEROUS TREND FIRE HYDRANT, WATEROUS REFERENCE #26, CROSS ARM TO BE BRONZE

205 ONLY, FOR TREND #WT-77 HYDRANT.

WATEROUS

WT-77 #26

XXJINVWCATL Page: 202 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-FIRE HYDRANTS & PARTS

HYDGG

Item Description: CAP GASKET, PUMPER NOZZLE, 4.5" DIAMETER RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT
010 PUMPER CAPS, M&H, CLOW, MUELLER, KENNEDY AND U.S. PIPE,

M & H 210162

Item Description: CAP GASKET, HOSE NOZZLE, 2.5" DIA., RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT HOSE

CAPS, M & H, CLOW, MUELLER, KENNEDY AND U.S. PIPE

M & H 210041

Item Description: WRENCH, FIRE HYDRANT, UNIVERSAL, ADJUST- ABLE. WRENCH TO FIT PENTAGON NUTS TO 1-1/2" AND SQUARE

NUTS UP TO 1-1/4". SPANNER TO FIT LUG AND PIN STYLES OF HOSE COUPLINGS. 16" LONG X 7/8"

DIAMETER HANDLE. HEAVY DUCTILE IRON HEAD.

RED HEAD TRUMBLE107

377-5960

Item Description: KIT, EXTENSION FIRE HYDRANT, 12" EXTENSION FOR USE ON KENNEDY #81A HYDRANT W/4-1/2" OPENING 051

Item Description: KIT, REPAIR - TRAFFIC REPAIR KIT FOR U.S. PIPE METROPOLITAN MODEL FIRE HYDRANT, 4-1/2" VALVE
OPENING FOR HYDRANTS MADE PRIOR TO 1994.

US PIPE 668619

Item Description: INACTIVATE UPON DEPLETION - KIT, EXTENSION - 12", EXTENSION KIT FOR U.S. PIPE METROPOLITAN

MODEL FIRE HYDRANT, 4 1/2" VALVE OPENING

PUD-FIRE HYDRANTS & PARTS

HYDGG

Item Description: INACTIVATE UPON DEPLETION - KIT, EXTENSION 6" - EXTENSION KIT FOR M&H MODEL #129 FIRE HYDRANT 200 (VALVE OPENING 4 1/2")

Item Description: KIT, EXTENSION, 6", FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

201 м & н

441129-6"

Item Description: KIT, EXTENSION 12" - EXTENSION KIT FOR M&H MODEL #129 FIRE HYDRANT (4-1/2" VALVE OPENING)

211

Item Description: KIT, EXTENSION 12" - FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

212 м & н

441129-12"

Item Description: KIT, TRAFFIC REPAIR - REPAIR KIT FOR M&H MODEL #129 FIRE HYDRANT, FOR 1996 AND NEWER HYDRANT

223 (4-1/2" VALVE OPENING)

Item Description: KIT, TRAFFIC REPAIR - FOR M&HMODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING. (1996 OR NEWER).

224 м & н

442129

Item Description: KIT, TRAFFIC REPAIT, FOR US PIPE METROPOLITAN MODEL FIRE HYDRANT W \ 5-1/4" BARREL FOR HYDRANTS

225 MADE IN 1994 AND AFTER.

US PIPE

26,27,28,30,31

JEA XXJINVWCATL Page: 204 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-FIRE HYDRANTS & PARTS

HYDRF

Item Description: HYDRANT RAISED PAVEMENT MARKER, BLUE TWO-WAY REFLECTOR W/ADHESIVE PAD ATTACHED, 4.00"L X 4.00"W

100 X 0.68"H, 45 PER CARTON

RAYOLITE

AA2BP

PUD-INCINERATOR MATERIAL

INCBB

Item Description: DEHUMIDIFIER, ELECTRIC, 50 PINT CAPACITY, 3/8" O.D. EVAPORATOR COIL, SEALED REFRIGERATION

SYSTEM, 115 VAC, 60 Hz, AUTO SHUT-OFF, AUTOMATIC OVERFLOW PROTECTION HUMIDISTAT, CONSTANT RUN 580

CONTROL, COMFORT-AIRE

COMFORT-AIRE

BHD-501

INCDD

Item Description: RING, SNAP, #40 WEMCO

630 WEMCO

JEA XXJINVWCATL Page: 205 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

JANITORIAL SUPPLIES

JANBG

Item Description: BAG, GARBAGE, PLASTIC, 24" X 23", 1.5 MIL, 500 EACH PER CASE

007

JANCT

Item Description: RAGS, ALL WHITE, 100% COTTON, BATH TOWEL TERRY, NO BLENDED MATERIAL ACCEPTED - 25 LB BOX

001

AMERICAN WIPERS INC. INDUSTRIAL SOLUTIONS

OBD IS135

JANSO

Item Description: SOAP, BATH, DEODORANT, 2-1/2 OZ. BAR, INDIVIDUALLY WRAPPED, 200 P/CASE

001 PROCTER AND GAMBLE

DIAL

SAFEGUARD

Item Description: SOAP, HAND, W/PUMICE, 4-OZ. INDIVIDUALLY WRAPPED,

003 PROCTER AND GAMBLE

XXJINVWCATL JEA Page: 206 of: 341

Water and Wastewater Master Material Catalog

JANITORIAL SUPPLIES

JANTI

Item Description: TISSUE, TOILET, 4.25" X 3/.94" OR 4.5" X 4.5", 2-PLY, 500 OR 550 SHEETS, 80 OR 96 EACH PER

001 CASE, FACIAL QUALITY, (QUOTE PER EACH, NOT PER CASE)

FORT JAMES GEORGIA PACIFIC KIMBERLY-CLARK

19800 TM-6120 0446

ULTRA/ACI INDUSTRIES

600500

JAN-05-22 08:40:51

JANTO

Item Description: TOWEL, PAPER, SINGLE FOLD, BLEACHED, 16 PACKS PER CASE, 250-TOWELS PER PACK,

003 KIMBERLY-CLARK SCA

1700 SB1840

XXJINVWCATL JEA Page: 207 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

LABORATORY SUPPLIES

LABSE

Item Description: ROTOR, PUMP ASSEMBLY FOR ISCO 3710 SAMPLER

053 ISCO, ENV

ISCO, ENVIRONMENTAL DIVISION

602704019

LAMPS

LAMFL

Item Description: LAMP, FLOURESCENT, COOL WHITE, 34 OR 40 WATTS, 48" LENGTH, T-12 BULB SIZE, 20,000 APPR. HOURS

002 LIFE

GENERAL ELECTRIC CO. PHILLIPS LIGHTING SYLVANIA

F34CWX/SS F40CW/RS/EW-II F40CW/ SS

LAMUV

Item Description: LAMP, TROJAN UV4000, 28-INCH, USED ON WWTP UV DISINFECTING SYSTEM

001 TROJAN TECHNOLOGIES

441169-028

PUD-LUBRICANTS

LBRAA

Item Description: GREASE CUTTING

310 MUELLER

88366

LBRCC

Item Description: OIL 20W DETERGENT **SCREW TOP, RE-USABLE QUART CONTAINER ONLY**

030 **NAPA**

JEA XXJINVWCATL Page: 208 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-LUBRICANTS

LBRCC

Item Description: OIL, MOTOR 30W NON-DETERGENT **SCREW TOP, RE-USABLE QUART CONTAINER ONLY**

060

Item Description: OIL, MOTOR SAE 15W40, SCREW TOP QUART CONTAINER ONLY

070 NAPA

NOL75123

Item Description: OIL ,SYNTHETIC ENGINE, 2 CYCLE 50: 1, 2.6 OUNCE CONTAINER, 48 CANS/PER CASE

180 MAG1 MAKITA TALON

43Y868 T-00745 4143382

Item Description: OIL, MOTOR, CHEVRON, 1-GALLON CONTAINER, 15W40 WEIGHT, STYLE & TYPE: DELCO 400 HEAVY DUTY, API

230 RATING: CH-4, CG-4, CF-4, CF, CE, CD, SJ, SH & SG FEATURES UNIVERSAL PROTECTION FOR

TURBOCHARGED & SUPERCHARGED DIESEL & GAS ENGINES

CHEVRON

CHVGAL15W40

Item Description: OIL, GRUNDO, FOR 3" GRUNDOBUST LUBRICATOR, ONE GAL. CONTAINER ONLY, **NO SUBSTITUTE**

240 TT TECHNOLOGIES

70231-15

LOCKS

LOCPA

Item Description: PADLOCK, BRASS, STAMPED "JEA II", 1-1/2" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK

001 HERCULES INDUSTRIES INC.

700B-1 1/2"

JEA XXJINVWCATL Page: 209 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

LOCKS

LOCPA

Item Description: PADLOCK, BRASS, 7/8" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK, LOCK BODY SHALL BE 002 STAMPED "JEA II"

HERCULES INDUSTRIES INC.

700B-7/8" JEAII

LIGHTING & ACCESSORIES

LTGLN

Item Description: LANTERN, HAND, 6 VOLT BRIGHT STAR MODEL #2005 Q, WORK CTR 1-6.

001 BRIGHT STAR INDUSTRIES INC.

2208

LUBRICANTS

LUBLU

Item Description: LUBRICANT, PENETRATING & RUST SOLVENT HIGH PRESSURE AEROSOL CAN, PB BLASTER ***NO SUBSTITUTE 165 WITHOUT PRIOR APPROVAL*

BLASTER CHEMICAL COMPANY GATEWAY CHEMICALS INC.

PB-16 GWC 16

LUBOI

Item Description: OIL, HOUSEHOLD, 3-IN-1 OIL, 3 OUNCE CAN

020 WD-40

> 3 IN 1 #10035

XXJINVWCATL JEA Page: 210 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

METERS & ACCESSORIES

METSE

Item Description: SEAL, METER, YELLOW, PADLOCK STYLE, STAINLESS STEEL HASP, JEA LOGO, WHITE WRITE-ON BLOCK (PACKAGE IN

006 BOX OF 100 EACH W/BAR CODE), (SEALS TO BE NUMBERED SEQUENTIALLY) REQUIRES JEA SPECIFICATION

AMERICAN CASTING BROOKS SECURITY PRODUCTS PLASTIC DESIGN TECHNOLOGY

8001-S/S-WP-LAB-YLW 6180040-6 PADSJEA-YELLOW

PUD-MANHOLE MATERIAL

MHLAA

Item Description: RING, ROUND, 40" O.D. X 31" I.D. ANGLE, 3/4" TO 1-3/4"

001 CRETEX SEALS

40-31A-100

Item Description: BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT

004 HEIGHT, CONCRETE COATED WITH CON-SEAL(CS)-55 OR EQUAL, TONGUE & GROOVE ONLY. 7 DEGREE ANGLE ON

JOINTS - NO SUBSTITUTE

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: RING, 40 X 31 X 3/4" FLAT GRADE RING

010 CRETEX SEALS

40-31G-075-F

Item Description: COLLARS, MANHOLE, HDPE SLOPING ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2 1/2" TO 1 1/2" SLOPE,

025 APPROX. WEIGHT 6 LBS., DOMESTIC,

LADTECH

32F300

Item Description: COLLAR, MANHOLE, 24" X 36" X 3" **3" THICKNESS ONLY - NO SUBSTITUTE**

PUD-MANHOLE MATERIAL

MHLAA

Item Description: COLLARS, MANHOLE, HDPE ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2" TALL, DOMESTIC, APPROX.

035 WEIGHT 6 LBS.

LADTECH

32F200

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 2" (48" OVERALL DIAMETER COLLARS ARE ALSO

050 ACCEPTABLE)

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 4" (48" OVERALL DIAMETER COLLARS ARE ALSO

070 ACCEPTABLE)

Item Description: CONE, MANHOLE, 1 FT., CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) ** CONES TO HAVE

080 MALE TYPE TONGUE & GROOVE ONLY** 7 DEGREE ANGLE JOINTS.

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST
BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: CONE, MANHOLE, 2 FT., 2 FT. HEIGHT, 4 FT. BASE, 2 FT. 8 IN. TOP, COATED WITH CON-SEAL(CS)-55 OR

090 EQUAL * CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRI BY DESCRIPTION BY DESCRIPTION

Item Description: CONE, MANHOLE, 3 FT., 3 FT HEIGHT, 4 FT BASE 2 FT 8 IN. TOP, COATED WITH CON-SEAL (CS)-55 (OR

097 EQUAL) CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

XXJINVWCATL JEA Page: 212 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MANHOLE MATERIAL

MHLAA

Item Description: COUPLING, MANHOLE 6" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8 INCHES, COUPLING TO HAVE

100 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES

Item Description: COUPLING, MANHOLE 8", PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8" COUPLING TO HAVE

110 PERMANENT EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING EXTERIOR

AGGREGATED TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 10" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

120 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 12" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

130 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 15" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

140 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

XXJINVWCATL JEA Page: 213 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MANHOLE MATERIAL

MHLAA

Item Description: COUPLING, MANHOLE, 6", PVC COUPLING FOR DR18 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

142 PERMANENT EXTERIOR EPOXY BONDED AGGREATE TEXTURIZED TO ADHERE TO THE COUPLING, COUPLING TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE, 8", PVC COUPLING FOR DR18 PIPE, COUPLING TO HAVE PERMANENT EXTERIOR EPOXY

BONDED AGGREGATE TEXTURIZED TO ADHERE COUPLING, COUPLING TO PROVIDE BONDING SURFACE FOR

GROUTING PURPOSES. NO ASBESTOS COUPLINGS ALLOWED BELLED X B

Item Description: COVER, MANHOLE, NEW STYLE, COVER TO HAVE NEW "JEA" LOGO AS PER CURRENT GREY IRON CASTING BID.

JEA STANDARD PLATE S-1. (SANITARY) NEW PLATE ONLY *** NO ALTERNATES OR SUBSTITUTES *** US

FOUNDRY & MFG., OR EAST JORDAN IRON WORKS.

EAST JORDAN U.S. FOUNDRY

00116122 8013352

Item Description: COVER AND FRAME, MANHOLE, (ASSEMBLED) W/NEOPRENE GASKET 60 DUROMETER AND PROTECTIVE SKIRT, COVER

TO HAVE NEW JEA LOGO JEA STANDARD PLATE S-1, **U.S. FOUNDRY & MFG. OR EAST JORDAN IRON WORKS

TNC. **

EAST JORDAN U.S. FOUNDRY

00116122A01 8140149

Item Description: COVER, CUSHION MANHOLD QUICK FIT Q-30

XXJINVWCATL JEA Page: 214 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MANHOLE MATERIAL

MHLAA

Item Description: TOP, SLAB MANHOLE (FLAT TOP) 8" THICK, 58" WIDTH W/KEYWAY, TONGUE & GROOVE, 32" HOLE OFFSET,

180 ALL SURFACES OTHER THAN JOINING SURFACES TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) TOP TO

HAVE MALE TONGUE & GROOVE

Item Description: MANHOLE, SAFETYHOOK, 5/6"X36", TEMPERED STEEL SIX SIDES POLYGONE 5/8"X3" HOOK. HOOK TO HAVE

210 SQUARED END. * NO SUBSTITUTE* NOTE: MANHOLE SAFETYHOOK HAVE BEEN SPECIALLY DESIGNED FOR THE

CITY JACKSONVILLE,

LEETONIA TOOL COMPANY

SAFETYHOOK

Item Description: SEALANT, JOINT, MANHOLE (RAM NEK), 20 PCS PER BOX, EACH PIECE TO BE 1-1/2" WIDTH X 3-1/2"

240 LENGTH, DENSITY OF SEALANT TO BE A MINIMUM OF 22.5 CUBIC INCH PER LINEAL FT. SELANT TO BE

PACAKAGED 20 PIECES PER BOX. RAM NEK, CONSEAL, GULF STATES AS

Item Description: KIT REPAIR, TOOLS, KIT TO INCLUDE WIRE BRUSH, GASKET ROLLER, GASKET KNIFE AND INSTRUCTION

246 SHEET. ITEMS TO COME IN A BOXED KIT FORM.

U.S. FOUNDRY

TRS-KTT-2

Item Description: RISER, MANHOLE, 48" X 2', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL), 7 DEGREE

270 ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

XXJINVWCATL JEA Page: 215 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MANHOLE MATERIAL

MHLAA

Item Description: RISER, MANHOLE, 48" X 3', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL), 7 DEGREE

280 ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: RISER, MANHOLE, 48" X 4', CONCRETE TO BE COATED WITH CON-SEAL(CS)-55 OR EQUAL, 7 DEGREE ANGLE

293 JOINTS

AMERICAN PRECAST STRUCTURES STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION

Item Description: RAINGUARD, INFLOW PROTECTOR WITH STRAP & VALVE. DEL LF-SV, (FRAME=ID 32", OD 34-1/4",

319 COVER=O.D. 34-1/8") RAINGUARD MUST FIT CITY OF JACKSONVILLE LOGO FRAME W/COVER. L F

MANUFACTURING (RAINGUARD O.D.= 33-5/8") OR EQUAL

Item Description: BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT HEIGHT BY

5 FT IN DIAMETER, CONCRETE COATED WITH KOPPERS 300M EPOXY COATING, 7 DEGREE ANGLE JOINTS.

Item Description: MANHOLE FRAME & COVER, BOLT-DOWN TYPE, WATERTIGHT, COVER TO UTILIZE FOUR BOLTS FRAME & COVER TO

450 COME COMPLETE WITH BOLTS AND GASKET. CITY OF JACKSONVILLE COVER. U.S. FOUNDRY #655-CF-BWT

U.S. FOUNDRY

655-CF-BWT

PUD-MANHOLE MATERIAL

MHLBA

Item Description: INACTIVBOLT, ANCHOR ASSEMBLY, BOLT STAINLESS STEEL MASONRY ANCHOR, ASSEMBLY TO BE SUPPLIED

001 COMPLETE W/1-3/8" X 1" 18-8 STAINLESS STEEL BOLT , 3/8" STAINLESS STEEL WASHER, LEAD TAMP-IN

ANCHOR. USED TO SECURE ITEMS MHLDB006 & MHLDB008.NO SUB

DURAN INC.

SEE DESC

MHLDB

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 12" QUARTER SPHERE W/ 6" OUTLET,

006 TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL. *** NO SUBTITUTIES ***

DURAN INC.

A6DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 6" DROP BOWELS, TO BE SUPPLIED W\ (4) ¼" X ¾"

007 SS CAP SCREWS AND LOCKNUTS

DURAN INC.

AHOOD

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 18" OUARTER SPHERE W/ 8" OUTLET

008 , TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL *** NO SUBTITUTIES ***

DURAN INC.

B8DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 8" DROP BOWELS, TO BE SUPPLIED W\ (4) ¼" X ¾"

009 SS CAP SCREWS AND LOCKNUTS

DURAN INC.

BHOOD

PUD-MANHOLE MATERIAL

MHLFB

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 8 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

058 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 10 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

070 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 4 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

080 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 12 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

082 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 15 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

095 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

L.F. MANUFACTURING

CONTAINMENT SOLUTIONS
ORDER BY DESCRIPTION ORDER BY DESCRIPTION

XXJINVWCATL JEA page: 218 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-MANHOLE MATERIAL

MHLSE

Item Description: WRAPID SEAL, ROLL SHALL BE 6" WIDE X 50 LINEAR FOOT, COLOR - BLACK

002 CANUSA

WS-6-50

Item Description: WRAPID SEAL, ROLL SHALL BE 12" WIDE X 50 LINEAR FOOT, COLOR - BLACK

004 CANUSA

WS-12-50

Item Description: WRAPID SEAL, ROLL SHALL BE 18" WIDE X 50 LF, COLOR BLACK

005 CANUSA

WS-18-50

Item Description: WRAPID SEAL PRIMER, SHALL BE IN A ONE GALLON CONTAINER, COLOR: SILVER.

010

Item Description: WRAPID SEAL CLOSURE, SHALL BE 6" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL

012 MATERIAL (ID #MHL-SE-002), DURING THE HEAT SHRINK PROCESS.

CANUSA

CLS-6

Item Description: WRAPID SEAL ENCLOSURE, SHALL BE 12" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL

014 MATERIAL (ID #MHL-SE-004) DURING THE HEAT SHRINK PROCESS

CANUSA

CLS-12

Item Description: WRAPID SEAL CLOSURE, SHALL BE 18" WIDE, COLOR BLACK.

015 CANUSA

CLS-18

JEA XXJINVWCATL Page: 219 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: **TEST REQD** METER, WATER 5/8" x 1/2" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, PLASTIC 010 BOTTOM PLATE/STAINLESS STL CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

SENSUS TECHNOLOGIES

SX1X538PXGAXX0D

Item Description: **TEST REQD** METER, WATER 5/8" X 1/2", ENVIRO-BRASS (NO-LEAD), POSITIVE DISPLACEMENT, 0.1 012 GAL., 8 WHEEL, ROCKSYN CHAMBER, BRONZE or Polymer BOTTOM W/ SS BOLTS, 6 FOOT WIRE W/ TRPL ADAPTER, GLASS ELINX REGISTER

MASTER METER

P11-A31-A16-0106A-5 P11-A31-A16-0126A-5

Item Description: **TEST REOD** METER, WATER 5/8" X 1/2" - LOW LEAD BADGER RECORDALL METER, PLASTIC DIVISION 014 PLATE, PLASTIC BOTTOM PLATE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

BADGER METER

103-9637

Item Description: **TEST REOD** METER, WATER 5/8" X 3/4" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, PLASTIC 015 BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

SENSUS TECHNOLOGIES

SX2X538PXGAXX0D

Item Description: INACTIVE ***DO NOT ORDER PER WATER METER SERVICES 2014***METER, WATER, 5/8 X 3/4S IPERL, 0.1G 016 7.5"LL 8WHL 1A 6'TRPL CBL 3-WIRE

SENSUS TECHNOLOGIES

T5X8GAXX

XXJINVWCATL JEA Page: 220 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: **TEST REQD** METER, WATER 5/8" X 3/4" - LOW LEAD BADGER RECORDALL METER, PLASTIC DIVISION

018 PLATE, PLASTIC BOTTOM PLATE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL

3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

BADGER METER

103-6997

Item Description: **TEST REQD** METER, WATER 3/4" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM

020 PLATE/SS CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG

S/N=REG ID. (WITH TRPL HOUSING ASSEMBLY)

SENSUS TECHNOLOGIES

SX4X338PXGAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 3/4 IPERL, 0.1G 8WHL 1A

021 6'TRPL CBL 3-WIRE

SENSUS TECHNOLOGIES

T3X8GAXX

Item Description: **TEST REOD** METER, WATER 3/4" - LOW LEAD BADGER RECORDALL METER, PLASTIC DIVISION

024 PLATE, BRONZE BOTTOM PLATE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL 3-

WIRE, MFG S/N=REG ID. (WITH TRPL HOUSING ASSEMBLY)

BADGER METER

103-5553

Item Description: **TEST REQD** METER, WATER 1" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM

030 PLATE/SS CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, MFG

S/N=REG ID. (WITH TRPL HOUSING ASSEMBLY)

SENSUS TECHNOLOGIES

SX5X338PXGAXX0D

JEA XXJINVWCATL Page: 221 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 1" IPERL, 0.1G 8WHL 1A

031 6'TRPL CBL 3-WIRE

Item Description: **TEST REOD** METER, WATER 1" - LOW LEAD BADGER RECORDALL METER, PLASTIC DIVISION PLATE, BRONZE

034 BOTTOM PLATE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL 3-WIRE, MFG

S/N=REG ID. (WITH TRPL HOUSING ASSEMBLY)

BADGER METER

103-9621

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON

100 PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C33TXXXG1AT0X

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

110 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C43TXXXG1AT0X

Item Description: METER, COMPOUND 6" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

115 PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C63TXXXG1AT0X

Item Description: METER, FIRE SERVICE, 10" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE

120 ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

FACTXXXG1AT0X

XXJINVWCATL JEA Page: 222 of: 341

Water and Wastewater Master Material Catalog

PUD-METERS

JAN-05-22 08:40:51

MTEAA

Item Description: METER, FIRE SERVICE 4" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F4CTXXXG1AT0X

Item Description: METER, FIRE SERVICE, 6" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F6CTXXXG1AT0X

Item Description: METER, FIRE SERVICE 8" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F8CTXXXG1AT0X

Item Description: METER, TURBINE 8" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON
175 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

T81TXXXG1AT0X

Item Description: METER, TURBINE 10" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON
180 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

TA1TXXXG1AT0X

Item Description: **TESTING REQUIRED** METER, WATER 1.5" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8
192 WHEEL TOTAL, S/N=REG ID.

SENSUS TECHNOLOGIES

T11XXXXG1AT0X

XXJINVWCATL JEA Page: 223 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8

194 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

T21XXXXG1AT0X

Item Description: **TEST REQD** METER, WATER 1-1/2" - LOW LEAD BADGER RECORDALL METER, LOW LEAD DIVISION PLATE,

196 /SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL 3-WIRE, MFG S/N=REG ID.

(WITH TRPL HOUSING ASSEMBLY)

BADGER METER

M120 104-6748

Item Description: **TEST REQD** METER, WATER 2" - LOW LEAD BADGER RECORDALL METER, LOW LEAD DIVISION PLATE, /SS

198 CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6' CBL 3-WIRE, MFG S/N=REG ID. (WITH

TRPL HOUSING ASSEMBLY)

BADGER METER

M 110 104-6750

Item Description: METER, TURBINE 3", COLD WATER. SCREWED END CONNECTIONS, STANDARD GALLON REGISTER. FOR JEA FIRE

207 HYDRANT METER ASSEMBLY

MASTER METER ZENNAR

H-31-C1-A03-A-1 FHZ20

H-31-B1-A03-A-1 (246-223-

09)

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI T2, 10" LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8

208 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

T25XXXXG1AT0X

W-160S

XXJINVWCATL JEA Page: 224 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

270

Item Description: METER, BRONZE FLANGED (NO LEAD), 2" SET, W- (4) 3/4" DIAMETER X 2 1/2" SS LONG BOLTS/NUTS

²¹⁰ **FORD**

CF31-77-95260-007-NL

Item Description: METER, WATER 4" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

250 SENSUS TECHNOLOGIES

T41XXXXG1AT0X

Item Description: **TESTING REQUIRED** METER, WATER 3/4" - LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISN PLATE,

BRONZE BTTM PLATE/STAINLESS/SS CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL

CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSY)

SENSUS TECHNOLOGIES

SX4R338PXGAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, RECLAIMED WATER, 3/4 IPERL,

271 0.1G 8WHL 1A 6'TRPL CBL 3-WIRE, "RECLAIMED WATER NO-DRINK"

Item Description: **TEST REQUIRED** METER, WATER 3/4" - LOW LEAD BADGER RECORDALL METER, NO DRINK, PLASTC

DIVISION PLTE, BRONZE BTTOM PLTE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'

CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

BADGER METER

103-7000

Item Description: **TEST REQUIRED** METER, WATER 1" - LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISION PLATE,

BRONZE BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-

WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

SENSUS TECHNOLOGIES

SX5R338PXGAXX0D

XXJINVWCATL JEA Page: 225 of: 341

Water and Wastewater Master Material Catalog

PUD-METERS

JAN-05-22 08:40:51

MTEAA

Item Description: **TEST REQUIRED** METER, WATER 1" - LOW LEAD BADGER RECORDALL METER, NO DRINK, PLASTIC

304 DIVISION PLTE, BRONZE BTTOM PLATE/SS CAP SCREWS, MECHANICAL REGISTER TRPL, 0.1 GALLONS 8 WHL,
6' CBL 3-WIRE, MFG S/N=REG ID (WITH TRPL HOUSING ASSEMBLY)

BADGER METER 103-9634

Item Description: **TESTING REQUIRED** METER, RECLAIMED, TURBINE 1.5" - OMNI T2, TURBO LAY LENGTH, 1 GALLON

905

PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID, RECLAIM NDK

SENSUS TECHNOLOGIES

T11RXXXG1AT0X

SENSUS TECHNOLOGIES

T21RXXXG1AT0X

Item Description: METER, RECLAIMED WATER 3" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 WHEEL TOTAL,

S/N=REG ID, RECLAIM NDK

SENSUS TECHNOLOGIES

T31TXXXG1AT0X

XXJINVWCATL JEA Page: 226 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: CHECK WITH METER SHOP PRIOR TO ORDERING**TRPL HOUSING ASSEMBLY, TRPL, HOUSING ASSEMBLY TO

450 INCLUDE TRPL UPPER HOUSING, TRPL LOCKING NUT, TRPL SENSUS LOCKING NUT. ******DO NOT ORDER FROM

STOREROOM*****

SENSUS TECHNOLOGIES

53907.306.00001

803045

Item Description: METER, TRPL SENSUS WHITE PLUG, TO BE USED WITH TRPL HOUSING ASSEMBLY.

455 SENSUS TECHNOLOGIES

5390715239011

Item Description: METER, TOUCHREADER+, USED TO READ THE SENSUS TOUCH READ METERS.

500 SENSUS TECHNOLOGIES

53907.537.39604

M3096+

Item Description: METER, WATER, INTERFACE UNIT (CELLNET PIT MODULE 6' REVISION J), PART NOT APPROVED FOR PURCHASE

600 BUT IT IS NOT ¿DELETED¿ PER MANUFACTURER REQUEST

NEPTUNE TECHNOLOGIES

26-1002

Item Description: TOUCH-READ CABLE, 3FT LONG ORDER WITH MTEAA620

630

SENSUS TECHNOLOGIES

53961 352 52002

Item Description: INACTIVE - SPACER PIECE, FOR METAL TOPS ONLY

640 SENSUS TECHNOLOGIES

53961 11639001

JEA XXJINVWCATL Page: 227 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEAA

Item Description: ELECTRONIC REGISTER 5/8" - TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

700 SENSUS TECHNOLOGIES

ES1XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 5/8-3/4", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

701 SENSUS TECHNOLOGIES

ES2XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 3/4", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

702 SENSUS TECHNOLOGIES

ES3XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 3/4", TRPL, RECLAIM, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER

703 METER

SENSUS TECHNOLOGIES

ES3RX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 1", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

704 SENSUS TECHNOLOGIES

ES5XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 1", TRPL, RECLAIM, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER

705

SENSOR SOLUTIONS

ES5RX38XXGAXX0D

XXJINVWCATL JEA Page: 228 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEAC

Item Description: COUPLING, METER, 5/8" X 1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

010 CONSTRUCTED, LENGTH OF 2-3/8"

FORD MUELLER

C38-11-2-375-NL H-10896N

Item Description: COUPLING, METER, 5/8" X 1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

O11 CONSTRUCTED, LENGHT OF 2"

FORD METER BOX COMPANY

C38-11-2-NL

Item Description: COUPLING, METER, 3/4" X 3/4" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

020 CONSTRUCTED. LENGTH OF 2-1/2".

FORD MUELLER

C38-23-2-5-NL H-10896N

Item Description: COUPLING, METER, 3/4" X 3/4" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

021 CONSTRUCTED, LENGTH OF 2"

FORD METER BOX COMPANY

C38-23-2-NL

Item Description: COUPLING, METER, 1" X 1" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED,

030 LENGTH OF 2-5/8".

FORD MUELLER

C38-44-2-625-NL H-10896N

Item Description: COUPLING, METER, 1" X 1" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE, LENGTH OF 2"

031 FORD METER BOX COMPANY

C38-44-2-NL

XXJINVWCATL JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog Water and Wastewater Master Material Catalog

PUD-METERS

MTEAC

Item Description: COUPLING, METER, 1-1/2" X 1-1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED, LENGTH OF 2-7/8".

FORD

C38-66-2-875-NL

Item Description: COUPLING, METER, 2" X 2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED, LENGTH OF 3-1/16".

FORD

C38-77-3-0625-NL

Item Description: NO LEAD CONSTRUCTED COUPLING, METER, STRAIGHT, 3/4" X 1", MALE IRON PIPE THREAD

080 FORD METER BOX COMPANY

C38-24-2-5-NL

Item Description: INACTIVE - ADAPTER, TO CHANGE METER SIDE &/OR LENGTH

982 FORD METER BOX COMPANY

A-12M

Item Description: INACTIVE - COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4"

084 FORD METER BOX COMPANY

C35-23

Item Description: NO LEAD CONSTRUCTED COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4" - LONG.

086 FORD METER BOX COMPANY

C35-23-4.875-NL

Item Description: FLANGE, METER, DUCTILE IRON, 3" X 24", FLANGED X PLAIN END

090

PUD-METERS

MTEAC

Item Description: FLANGE, METER, DUCTILE IRON, 4" X 24", FLANGED X PLAIN END

100

Item Description: FLANGE, METER, DUCTILE IRON, 6" X 24", FLANGED X PLAIN END

110

Item Description: FLANGE, METER, DUCTILE IRON, 8" X 24", FLANGED X PLAIN END

120

Item Description: FLANGE, METER, DUCTILE IRON, 10" X 24", FLANGED X PLAIN END

130

Item Description: COUPLING, COMPRESSION X METER, CONSISTING OF 3/4" METER COUPLING X 3/4" CTS COMPRESSION

200 COUPLING, CONSTRUCTED OF AWWA BRONZE.

FORD

C34-23-NL

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8"X5/8"X 7", MUST BE HORIZONTAL W/LOCK WING STOP

010 **FORD**

V41-7W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8 "X5/8 "X 9", MUST BE HORIZONTAL WITH LOCK WING STOP

020 FORD MUELLER

V41-9W-NL H-144118N

PUD-METERS

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8 "X 5/8 " X 12 ", MUST BE HORIZONTAL W/LOCK WING STOP

030 **FORD**

V41-12W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X7", MUST BE HORIZONTAL W/LOCK WING STOPS

070 **FORD**

V42-7W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X9", MUST BE HORIZONTAL W/ LOCK WING STOPS

080 **FORD**

V42-9W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X12", MUST BE HORIZONTAL W/LOCK WING STOPS

085 **FORD**

V42-12W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 8", MUST BE HORIZONTAL WITH LOCK WING STOPS

130 **FORD**

V43-8W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 12", MUST BE HORIZONTAL W/LOCK WING STOPS

140 FORD

V43-12W-NL

Item Description: RESETTER METER 3/4" X 3/4" X 18", MUST BE HORIZONTAL W/ LOCK WING STOPS.

160 FORD MUELLER

V43-18W-NT, 14118

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 1" X 1" X 10", MUST BE HORIZONTAL W/LOCK WING STOP

180 **FORD**

V44-10W-NL

PUD-METERS

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, METER 1" X 1" X 12", MUST BE HORIZONTAL W/LOCK WING STOP

¹⁹⁰ **FORD**

V44-12W-NL

Item Description: RESETTER, METER 1" X 1" X 15", MUST BE HORIZONTAL W/LOCK WING STOP

200 FORD MUELLER

V44-15W-NL 14118

MTEBC

Item Description: WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

010 100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

020 100 EACH PER BOX ***

Item Description: WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. *** 1/16" THICKNESS ONLY***, *** PACKAGE

030 100 EACH PER BOX ***

Item Description: WASHER, METER, 1-1/2" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

040 100 EACH PER BOX ***

PUD-METERS

MTEBC

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. ** 1/16" THICKNESS ONLY**, *** PACKAGE

050 100 EACH PER BOX ***

Item Description: WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE

058 100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE

062 100 EACH PER BOX ***

Item Description: WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE

071 100 EACH PER BOX ***

Item Description: WASHER, METER, 1-1/2" (CONNECTION GASKET) RED FIBER GASKET. *1/32" THICKNESS ONLY*, *** PACKAGE

089 100 EACH PER BOX ***

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE

092 100 EACH PER BOX ***

XXJINVWCATL JEA Page: 234 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEBC

Item Description: WASHER, METER 5/8", RUBBER (METER GASKET) 1/8" THICK X 15/16" OVERALL DIAMETER RUBBER WASHERS

ONLY. SIZE MUST BE EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER 3/4", RUBBER (METER GASKET) 1/8" THICK X 1-5/32" OUTSIDE DIAMETER RUBBER WASHERS

ONLY. SIZE MUST EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER 1", RUBBER (METER GASKET), 1/8" THICK X 1-1/2" OVERALL DIAMETER RUBBER WASHERS

ONLY. SIZE MUST BE EXACT. **** NO SUBSTITUTE ****, *** PACKAGE 100 EACH PER BOX ***

MTECC

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM

010 FAILURE RATE, 12" DEPTH. (37 SERIES)

GLASMASTERS

WBS111812-140

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM

020 FAILURE RATE, 12" DEPTH. (65 SERIES)

GLASMASTERS

WBS1527-141

XXJINVWCATL Page: 235 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTECC

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, STRAIGHT WALL, A-8 LOAD RATING, 17,360 LBS MINIMUM

035 FAILURE RATE, 12" DEPTH. (37 SERIES)

GLASMASTERS PENTEK SOUTHERN METER BOX INC.

WBS111812-100 AUCHB111812JEA P.H.1;BOX

R111812S2N12-1

Item Description: PLUG, PLASTIC, BLACK, USED TO CAP HOLE IN WATER METER BOX TOP.

400 ESSENTRA COMPONENTS

RDR230508A

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 36 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

410 (ONE) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 15-1/4" LENGTH X 10-1/8" WIDTH X 1-3/8" THICK,

PICK HOLE LOCATED BELOW JEA LOGO, NO READ LID

GLASMASTERS

WCS101502-101-TR

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

430 (TWO) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO

READ LID.

GLASMASTERS PENTEK SOUTHERN METER BOX INC.

WCS111802-101-DTR AUCHC111812JEA P2R1;LID

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

435 (ONE) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO

READ LID.

GLASMASTERS

WCS111802-101-TR

XXJINVWCATL JEA Page: 236 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTECC

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EA. END, W/(TWO)

2" TRPL PRE-DRILLED HOLE, MADE W/3/16" FLOOR PLATE. FULLY RIBBED & DIMINSIONS AS PER DRWG.

BROOKS MODEL #37T-STL (15.5" X 22.5") OR EQUAL

GLASMASTERS

T1118DN15-9-BL

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EA. END, W/(TWO)

2" TRPL PRE-DRILLED HOLE, MADE W/ 3/16" FLOOR PLATE. FULLY RIBBED & DIMENSIONS AS PER DRWNG.

BROOKS MODEL #65T-STL (20" X 31.5") OR EQUAL

GLASMASTERS

T1527DN15-9-BL

Item Description: TOP, METER BOX, POLYMER, TOP TO HAVE (ONE) 2" TRPL HOLE. A-8 LOAD RATING, (65 SERIES)

483 GLASMASTERS

WCS152702-101-TR

Item Description: TOP, METER BOX, POLYMER, TOP (TWO) 2" TRPL HOLES, A-8 LOAD RATING, (65 SERIES).

484 GLASMASTERS

WCS152702-101-DTR

Item Description: COVER, UTILITY BOX, GALV., W/(TWO) 2" HOLES, S50-3/4" X 32-3/4" (OVERALL DIMENSION), 2-PIECE

COVER TO BE SIZED PER BOX SPEC. COVER MUST COMPLY WITH H-20 TRAFFIC RATING & SPEC. (W/1.3

IMPACT). EACH COVER WILL HAVE A 1/2" X 1" LIFTING HOLE.

Item Description: COVER, UTILITY BOX, GALVANIZED, W/(TWO) 2" HOLES, 52" X 34" (OVERALL DIMENSION), TOP TO BE 2-PC

779

DESIGN & SIZED AS PER BOX SPEC. TOP WILL BE CONSTRUCTED TO COMPLY WITH H-20 TRAFFIC RATING &

SPEC. (W/1.3 IMPACT) CERT. ENGINEERING DRAW

GLASMASTERS

T3048DN15-9-BL

JEA XXJINVWCATL Page: 237 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTECC

Item Description: TOP, METER VAULT, W/(TWO) 2" HOLES, W/FRAME & COVER CAST IN, TOP FOR 6' X 6' METER VAULT (TOP 915 ONLY), W/3/4" LIFT INSERTS CAST IN, CAST-IN STEEL FRAME & COVER TO BE 36" X 36" WITH 17" X 17" OPENING - MATERIAL TO BE DELIVERED AND UNLOADED.

MTECD

Item Description: BOX, METER - 36" X 60" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE & 100 FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE IN ONE COVER.

ARMORCAST PRODUCTS COMPANY

A6001833APCX48MT A6001833AX48MT

Item Description: COVER, METER BOX, FOR 36"X60" X48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS 137 REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE ONE COVER.*COVER ONLY*

ARMORCAST PRODUCTS COMPANY

A7001436A-JEA

Item Description: BOX, METER - 48" X 72" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE & 205 FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

ARMORCAST PRODUCTS COMPANY

A6001506APCX48MT

JEA XXJINVWCATL Page: 238 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTECD

Item Description: COVER, METER BOX, FOR 48" X72"X 48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS 239 REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.*COVER ONLY*

ARMORCAST PRODUCTS COMPANY

A7001506A-JEA

Item Description: BOX, METER - 48" X 96" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE & 303 FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

ARMORCAST PRODUCTS COMPANY

A6001449AP48MT

MTEHV

Item Description: CHAMBER, COMPOUND 3" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL 243 SENSUS TECHNOLOGIES

23A

C39XXXXG1AT0X

Item Description: CHAMBER, COMPOUND 4" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL 258 TOTAL

SENSUS TECHNOLOGIES

C49XXXXG1AT0X

23A

Item Description: REGISTER, RECLAIMED, TURBINE 1.5" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

340 SENSUS TECHNOLOGIES

51910.638.00053

JEA XXJINVWCATL Page: 239 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEHV

Item Description: REGISTER, RECLAIMED, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL, 350 RECLAIM NDK

SENSUS TECHNOLOGIES

51910.638.00053

Item Description: REGISTER, COMPOUND 3" - OMNI C2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

360 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, TURBINE 3" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

370 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, COMPOUND 4" - OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

380 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, TURBINE 4" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

390 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, FIRE SERVICE 4" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

400 SENSUS TECHNOLOGIES

51914.638.00051

W-160

Item Description: REGISTER, COMPOUND 6" - OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL

410 SENSUS TECHNOLOGIES

51918.638.00051

JEA XXJINVWCATL Page: 240 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEHV

Item Description: REGISTER, TURBINE 6" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL

420 SENSUS TECHNOLOGIES

51918.638.00051

Item Description: REGISTER, TURBINE 10" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

440 SENSUS TECHNOLOGIES 51920.638.00051

Item Description: REGISTER, FIRE SERVICE 10" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

450 SENSUS TECHNOLOGIES 51920.638.00051

Item Description: REGISTER, FIRE SERVICE 6" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

451 SENSUS TECHNOLOGIES 51918.638.00051

W - 2000

Item Description: CONNECTOR, 2-WIRE, "UY" TYPE, CONNECTOR FOR USE ON 22-26 AWG SOLID COPPER CONDUCTOR WIRE, 733 CONNECTORS TO BE SELF- STRIPPING AND INSULATED. SCOTCHLOCK "UY" CONNECTOR (1 EACH = BOX OF 100)

NO SUBSTITUTE

Item Description: WIRE, 3-CONDUCTOR, CONDUCTORS TO BE 22 AWG TINNED COPPER AND INDIVIDUALLY INSULATED, SOLID WIRE 745 CONDUCTORS ONLY - NO STRANDED WIRE IS ALLOWED. ENCODED REGISTER WIRE. E62780 TYPE CL2 22 AWG 75 C (UL)***NO SUBSTITUTE*** 500 FT OR 1000 FT ROL

XXJINVWCATL JEA Page: 241 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEHV

Item Description: CHAMBER, RECLAIMED, TURBINE 1.5" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 800 8 WHL TOTAL

SENSUS TECHNOLOGIES

T19RXXXG1AT0X

Item Description: CHAMBER, TURBINE 2" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

810 SENSUS TECHNOLOGIES

T29XXXXG1AT0X

Item Description: CHAMBER, TURBINE 1.5" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL

813 TOTAL

SENSUS TECHNOLOGIES

T19XXXXG1AT0X 50810-410-46001

5081041046001

Item Description: CHAMBER, RECLAIMED, TURBINE 2" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8

820 WHL TOTAL, RECLAIM NDK

SENSUS TECHNOLOGIES

T29RXXXG1AT0X

Item Description: REGISTER, TURBINE 8" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

830 SENSUS TECHNOLOGIES

51919.638.00051

Item Description: CHAMBER, FIRE SERVICE 6" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8

840 WHEEL TOTAL

SENSUS TECHNOLOGIES

F69XXXG1AT0X

JEA XXJINVWCATL Page: 242 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-METERS

MTEHV

Item Description: REGISTER, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

849 SENSUS TECHNOLOGIES

> 51910.638.00051 51912-610-30002

Item Description: CHAMBER, FIRE SERVICE 8" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

850 TOTAL

SENSUS TECHNOLOGIES

F89XXXXG1AT0X

Item Description: CHAMBER, FIRE SERVICE 10" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8

860 WHL TOTAL

SENSUS TECHNOLOGIES

FA9XXXXG1AT0X

Item Description: CHAMBER, TURBINE 3" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHEEL

861 TOTAL

SENSUS TECHNOLOGIES

T39XXXXG1AT0X

Item Description: CHAMBER, FIRE SERVICE 4" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

870 TOTAL

SENSUS TECHNOLOGIES

F49XXXXG1AT0X

Item Description: CHAMBER, TURBINE 4" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

873 TOTAL

SENSUS TECHNOLOGIES

T49XXXXG1AT0X

XXJINVWCATL JEA Page: 243 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-METERS

MTEHV

Item Description: CHAMBER, TURBINE - 6" OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

886 SENSUS TECHNOLOGIES

T69XXXXG1AT0X

Item Description: CHAMBER, TURBINE - 8" OMNI T2 MEASURING ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

892 SENSUS TECHNOLOGIES

T89XXXXG1AT0X

Item Description: CHAMBER, TURBINE 10" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

907 TOTAL

SENSUS TECHNOLOGIES

TA9XXXXG1AT0X

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON

922 PULSE, 1 CALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C33TXXXG1ATOX

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

933 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C43TXXXG1AT0X

Item Description: CHAMBER, COMPOUND 6" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

945 TOTAL

SENSUS TECHNOLOGIES

C69XXXXG1AT0X

57318-498-71901A

573-18-498-71901A

PUD-METERS

MTEHX

Item Description: LOCKSEAL, HEAD - TAPERED WITH ALUMINUM SEAL (SILVER), HEAD IS USED WITH LOCKSEAL ASSEMBLY FOR SECURING WING TYPE CURB STOPS. - NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93280156

Item Description: STUD, LOCKSEAL - SMALL DIAMETER, STUD IS USED WITH LOCKSEAL ASSEMBLY FOR SECURING WING TYPE

CURB STOPS. NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93210141

Item Description: SEAL, REPLACEMENT, LOCKSEAL - ALUMINUM (SILVER), SEAL IS USED WITH LOCKSEAL ASSEMBLY TO SECURE

WING TYPE CURB STOPS HIGHFIELD #93210130 NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93210130

Item Description: KEY, LOCKSEAL - KEY IS USED TO REMOVE LOCKSEAL ASSEMBLY FROM WING TYPE CURB STOPS. HIGHFIELD #93280139-- NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93280139

Item Description: PLUG, PIPE, LOCKING - 3/4", WITH SEAL ADAPTER WITHOUT BARREL LOCK

BROOKS E. J. 8432100

Item Description: PLUG, PIPE, LOCKING - 1", WITH SEAL ADAPTER WITHOUT BARREL LOCK

119 BROOKS E. J.

8433100

JEA XXJINVWCATL Page: 245 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

NUTS

NUTSA

Item Description: NUT, HEAVY HEX HEAD, 3/4" - 10, 316 SS, HEAVY NUT

675

JEA XXJINVWCATL Page: 246 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUMPS

PMPAD

Item Description: DIAPHRAGM, NEOPRENE - FOR 3" DIAPHRAGM PUMP. GATES OR HOMELITE OR EQUAL.

562 GATES RUBBER CO. HOMELITE DIV. (TEXTRON INC.)

3E 03438/UP06372

Item Description: INACTIVE - DIAPHRAGM, NEOPRENE - FOR 4" DIAPHRAGM PUMP. GATES OR EQUAL...

565 GATES RUBBER CO.

4E

Item Description: PACKING, MECHANICAL 1" - MULTI-SERVICE BRAIDED PACKING, 10 LB BOX ONLY. CHESTERTON STYLE 1730

810 PACKING OR EQUAL

A.W. CHESTERTON CO.

001184

Item Description: PACKING, GRAPHITE 3/16" -GENERAL SERVICE GRAPHITE PACKING, SQUARE BRAID, NON- ASBESTOS FIBERS,

820 PH RANGE 0-14, TEMPERATURES TO 550°F/287°C, 1 LB BOXES ONLY

GORE & ASSOCIATES, W.L.

GFO-PACKING

Item Description: PACKING, GRAPHITE 3/8" - GENERAL SERVICE GRAPHITE PACKING, SOUARE BRAID, NON- ASBESTOS FIBERS,

835 5 LB BOXES ONLY

SEPCO

ML-402 3/8"

Item Description: PACKING, GRAPHITE 1/2" - GENERAL SERVICE GRAPHIT PACKING, SQUARE BRAID, NON- ASBESTOS FIBERS.

840 (FORMERLY SEPCO ML-165 NOW REPLACED BY ML4002) 5 LB BOXES ONLY

CHEMSTAR

STYLE 165 1/2"

JEA XXJINVWCATL Page: 247 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUMPS

PMPAD

Item Description: PUMP, AIR DIAPHRAGM - 5.5 PSI, 120 VOLTS 60HZ., MAXIMUM PRESSURE 5.5 PSI, 5 WATTS .6 SCF @ 5.5

895 PSI., ALUMINUM PRESSURE CAST HAMMERTONE FINISH, SHOCK MOUNTED 6.25" X 3.5" X 3.75" WITH

MOUNTING BRACKETS

INGRAM PRODUCTS

HR10WB3

PMPAR

Item Description: SHAFT, IMPELLER, FOR CROWN PUMP MODEL #PO6LC-12F

830 CROWN PUMP

510-00480-003

PMPBK

Item Description: PUMP, SUBMERSIBLE, 24 INCH, CP3602/1440 IMPELLER, 805 DRIVE, 130 HP 3/460V FLYGT PUMP WITH 35'

610 MOTOR & PILOT CABLE. FOR INTERNAL RECYCLE PROCESS AT MANDARIN WRF ****ORDER BY DESCRIPTION

Item Description: PUMP, SUBMERSIBLE - CONTINUOUS DUTY, 1/2 HP SINGLE PHASE, 115 VOLT, 1-1/2" DISCHARGE, WITH 20

700 FT. POWER CORD, BRONZE IMPELLER

PENTAIR

MEOSP50BRA1-20

Item Description: PUMP, SUBMERSIBLE, 2" DISCHARGE, 1/2 HP, 60 HZ, HIGH HEAD, 1-PHASE, 115 VOLTS, 10 AMPS, W/20

800 FT. CORD

HYDROMATIC PUMP

MESPD50AH1

JEA XXJINVWCATL Page: 248 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUMPS

PMPCN

Item Description: PUMP, SUBMERSIBLE - 1/3 HP, AUTOMATIC OPERATION, 115 VOLTS, 60 HZ, SPLIT PHASE MOTOR, BALL

500 BEARINGS, AUTOMATIC RESET THERMAL PROTECTION, 1-1/4" IPT DISCHARGE ABS PLASTIC BASE, TEEL BRAND

SUMP PUMP, SUPPLIED WITH 8'18-3 CORD

W W GRAINGER

3BB78

PMPHP

Item Description: PUMP, UTILITY HAND, WITH 72" HOSE

001 KING INNOVATION

48072

PMPTI

Item Description: TIMER, HOLD IN, PIPE CABLE PUMP

001 EAGLE SIGNAL CONTROL

HP55A6

Item Description: TIMER, IDLE, PIPE CABLE PUMP

002 EAGLE SIGNAL CONTROL

HP55A601

PUD-PAINT

PNTAA

Item Description: PAINT, RUS-KIL SAFETY YELLOW. ** 1 EACH = 1 GALLON **

050 BLP MOBILE PAINT CO.

10-5601

Water and Wastewater Master Material Catalog

PUD-PAINT

JAN-05-22 08:40:51

PNTAA

Item Description: PAINT, UPSIDE-DOWN, PURPLE-PANTONE, 17 OZ. AEROSOL CAN, CANS MUST FIT KRYLON SPRAY WAND

060 (SPOTTER) #KRY7095, LEAD FREE, NON-CLOGGING, WATER-BASED

KRYLON

3715

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. PINK, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND

063 #KRY7095, NON-CLOGGING, WATER-BASED PAINT

GRAINGER KRYLON RUSTOLEUM

38EL42 03612 1861838

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND

064 #KRY7095, NON-CLOGGING, WATER-BASED PAINT

Aervoe GRAINGER KRYLON

290 38EL35 S03903

RUSTOLEUM

203031

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND

066 #KRY7095, NON-CLOGGING, SOLVENT-BASE PAINT

GRAINGER KRYLON

54TH45 S03621

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND

067 #KRY7095, NON-CLOGGING, WATER -BASE PAINT

GRAINGER KRYLON

38EL33 S03904

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY

068 WAND, NON-CLOGGING, SOLVENT-BASED PAINT

GRAINGER KRYLON RUSTOLEUM

54TH47 S03631 1634838

Water and Wastewater Master Material Catalog

PUD-PAINT

PNTAA

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. WHITE, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON SPRAY WAND

069 #KRY7095, NON-CLOGGING, WATER-BASED PAINT

KRYLON Aervoe GRAINGER

291 38EL36 KS03901

Item Description: PAINT-ENAMEL-GLOSS, BLUE 11 OZ. AEROSOL CAN ZYNOLYTE SPAYMATE

080 ZYNOLYTE SPRAYMATE

BERMUDA BLUE #2470

Item Description: PAINT, GREEN- ENAMEL-GLOSS 16 OZ. AEROSOL CAN, SEMOUR

100 SEYMOUR MARKING PAINT

GREEN

Item Description: PAINT, UPSIDE-DOWN, ALERT ORANGE, 17 OZ. AEROSOL CAN. CANS MUST FIT KRYLON SPRAY WAND (SPOTTER)

505 #KRY7095. LEAD-FREE, NON-CLOGGING, ALERT ORANGE ONLY ***NO SUBSTITUTE***

KRYLON

S03700

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BRILLIANT RED, 20 OZ. AEROSOL CAN, CAN MUST FIT KRYLON

705 SPRAY WAND #KRY7095, NON-CLOGGING, WATER-BASED PAINT

Aervoe KRYLON RUSTOLEUM

292 S03911 203038

Item Description: PAINT, UPSIDE-DOWN, FLOURESCENT (SEWER) GREEN, TRAFFIC OR GROUND MARKING PAINT 17 OZ. AEROSOL

727 CAN, LEAD FREE, NON- CLOGGING, FLOURESCENT GREEN ONLY, WATER BASED. SPRAYON OR KRYLON OR EQUAL.

SPRAYON PRODUCTS INC.

03630

Item Description: WAND, UPSIDE-DOWN PAINT, WAND MUST FIT KRYLON 17 OZ. UPSIDE-DOWN SPRAY CANS. KRYLON OR EQUAL.

739 KRYLON SPRAYON PRODUCTS INC.

KRY7095 K7095

PUD-PIPE & TUBING

PPEDU

Item Description: PIPE, DUCTILE IRON, 3", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM
030

Page: 251 of: 341

Item Description: PIPE, DUCTILE IRON, 4", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 040

Item Description: PIPE, DUCTILE IRON, 6", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 060

Item Description: PIPE, DUCTILE IRON, 8", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 OR 20 FOOT LENGTHS 080

Item Description: PIPE, DUCTILE IRON, 10", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 100

Item Description: PIPE, DUCTILE IRON, 12", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM
120

Item Description: PIPE, DUCTILE IRON, 16", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 160

Item Description: PIPE, DUCTILE IRON, 20", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM
200

JAN-05-22 08:40:51

PUD-PIPE & TUBING

PPEDU

Item Description: PIPE, DUCTILE IRON, 24", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 240

Item Description: PIPE, DUCTILE IRON, 30", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 300

PPEGV

Item Description: PIPE, GALVANIZED - 1/2", MIPT X FIPT. 21 FOOT LENGTHS. 024

Item Description: PIPE, GALVANIZED - 1", MIPT X FIPT. 21 FOOT LENGHTS.

100

Item Description: NACTIVE - PIPE, GALVANIZED - 1-1/4", MIPT X FIPT. 21 FOOT LENGTHS.

114

Item Description: PIPE, GALVANIZED 1-1/2", THREADED & COUPLED, 21 FT LENGTHS

124

Item Description: PIPE, GALVANIZED - 2", MIPT X FIPT. 21 FOOT LENGTHS.

200

PUD-PIPE & TUBING

PPEGV

Item Description: PIPE, GALVANIZED - 2-1/2", MIPT X FIPT. 21 FOOT LENGTHS.

PPEPV

Item Description: "ON HOLD'" - PIPE, PVC, **EAGLE LOC**, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE 030 COLOR ONLY.

JM EAGLE

ORDER BY DESCRIPTION

Item Description: PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.
040

Item Description: 'ON HOLD" - PIPE, PVC, **EAGLE LOC**, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

JM EAGLE

ORDER BY DESCRIPTION

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

Item Description: "ON HOLD" - PIPE, PVC, **EAGLE LOC**, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

JM EAGLE

ORDER BY DESCRIPTION

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

080

Item Description: PIPE, PVC, DR18 - 10", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

100

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

120

Item Description: PIPE, PVC, DR18 - 18", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

124 DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

Item Description: PIPE, PVC, DR18 - 14", 20 FT. LENGTHS, AWWA C-900, CLASS 235. ALL DR18 PIPE MUST BE COLORED

140 BLUE FOR WATER SERVICE. NO OTHER COLOR ALLOWED.

CERTAINTEED JM MANUFACTURING NATIONAL PIPE & PLASTICS, INC.

SEE DESCRIPTION SEE DESCRIPTION SEE DESCRIPTION

NORTH AMERICAN PIPE CO. VASSALLO, INC.
SEE DESCRIPTION SEE DESCRIPTION

Item Description: PIPE, PVC, DR18, 16", AWWA C-900, CLASS 235, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE

160 THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE

REFUSED

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR25, 18", AWWA C-900, CLASS 165, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE THAN 173 TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSED

Item Description: PIPE, PVC, DR18, 20", AWWA C-900. CLASS 235, 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR 180 WATER SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18, 30", AWWA C-900, CLASS 235, 20 FT LGTHS. ALL PIPE MUST BE COLORED BLUE FOR WATER 190 SERVICE. NO OTHER COLORS ALLOWED. NOTE: NO MORE THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES W/MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSE

Item Description: PIPE, PVC, DR18, 24", AWWA C-900, CLASS 235, 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR 219 WATER SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18 - 30", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER 350 FORCEMAIN SYSTEM

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO. DR18 DR18 DR18

Item Description: PIPE, PVC, DR25, 36" AWWA C-900. CLASS 165, 20 FT. LENGHTS. ALL PIPE MUST BE COLORED "GREEN" 360 FOR SEWER SERVICE. NO OTHER COLOR ALLOWED *** NO SUBSTITUTE ***

XXJINVWCATL JEA Page: 256 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, SCH-40, 3/4", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL 450

Item Description: PIPE, PVC, SCH-40, 1", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

455 **FORD**

0501040PURP

Item Description: PIPE, PVC, SCH-40, 1-1/2", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

460 **FORD**

0501540PURP

Item Description: PIPE, PVC, SCH-40, 2", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

465

PPERW

Page: 257 of: 341 JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPERW

Item Description: PIPE, PVC, 3" X 20 FT, LENGHTS, CLASS 200, ALL SDR21 PIPE MUST BE COLORED PANTONE PURPLE 522C 030 FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 4", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE 040 PURPLE FOR RECLAMED WATER SERVIVE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 6", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE 060 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 8", DR18, 20 FT, LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE 080 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 12", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE 120 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 16", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE 160 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

PUD-PIPE & TUBING

PPERW

Item Description: PIPE, PVC, 20", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE

165 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

Item Description: PIPE, PVC, 24", DR18, 20 FT. LENGHT, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE

170 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

PPESC

Item Description: PIPE, PVC SCH 40 1/2". 20 FT LENGTHS. BELL ON ONE END.

024

Item Description: PIPE, PVC, SCH 40, 3/4". 20 FT LENGTHS. BELL ON ONE END.

034

Item Description: PIPE, PVC SCH 40 1". 20 FT LENGHTS. BELL ON ONE END.

100

Item Description: PIPE, PVC SCH 40 1-1/4 ". 20 FT LENGTHS. BELL ON ONE END. (1 EA = 1 FT)

114

Item Description: PIPE PVC SCH 40 1-1/2"

JEA XXJINVWCATL Page: 259 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPESC

Item Description: PIPE, PVC SCH 40 2". 20 FT LENGHTS. BELL ON ONE END.

200

Item Description: PIPE, PVC SCH 40, 3"

300

Item Description: PIPE, PVC, SCH 40, 4", 20 FT LENGHTS **** NO SUBSTITUTE ****

400

Item Description: PIPE, PVC, SCH 40, 6", 20 FT LENGTHS. **** NO SUBSTITUTES ****

600

PPESD

Item Description: PIPE, PVC SDR21, 2", BELL AND GASKETED ONE END. PIPE MUST BE NSF-PW APPROVED. PIPE MUST BE

020 MARKED WITH THE FOLLOWING INFORMATION AT NO MORE THAN 5 FT. INTERVALS: SDR CLASS, NOMINAL PIPE

SIZE, PVC1120, PRESSURE RATING, NSF-PW, ASTM D2241, PS

PPESH

Item Description: PIPE, PVC, SCH 80, 1/2"

JEA XXJINVWCATL Page: 260 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-PIPE & TUBING

PPESH

Item Description: PIPE, PVC, SCH 80, 3/4"

034

Item Description: PIPE, PVC, SCH 80, 1", BELL TO SPIGOT ENDS.

100

Item Description: PIPE, PVC, SCH 80, 1-1/4"

114

Item Description: PIPE, PVC, SCH 80, 1-1/2", BELL TO SPIGOT ENDS.

124

Item Description: PIPE, PVC, 2", SCH 80, 20' LENGTHS

200

Item Description: PIPE, PVC, SCH 80, 3", PLAIN END, 20 FT LENGTHS

300

Item Description: PIPE, PVC, SCH 80, 4", 20FT LENGTHS

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 10", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER 610 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 14", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER FORCEMAIN SYSTEM.

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC, DR25 - 16", 20 FT. LENGTHS, AWWA C-900, CLASS 165, GREEN COLOR ONLY FOR SEWER

016 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR25 - 18", 20 FT. LENGTHS, AWWA C-900, CLASS 165, GREEN COLOR ONLY FOR SEWER

018 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 20", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

020 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 24", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

024 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC SDR26-4" (14 FT. JOINTS)

040

Item Description: PIPE PVC SDR26-6" (14 FT LENGTHS)

060

Item Description: PIPE, PVC SDR26-8" (14 FT LENGTHS)

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC SDR26-10" (14 FT JOINTS)

100

Item Description: PIPE, PVC SDR26-12" (14 FT JOINTS)

120

Item Description: PIPE, PVC SDR26-15" (14 FT JOINTS)

150

Item Description: PIPE, HDPE, SDR11, SERIES 4300 4" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.

304 PART NUMBER

0943P0411G

Item Description: PIPE, HDPE, SDR11, SERIES 4300 6" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.

306 PART NUMBER

0943P0611G

PPETU

Item Description: TUBING, POLYETHYLENE 3/4" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10

034 COILS SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 1" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS

100 SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

PUD-PIPE & TUBING

PPETU

Item Description: TUBING, POLYETHYLENE 1 1/2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10

124 COILS SHRINK WRAPPED PER PALLET**.

> ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS

200 SHRINK WRAPPED PER PALLET**.

> ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

OREDER BY DESCRIPTION ORDER BY DESCRIPTION

PPEVY

Item Description: PIPE, PVC - 42" X 13', GRAVITY SEWER, BELL AND SPIGOT, CLOSE PROFILE TYPE, WATER TIGHT JOINT,

408 SMOOTH INTERIOR AND EXTERIOR. CARLON VYLON H.C. PIPE **NO SUBSTITUTE**

PUMPS (2)

PUMSP

Item Description: PUMP, MYERS MW50 FOR SEWER

001 MYERS PUMP

MYR-MW5011P

PUMSU

Item Description: PUMP, SUMP, 1/2 HP, 115 VAC, SUBMERSIBLE WITH VERTICAL FLOAT SWITCH & 10' POWER CORD

020 MYERS PUMP

DS50-P1

JEA XXJINVWCATL Page: 265 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

ROD, THREADED

RODCP

Item Description: COUPLING, ROD CONNECTOR, 3/4" - 10, 316 SS

010

RODTH

Item Description: ROD, ALL THREAD, 3/4" - 10 X 12', 316 SS, 12-FT. LENGHTS ONLY

JEA XXJINVWCATL Page: 266 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFBC

Item Description: CAP, BASEBALL, FLEXFIT, COLOR IS NAVY . WITH THE "JEA" LOGO EMBROIDERED IN WHITE.

100 YUPOONG

6577CD

SAFBO

Item Description: BOOTS, RUBBER KNEE SIZE, WATER PROOF, SIZE 6, STEEL SHANK, SERVICE RUBBER CO. P/N 18821/6

006 BATA INDUSTRIAL LACROSSE/RAINFAIR

86102/6 89682 SIZE 6

Item Description: BOOTS KNEE PVC, SIZE 13, STEEL TOE (FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON CARTON)

013 DUNLOP

86776 SIZE 13

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 14, STEEL TOE AND STEEL SHANK.

014 ONGUARD INDUSTRIES (BATA)

89682-14

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 15, STEEL TOE AND STEEL SHANK.

015 ONGUARD INDUSTRIES (BATA)

89682-15

Item Description: BOOTS KNEE PVC, SIZE 16, STEEL TOE, FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON CARTON

016 DUNLOP 89086/16

SAFCC

Item Description: COVERALL, LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-SPARKING

120 ZIPPER. KAPPLER TYVEK

DUPONT

QC120S LGE

XXJINVWCATL JEA Page: 267 of: 341

Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFCC

Item Description: COVERALL, X-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

121 SPARKING ZIPPER. KAPPLER TYVEK, (STD. PKG 12 EA)

DUPONT

JAN-05-22 08:40:51

OC120S EX LGE

Item Description: COVERALL, XX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

122 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

OC120S XXL

Item Description: COVERALL, XXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

123 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

QC120S-XXXL

Item Description: COVERALL, XXXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

124 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

QC120S-XXXXL

SAFEY

Item Description: FRAME BRACKET FOR FACESHIELD VISOR TO BE USED FOR FULL BRIM HARDHAT.

038 **MSA**

JEA XXJINVWCATL Page: 268 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFGL

Item Description: GLOVE, WINTER, FOR COLD WEATHER COWHIDE LEATHER WITH 3M THINSULATE LINER SIZE: ONE SIZE FITS

080 ALL, 1 EACH = 1 PAIR.

NORTH SUPPLY

70/6465NK

Item Description: GLOVE, MECHANIX, SMALL, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP

120 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

MECHANIX WEAR

MG-05-008

Item Description: GLOVE, MECHANIX, XX-LARGE, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP

124 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

MECHANIX WEAR

MG-05-012

SAFRE

Item Description: RESPIRATOR, DUST MASK - (FOR COMMON DUST & POLLEN).

002 3M

8511

8212

Item Description: RESPIRATOR, REUSABLE FACE MASK, 4 PLY COTTON, NON-FR RATED, NAVY BLUE, JEA LOGO (PANTONE 298C,

3/4" H TOP LEFT CORNER OF MASK). (CONTACT BRAND MGMT FOR JEA LOGO SPECS). 100

MM GRINNAN

PB-CFLC-001

XXJINVWCATL JEA Page: 269 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFRW

104

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/FR RATED, HIGH VISIBILITY FLOURSCENT LIME/YELLOW. 7/8"

3M REF.TAPE APPLIED TO JKT SLEEVE & HEM SMALL. NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8" ON

BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYS AJPU10LY-S

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/ FR RATED, HIGH VIS. FLOURESCENT LIME/YELLOW. 7/8" 3M

101 REFLECTIV TAPE APPLIED TO JKT SLEEVE & HEM. MEDIUM, NEW "JEA"LOGO (MIN 3-1/2" LFT FRNT & 8" ON

BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYM AJPU10LY-M

Item Description: *INACTIVATE UPON DEPLETION* - RAINWEAR, JACKET-W / ATTACH HOOD, ARC/FR RATED, HI VISIBLE FLOUR

102 LIME/YELLOW. 7/8" 3M REFLECT TAPE APPL. TO JKT SLVE & HEM. LARGE, NEW "JEA"LOGO (MIN 3-1/2"

.02 LIME/YELLOW. 7/6" SM REFLECT TAPE APPL. TO UKI SLVE & HEM. LARGE, NEW "UEA"LOGO (MIN 3-1/2"

LEFT FRONT & 8" ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802JLYL AJPU10LY-L

Item Description: RAINWEAR, JACKET-W / ATTACH HOOD, ARC/FR RATED, HIGH VISIBILE FLOURESNT LIME/YELL. 7/8" 3M

103 RFLCTIVE TAPE APPLIED TO JKT SLEEVE & HEM. X-LARGE, NEW "JEA" LOGO (MIN 3-1/2" LEFT FRT & 8"

ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYXL AJPU10LY-XL

Item Description: *INACTIVATE UPON DEPLETION* - RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/FR RATED, HIGH VIS FLOUR

LIME/YELL. 7/8" 3M REFLECT TAPE APLIED TO JKT SLEVE & HEM. XX-LRG, NEW "JEA"LOGO (MIN 3-1/2"

LFT FRNT & 8" ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802JLYXXL AJPU10LY-XXL

JEA XXJINVWCATL Page: 270 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/ FR RATED HGH VISIBILE FLOURECNT LIME/YELL. 7/8" 3M 105

REFLECT TAPE APLIED TO JKT SLEEVE & HEM. XXX-L ARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8"

ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYXXXL AJPU10LY-XXXL

Item Description: RAINWEAR, JACKET-W / ATTCHED HOOD, ARC/FR RATED, HGH VISIBIL FLOURESC LIME/YELLOW. 7/8" 3M

106 REFLECT TAPE APPLIED TO JKT SLEEVE & HEM. XXXX-LARGE, NEW "JEA"LOGO (MIN 3-1/2" LEFT FRONT & 8"

ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JTLYXXXXI AJPU10LY-XXXXL

Item Description: RAINWEAR, OVERALL - FLY FRONT, ARC/FR RATED, HIGH VISIBILITY FLOURESCENT LIME/YELLOW. SIZE:

110 SMATITI

> KSI SAFETY LAKELAND\DUPONT

0208020LYS ABPUI10LYZ-SM

Item Description: "INACTIVATE UPON DEPLETION" - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY

111 FLOURESCENT LIME/YELLOW. SIZE: MEDIUM.

KSI SAFETY LAKELAND\DUPONT

0208020LYM ABPU10LYZ-M

Item Description: "INACTIVATE UPON DEPLETION" - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY

112 FLOURESCENT LIME/YELLOW. SIZE: LARGE (SEE NEW ITEM ID SAFRW217)

KSI SAFETY LAKELAND\DUPONT

0208020LYL ABPU10LYZ-L

Item Description: "INACTIVATE UPON DEPLETION" - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY

113 FLOURESCENT LIME/YELLOW. SIZE: X-LARGE.

KSI SAFETY LAKELAND\DUPONT

0208020LYXL ABPU10LYZ-XL XXJINVWCATL JEA Page: 271 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY FLOURESCENT LIME/YELLOW. SIZE: XX

114 LARGE.

KSI SAFETY LAKELAND\DUPONT

0208020LYXXL ABPU10LYZ-XXL

Item Description: RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY FLOURESCENT LIME/YELLOW. SIZE:

115 XXX-LARGE

KSI SAFETY LAKELAND\DUPONT

0208020LYXXXL ABPU10LYZ-XXXL

Item Description: RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY FLOURESCENT LIME/YELLOW. SIZE:

116 XXXX-LARGE

KSI SAFETY LAKELAND\DUPONT

0208020LYXXXXL ABPU10LYZ-XXXXL

Item Description: RAINWEAR, LONG COAT-W / ATTCHD HOOD, ARC/FR RATED, SMALL, 48" LONG, HGH VIS FLORSCHT LIME/YEL.

120 7/8" 3M REFLECTIV TAPE APPLD TO COAT SLEEVE & HEM. NEW "JEA"LOGO (MIN 3-1/2" LFT FRONT & 8" ON

BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802CLY-S ALCPU10LY-S

Item Description: *INACTIVATE UPON DEPLETION* - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, MEDIUM, 48"

121 LGTH, HIGH VIS FLRSCNT LIME/YEL. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEVE & HEM. NEW "JEA"

LOGO (MIN 3-1/2" LFT&8" ON BACK). .

KSI SAFETY LAKELAND\DUPONT

020802CLY-M ALCPU10LY-M

XXJINVWCATL JEA Page: 272 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFRW

Item Description: INACTIVATE UPON DEPLETION - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, LARGE, 48"

122 LONG, HIGH VIS FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. "JEA"

LOGO (MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-L ALCPU10LY-L

Item Description: INACTIVATE UPON DEPLETION - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, X-LARGE, 48"

LONG, HGH VISIBI FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEV. & HEM. NEW

"JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-XL ALCPU10LY-XL

Item Description: INACTIVATE UPON DEPLETION - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, XX-LARGE, 48"

124 LONG, HIGH VISIB FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. NEW

"JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-XXL ALCPU10LY-XXL

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, SMALL, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS,

200 CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND

MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYS

201

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, MEDIUM, FLUOR YEL. 2" 3M REFLECT TRIM AT

BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYM

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, LARGE, FLUOR YEL, 2" 3M REFLECT TRIM AT BICEPS, 202 CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYL

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT 203 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYX

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, XXLARGE, FLUOR YEL, 2" 3M REFLECT TRIM AT 204 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFY2

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, 3XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT 205 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFY3

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, 4XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT 206 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701J-XXXXI

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, SMALL, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYS

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, MEDIUM, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYM

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, LARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-T

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYX

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, XXLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT

211 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT

BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFY2

JAN-05-22 08:40:51

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, 3XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT 212 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-XXXL

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, 4XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT 213 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-XXXXL

Item Description: HOOD, ARCLITE HI-VIS, FLUORESCENT YELLOW, DETACHABLE

214 NASCO INDUSTRIES, INC.

H1700FY

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: 215 SMALL

NASCO INDUSTRIES, INC.

1701TFYS

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: 216 MEDIUM

NASCO INDUSTRIES, INC.

1701TFYM

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: 217 LARGE

NASCO INDUSTRIES, INC.

1701TFYL

Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: X-

218 LARGE

NASCO INDUSTRIES, INC.

1701TFYX

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: XX-

219 LARGE

NASCO INDUSTRIES, INC.

1701TFY2

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: XXX-

220 LARGE

NASCO INDUSTRIES, INC.

1701TFY3

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE:

221 XXXX-LARGE

NASCO INDUSTRIES, INC.

1701T-XXXXL

SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE SMALL CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

014 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY

161520JEA-S SV20MS

SAFETY SUPPLIES

SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

015 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-L SV20ML TCSV20MLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE X-LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

016 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-XL SV20MXL TCSV20MXLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE MEDIUM CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-M SV20MM TCSV20MMJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 2XLARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

018 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-2XL SV20M2X TCSV20M2XLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 3XLARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

021 VELCRO FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-3XI, SV20M3X TCSV20M3XI, JEA

XXJINVWCATL Page: 278 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 4XLARGE, CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

022 VELCRO FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-4XL SV20M4X TCSV20M4XLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 5XLARGE, CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

023 VELCRO FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-5XL SV20M5X TCSV20M5XLJEA

Item Description: INACTIVATE UPON DEPLETION - COVERALL, SMALL, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \

110 ELASTIC FACE, WRIST, & ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE

SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132S

Item Description: COVERALL, MEDIUM, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.

112 COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132M

Item Description: COVERALL, LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.

114 COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132L

Water and Wastewater Master Material Catalog

SAFETY SUPPLIES

SAFTC

Item Description: COVERALL, X-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, &

116 ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132XL

Item Description: COVERALL, XX-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, &

118 ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132XXL

SAFWC

Item Description: WATER CANTEEN, 700Z, CAMELBAK WATER MASTER

001 CAMELBAK

1749401000

Item Description: CLEANING BRUSH KIT AND RESERVIOR DRYER (FOR CAMELBAK WATER MASTER)

003 CAMELBAK

2054901000

PUD-SAFETY SUPPLIES

SFTCC

Item Description: HIP-BOOT, SIZE 7, PVC, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK

120 NUMBER MUST BE INDICATED ON PACKAGE

> LACROSSE ONGUARD INDUSTRIES (BATA)

PUD-SAFETY SUPPLIES

SFTCC

Item Description: BOOTS HIP PVC, SIZE 8, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

130 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

10905 86856

Item Description: HIP-BOOTS, SIZE 9, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

140 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

00109050 86856

Item Description: BOOTS HIP, PVC, SIZE 10, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK

150 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

10905 86856

Item Description: HIP-BOOT, SIZE 11, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK

160 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

00109050 86856-SIZE 11

Item Description: HIP-BOOTS, SIZE 12, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

170 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

2400-9091 86856

Item Description: HIP-BOOTS, SIZE 13, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK

172 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

10905 86856-SIZE 13

XXJINVWCATL Page: 281 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-SAFETY SUPPLIES

SFTCC

Item Description: HIP-BOOTS, SIZE 14, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

175 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE

10905

Item Description: CUSHION - 3" X 15" X 15" SEAT, STANDARD GRADE POLYFOAM, COVER TO BE MADE OF 32 ONCE VINYL,

185 BROWN OR RUST. ** 32 OZ. VINYL COVER ONLY -- NO SUBSTITUTE **

Item Description: GLOVE, LATEX, NON-POWDERED, NON MEDICAL GRADE, 50 PAIR PER DISPENSER (50 PAIR EQUALS 1

204 EACH)

Elicii

AMMEX C & K SAFETY ZONE

GPPFT46100 42-L GRPR-L-1-T

Item Description: GLOVES, NEOPRENE COATED, 12" MENS SIZE, FULLY COATED EXTERIOR, 2-PC FABRIC LINING, CURVED

220 FINGERS AND WING THUMB, INDUSTRIAL WEIGHT COATING ONLY, BEST #6780R, EDMONT #9-922, GRANET

STYLE 612 ***** NO SUBSTITUTE *****

BEST PROCESS CO. EDMONT

6780R 9-922

Item Description: GLOVES, NYLON COATED, ROUGH NYLON COATED PARTICLE FINISH, SIZE 10, JERSEY LINED, 2-PIECE

LINING, PRE-FLEXED CURVED FINGERS & WING THUMB, 14" GAUNTLET, STYLE # 12-214. ANSELL EDMONT

#04815, GRAINGER #4T430 ****NO SUBSTITUTE****

EDMONT W W GRAINGER

4-644 4T430

XXJINVWCATL Page: 282 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-SAFETY SUPPLIES

SFTCC

Item Description: RUBBER GLOVES, HOUSEHOLD, NON-SLIP, LARGE SIZE 9, MUST BE PACKAGED (1) PAIR PER PACKAGE,

270 144/PAIR PER CARTON SSA09057 TWIST MILLS #F18LX SIZE MUST BE PRINTED ON GLOVE OR PACKAGE SAMPLE

MUST BE SUBMITTED BEFORE AWARD

Item Description: GLOVES, KEVLAR/COTTON BLEND - MEDIUM WEIGHT GLOVE WITH A KNIT SHELL OF KEVLAR AND COTTON, EXTRA

276 CUSHIONING INSIDE THE GLOVE FOR COMFORT AND HEAT RESISTANCE. YELLOW COLOR.

NORTH SAFETY EOUIPMENT

52/6647M

Item Description: GLOVES, NEOPRENE COATED, SHOULDER LENGTH PROTECTION, CURVED FINGERS, WING THUMB, FULL

280 INDUSTRIAL WEIGHT COATED GAUNTLET 31" (MIN) LENGTH, BLACK COLOR, CHEMICAL RESISTANT.

EDMONT FLORIDA RUBBER

9-430 27784

Item Description: GLOVES, LINEMAN'S - SIZE 10, 14" LONG RUBBER LINEMAN'S GLOVES TO BE LOW VOLT- AGE, CLASS 0,

287 TYPE 1.

BaSHLIN NORTH SAFETY EQUIPMENT WHITE RUBBER CO.

14-0Y E014Y 14-0Y

E014R

Item Description: GOGGLE, SAFETY - CLEAR, POLYCARBONATE SAFETY LENS, 160 DEGREE VISION, VENTING SYSTEM, FOG FREE

295 LENS (INSIDE & OUT, 96% UV INHIBITIVE (MIN OF 400 NM), NEOPRENE HEADBAND.

UVEX SAFETY, INC. W W GRAINGER

9301 FUTURA 6T363

PUD-SAFETY SUPPLIES

SFTCC

Item Description: GLOVE, SMALL SIZE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT ANTI-BACTERIAL LINING.

MACHINE WASHABLE. COME IN AS A PAIR *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-SMALL

Item Description: GLOVE, MEDIUM SIZE, PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT, ANTI-BACTERIAL LINING.

MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-MEDIUM

Item Description: GLOVE, LARGE SIZE PROTECT FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-LARGE

Item Description: GLOVE, XLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-XLARGE

Item Description: GLOVE, XXLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-XXLARGE

Item Description: SHIELD, FACE MODEL, SHIELD TO ATTACH TO BULLARD MODEL #5100 HARD HAT, CLEAR SHIELD TO BE

490 GENERAL PURPOSE TYPE FOR PROTECTION AGAINST LIGHT IMPACT, CHEMICAL SPLASH AND SPRAY. SHIELD

DIMENSIONS 8" X 15" X .040".

BULLARD

840-M

PUD-SAFETY SUPPLIES

SFTCC

Item Description: WADER, CHEST - SIZE 10, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL

CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED SOLE, TOP DRAWSTRING.

BATA INDUSTRIAL

86067

Item Description: WADER, CHEST - SIZE 12, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL

CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED SOLE, TOP DRAWSTRING.

BATA INDUSTRIAL

86067

Item Description: FACE SHIELD, CPR - DISPOSABLE FACE SHIELD, FOR USE ON LAERDAL CPR TRAINING MANIKANS. (36 SHIELDS PER BX, 6 BOXES PER CASE)

LAERDAL

151201

SFTDD

Item Description: SIGN KIT, "ROAD CLOSED", 36"X 36", ORANGE MESH ROLL-UP SIGN, HEAVY DUTY DOUBLE KNIT NYLON

CONSTRUCTION (TWO LAYERS), HEAT SEALED BORDERS, INCLUDES RIB SUPPORTS AND CASE. ORANGE W/BLACK

LETTERS. MATERIALS & SERVICES

SAFETY PRODUCTS INC.

TC36X3681 COMPLETE KIT

Item Description: MARKER, UTILITY - SEWER VALVE, 5'2" H X 3-3/4" W, FIBERGLASS MARKER, GREEN COLOR W/VINYL SEWER

DECAL, DECAL TO READ: "CAUTION SEWER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY

CALL 665-4802

CARSONITE ELECTROMARK

CJF-1593 ASSEMBLED POST GREEN ETO

GENERIC

XXJINVWCATL JEA Page: 285 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-SAFETY SUPPLIES

SFTDD

Item Description: MARKER, UTILITY - WATER METER, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER

220 DECAL, DECAL TO READ: "CAUTION WATER METER", IN CASE OF EMERGENCY CALL 665-4801

ELECTROMARK

JEA026-L-SV-TN1

Item Description: MARKER, UTILITY - WATER VALVE, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER

256 DECAL, DECAL TO READ: "CAUTION WATER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY

CALL 665-4801

CARSONITE ELECTROMARK

6135-JEA ASSEMBLED POST BLUE ETO

GENERIC

Item Description: MARKER UTILITY - RECLAIM WATER, 5' 2" H X 3-3/4" W. FIBERGLASS MARKER, PANTONE PURPLE 522C

260 COLOR W\VINLY WATER DECAL, "CAUTION RECLAIM WATER VALVE", BEFORE DIGGING OR IN CASE OF

EMERGENCY CALL 665-4802

CARSONITE ELECTROMARK

JEA-15045 JEA027-L-SV-TN1

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF WITH 4" X 5" FLAG. BLUE W/ WHITE

LETTERING. "CAUTION BURIED WATER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL

811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

BLACKBURN

11342

403

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF W/ 4" X 5" FLAG. GREEN W/ WHITE

411 LETTERING. "CAUTION BURIED SEWER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL

811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

BLACKBURN

XXJINVWCATL Page: 286 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-SAFETY SUPPLIES

SFTEE

Item Description: BACK SUPPORT, INDUSTRIAL, SMALL, SUPPORT TO FIT WAIST SIZES 25"-30", HIP SIZES 32"-36". BACK
019 SUPPORTS TO BE PRO FLEX MODEL #HP2000. **NO SUBSTITUTE**

ERGODYNE PROFLEX

2000SF

Item Description: BACK SUPPORT, INDUSTRIAL, MEDIUM, TO FIT WAIST SIZE 30"-34", HIP SIZES 36"- 40" BACK SUPPORTS

TO BE PRO FLEX MODEL #HP2000. **** NO SUBSTITUTE *****

ERGODYNE PROFLEX

2000SF

Item Description: BACK SUPPORT, INDUSTRIAL, LARGE, SUPPORT TO FIT WAIST SIZE 34"-38", HIP SIZES 40"-44". BACK

SUPPORTS TO BE PROFLEX MODEL #HP2000. **** NO SUBSTITUTE****

ERGODYNE PROFLEX

2000SF-LARGE

Item Description: BACK SUPPORT - INDUSTRIAL, X-LARGE, SUPPORT TO FIT WAIST SIZE 38"-42", HIP SIZES 44"-48". BACK

SUPPORTS TO BE PRO FLEX #HP2000. ****NO SUBSTITUTE****

ERGODYNE PROFLEX

2000SF

Item Description: BACK SUPPORT - INDUSTRIAL, XXX-LARGE, SUPPORT TO FIT WAIST SIZE OVER 48". BACK SUPPORT TO BE

SIZED AS REQUIRED. BACK SUPPORTS TO BE PRO-FLEX MODEL HP2000 ***** NO SUBSTITUTE *****

ERGODYNE PROFLEX

2000SF

Item Description: TREAD, ANTISLIP - 6" X 24" ANTI-SLIP THREADS FOR APPLYING TO STRAIRS OR STEPS 6" X 24"

117

INDIVIDUAL STRIPS ARE SELF- ADHESIVE FOR APPLICATION TO CLEAN, DRY SURFACES. FIFTY (50) PER BOX

3M PRODUCTS *NO SUBSTITUTE* CAMERON & BARKLEY #131237

CAMERON & BARKLEY

PUD-SAFETY SUPPLIES

SFTFL

Item Description: FLAG, MARKING, PURPLE W/ WHITE LETTERING "CAUTION RECLAIM WATER LINE", 4"X5" FLAG W/ 21" WIRE

STAFF, FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL 811, VISIT WWW.SUNSHINE811.COM, **

1000 FLAGS PER CASE, ISSUE PER CASE, 1 CASE = 1 EA.

BLACKBURN

11413

SFTGL

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, MEDIUM, 50 PAIR PER DISPENSER

100 BOX

MICROFLEX CORP.

SG375 M

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, LARGE, 50 PAIR PER DISPENSER

101 BOX

MICROFLEX CORP.

SG375 L

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, X-LARGE, 50 PAIR PER DISPENSER

102 BOX

MICROFLEX CORP.

SG375 XL

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

LENGTH, POWDER FREE. ****MEDIUM SIZE****ONE EACH EQUALS A BOX OF 50****

ORDER BY DESCRIPTION

OBD

XXJINVWCATL JEA Page: 288 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-SAFETY SUPPLIES

SFTGL

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

104 LENGTH, POWDER FREE. ****LARGE SIZE****ONE EACH EQUALS A BOX OF 50***

ORDER BY DESCRIPTION

OBD

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

105 LENGTH, POWDER FREE. ****EXTRA LARGE SIZE****ONE EACH EQUALS A BOX OF 50***

ORDER BY DESCRIPTION

OBD

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

106 LENGTH, POWDER FREE. ****XXL SIZE****ONE EACH EQUALS A BOX OF 50***

ORDER BY DESCRIPTION

OBD

STREET LIGHT MATERIAL

STLLA

Item Description: INACTIVE - LAMP, MECURY VAPOR, 175W, E-28 BULB, MOGUL BASE, 8600 INITIAL LUMENS, 24000 HOURS

005 RATED LIFE.

GENERAL ELECTRIC CO. IWASAKI/EYE LIGHTING PHILLIPS LIGHTING

HR175DX39 HF175-PD H39KC-175/DX

SYLVANIA

H39KC-175/DX

XXJINVWCATL JEA Page: 289 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

TAPE

TAPDU

Item Description: TAPE, DUCT, 2" X 60 YARD/ROLL MEDIUM STRENGTH, WATER PROOF POLYETHYLENE LAMINATED TO CLOTH/

001 RUBBER RESIN ADHESIVE, SILVER, (STD. PKG. 24 EACH)

3M SCOTCH-BRITE SCOTCH

3939-48MMX55M 3939 N.06975 SCOTCH 398

SHURTAPE TECHNOLOGIES, INC. TAPE PRODUCTS COMPANY TUCK INDUSTRIES INC.

618S-2X60Y 300S-2X60Y 92-T

TAPMS

Item Description: TAPE, MASKING, 2" X 60 YARD/ROLL, (STD. PKG. 24 EACH), EXPIRATION DATE MUST APPEAR ON EACH

002 INDIVIDUAL ITEM

3M SHURTAPE TECHNOLOGIES, INC.

232-48MM-55M 2"X2160IN.

TAPSE

Item Description: TAPE, TEFLON, THREAD SEAL, 1/2" WIDE X 260" ROLL

003 MARKAL CO. TAPE PRODUCTS COMPANY

44071 TEFLON-1/2 X 260

TIES

TIECA

Item Description: TIE, CABLE, NYLON, 36" IN LENGTH MINIMUM, ONE PIECE, EXTRA HEAVY DUTY, 175 LBS. LOOP TENSILE

005 STRENGTH, (50 EACH TIES P/BAG), TO BE USED WITH THE INSTALLATION OF TRACER WIRE ON PVC PIPE,

CATAMOUNT

T₁-36-175-9-T₁

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

TIES

TIESS

Item Description: TIES, STAINLESS STEEL, 8 INCHES LONG, 250 LB CAPACITY FOR USE IN INSTALLATIONS OF SAFETY SIGNS.

001 P AND C TECH PRODUCTS

AR-08-250-SS-C

PUD-TOOLS

TLSAA

Item Description: BAR, LINING (PINCH POINT BAR) - DIAMOND POINT, 1-1/4" X 60", TOOL STEEL, HEAT TREATED AND

040 TEMPERED, 18 LBS

> AMES TRUE TEMPER MADISON

1160100 965

Item Description: INACTIVE - BAR-WRECKING, 3/4" X 24" WARREN, STANLEY, MADISON MILLS OR EQUAL

050 AMES TRUE TEMPER WARREN HEIM CORP.

> 1170500 TL-45

Item Description: BINDER, LOAD FOR 3/8" CHAIN, LOAD BINDERS TAKE UP SLACK AND SECURE LOAD IN OPERATION, LOAD

070 LIMIT - 9200 LBS, SLACK TAKE-UP = 8". RATCHET TYPE BINDER. DROP FORGED COSTRUCTION WITH ALLOY

GRAB HOOKS RUST RESISTANT FINISH.

COLUMBUS MCKINNON

48366

Item Description: BLADE, HACK-SAW, 1/2" X 10", 24 TOOTH, (NO SUBSTITUTE)

080 L.S. STARRETT COMPANY

BS-1024

Item Description: BLADE, CIRCULAR SAW, 12" X 1", CARBIDE TIP, 5500 MAX R.P.M.

130 AMANA TOOL SUPER KING

> DB12-120 12-12T

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSAA

Item Description: BLADE SAW, CIRCULAR, 7-1/4", CROSSCUT, BLACK & DECKER, GRAINGER, OR EQUAL

DEWALT INDUSTRIAL TOOL CO. MILWAUKEE TOOLS

DW3324 48-40-4120

Item Description: BLADE, SAW, 12" DIAM. X 5/32" THICKNESS X 1"/20 MM ARBOR, 1 HOLE, MAX RPM 6000, HIGH SPEED

DOUBLE REINFORCED, ABRASIVE WHEEL, BLADE TO BE USED SPECIFICALLY FOR CUTTING DUCTILE OR CAST

IRON PIPE. MUST MEET OSHA AND ANSI STANDARDS.

HOMELITE DIV. (TEXTRON INC.) MAGNUM

68421B 3012

Item Description: BLADE, SAW, 12" WIDE X 1/8" THICK, 1"/ 20 MM HOLE CENTERED, HI SPEED ABRASIVE CUTTING WHEEL FOR

180 CONCRETE/MASONRY, 6600 RPM MAX REINFORCED BLADE, BLAZER MASONRY, 6000 RPM MAX., REINFORCED

BLADE

NORTON ABRASIVES UNITED ABRASIVES

66252837839 23460

Item Description: BLADE, LIMESTONE, BRICK, CLAY, RECIPROCATING SAW

185 CMT ORANGE TOOLS HITACHI SPYDER PRODUCTS

JS2243HM 752042 200211

Item Description: ABRASIVE HIGH SPEED CUTTING WHEEL, 14" X 1/4" WITH 1" ARBOR HOLE, FOR CUTTING ASPHALT, GREEN

186 CONCRETE, PIPE, ETC. MAX SPEED 4365

Item Description: BLADE, FOR PVC PIPE CUTTER

193 RIDGID TOOL

XXJINVWCATL JEA Page: 292 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSAA

Item Description: BLADE, SAW, 18", PVC / ABS, 450 MM BLADES, CUTS ON BOTH THE PUSH AND PULL STROKES

195 LENOX SAW STARRETT

20981-HSB-18 PVC-18

Item Description: BLADE, PVC PIPE CUTTER, FOR RIDGID TUBING CUTTER

197 RIDGID TOOL

22086

Item Description: CAN, GAS - DOT SAFETY TRANSPORT GAS CAN, 5 GALLON, TYPE II, FLEXIBLE METAL SPOUT, DOUBLE-WALLED

307 BRASS FLAME ARRESTOR IN FILLER OPENING, HEAVY DUTY ROLL BARS, AUTOMATIC CLOSURE THUMB

MECHANISM, 1" POUR SPOUT, UN/IMO CERTIFIED. HA

EAGLE MANUFACTURING

1215

Item Description: CHAIN, 1/2" - ALLOY STEEL, WORKING LOAD LIMIT 12,000 LBS. PROOF TESTED TO 22,500 LBS. MINIMUM

390 BREAKING TEST 32,500 LBS. ACCOLOY #5116-10802 ONLY)

PEERLESS MFG.

5050672

Item Description: CHISEL, CAPE, 3/8" CUTTING EDGE, 6-1/2" LENGTH

430 ARMSTRONG TOOLS

70 - 399

490

Item Description: CHISEL, MOLL POINT, 1-1/4" DIA, HEXAGON WITH CIRCULAR COLLAR, HEAVY DUTY, 24-1/2" OVERALL

LENGTH, 18-1/4" FROM COLLAR TO POINT, CHISEL TO BE EQUAL TO THAT MANUFACTURED BY BRUNNER & LAY.

PART #A-41018

BRUNNER & LAY.

A-41018

XXJINVWCATL JEA Page: 293 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSAA

Item Description: COOLER-WATER, 10 GALLON PLASTIC, IGLOO OR GOTT

IGLOO RUBBERMAID PRODUCTS

7279 1610

Item Description: CUTTER, ASPHALT (ASPHALT SPADE), SHANK SIZE TO BE 1-1/4" X 6", BLADE WIDTH TO BE 5", TO BE USED

720 FOR BREAKING, EDGING AND SLOTTING ASPHALT.

BICKNELL PIONEER TOOL

281BMC 1050

Item Description: CUTTER, ASPHALT (ASPHALT SPADE), HEXAGON SHAPED SHANK TO BE 1-1/4" X 6", WITH CIRCULAR COLLAR

725 (1-3/4" DIA.), BLADE SIZE TO BE 4-3/4" WIDE AND 10" LONG, BLADE TO BE TAPERED ON SIDES AND

BOTTOM, OVERALL LENGTH OF CUTTER TO BE 22-1/4". LE ROY #

TAMPCO INC

4064-012

Item Description: CUTTER, BOLT 36", JAWS MADE OF HARDENED ALLOY STEEL, HEAVY DUTY.

730 RIDGID TOOL

14233

Item Description: CUTTER, PIPE GALV.-(PIPE CUTTER CAPACITY 1/2" THROUGH 2") 4 WHEEL

750 RIDGID TOOL

32870

Item Description: CUTTER, PIPE-FOR PVC PIPE, FOR PIPE SIZES 1/8" - 1-1/2", HARDENED STEEL BLADE, ONE HAND

753 OPERATION, WITH BLADEGUARD, CUTTER TO UTILIZE A COMPOUND LEVERAGE RATCHET SYSTEM --

RIDGID TOOL

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSAA

Item Description: CUTTER, FOR PVC, CPVC, PEX AND POLYETHYLENE, POLYBUTYLENE AND RUBBER HOSE, PIPE SIZE 1/2" TO 2

757 3/8", HARDENED STEEL BLADE, WITH BLADE GUARD, RATCHET SYSTEM, ALUMINUM CONSTRUCTION, BLADE

REPLACEMENT AVAILABLE. NO SUBSTITUTIONS

RIDGID TOOL

30088

Item Description: CUTTER, TUBING, FOR 1/4" - 2-3/8" O.D. TUBING, WITH ENCLOSED FEED SCREW AND GROOVED ROLLS,

760 EXTRA CUTTER WHEEL SUPPLIED WITH CUTTER,

** NO SUBSTITUTE **

MILWAUKEE TOOLS RIDGID TOOL

48-22-4253 33055

TLSBB

Item Description: DIGGER-POST-HOLE, WITH 48" HANDLE

850 AMES TRUE TEMPER

78002

Item Description: EASE OUT, 1/2", SCREW EXTRACTOR, FOR USE ON 3/4" THRU 1" BOLT SIZES, -OR- FOR USE ON 1/2" PIPE,

900 MUST MEET FEDERAL SPEC. #GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

70-962 J9526

Item Description: EASE OUT 3/8", SCREW EXTRACTOR, FOR USE ON 9/16" THRU 5/8" BOLT SIZES, OR USE ON 3/8" PIPE,

910 MUST MEET FEDERAL SPECS NO. GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

70-958 J9525

XXJINVWCATL Page: 295 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSBB

Item Description: EASE OUT 3/4", SCREW EXTRACTOR, FOR USE ON 1-1/8" THRU 1-3/8" BOLT SIZES, OR FOR USE ON 3/4"

920 PIPE, MUST MEET FEDERAL SPEC #GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

70-966 J9528

Item Description: EASE OUT 1", SCREW EXTRACTOR, TO BE USED ON 1" PIPE -OR- 1-1/2" BOLTS, MUST MEET FEDERAL

930 SPECIFICATIONS #GGG-E-936C.

STANLEY-PROTO INDUSTRIAL TOOLS

т9529

Item Description: EASE OUT, 1-1/2", SCREW EXTRACTOR, FOR USE ON 2-1/2" THRU 3" BOLT SIZES -OR- FOR USE ON 1-1/2"

940 PIPE, MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC CLEVELAND TWIST DRILL GREENFIELD

11 C53661 65027

Item Description: EASE OUT, 2", SCREW EXTRACTOR, FOR USE ON 3" THRU 3-1/2" BOLT SIZES - OR- FOR USE ON 2" PIPE,

950 MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC CLEVELAND TWIST DRILL GREENFIELD

12 C53662 65029

TLSCC

Item Description: FILE-FLAT MILL, BASTARD 12", BLACK DIAMOND, SIMONDS, NICHOLSON #08737 SNAP-ON, SANDVIK OR

040 DUFFIELD **** NO SUBSTITUTE ****

NICHOLSON

08737

Item Description: FILE-BASTARD, ROUND 8" NICHOLSON #11904, BLACK DIAMOND, SIMONDS SNAP-ON, DUFFIELD SANDVIK OR

080 DISSTON ONLY *NO SUBSTITUTE*

NICHOLSON

XXJINVWCATL JEA Page: 296 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSCC

Item Description: FILE-TAPER, SLIM 8", BLACK DIAMOND, NICHOLSON #14290, SIMONDS SNAP-ON, DUFFIELD, SANDVIK OR

110 DISSTON ***NO SUBSTITUTE***

NICHOLSON

14290

Item Description: FILE-TAPER, SLIM XX, 6", BLACK DIAMOND, NICHOLSON #15024, SIMONDS, SNAP-ON, SANDVIK OR DUFFILED

** NO SUBSTITUTE **

NICHOLSON

15024

Item Description: FUNNEL, SAFETY CAN

210 вацкамр

821-5212

Item Description: GUN CAULKING - HALF BARREL

280 **RED DEVIL**

RDI-3985

Item Description: GREASE GUN, LEVER ACTION 14 OZ. CARTRIDGE SIZE, OPERATING PSI:8,000 PSI

²⁹⁰ **BALKAMP**

BK715-1241

Item Description: HAMMER, BALL PEIN, 8 OZ., HICKORY HANDLE DROP FORGED, HIGH CARBON STEEL

300 KLEIN TOOLS

803-8

Item Description: HAMMER-BRICK, WITH/HICKORY HANDLE 11 3/4" OVERALL LENGTH (NO SUBSTITUTE)

330 STANLEY

54-435

XXJINVWCATL JEA Page: 297 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSCC

Item Description: HAMMER-NAIL, CLAW 16 OZ. W/ HANDLE

350 **STANLEY**

STHT51512

Item Description: HANDLE-CLAW HAMMER 14" FOR 16 & 20 OX. BARCO CAT #02892 (NO SUBSTITUTE)

410 BARCO

P10303

Item Description: HANDLE, SHOVEL - TRUE TEMPER HICKORY SHOVEL, 46" HANDLE . NO HANDLES LONGER THAN 46" WILL BE

ACCEPTED. DOUBLE PIN FASTENER. REPLACES HANDLES FOR TYPE "BLR" AND "BLS" TRUE TEMPER SHOVELS.

AMES TRUE TEMPER

2037400

Item Description: HATCHET, 3 1/2" POLISHED BLACK BLADE, BEVELED NAIL SLOT, POLISHED FACE AND EDGE, HICKORY HANDLE.

BARCO INDUSTRIES

09006

Item Description: HOE-COTTON, 7" X 5" BLADE, 5' HANDLE

510 UNION FORK & HOE

71-112

Item Description: HOOK, CHAIN CLEVIS, GRAB 3/8", #450-0624, (STD PKG 10 EACH)

520 CAMPBELL CERTIFIED SLING

T9501624 368436

Item Description: HOOK CHAIN CLEVIS GRAB 1/2" (2500 LB. RATED CAPACITY)

525 CROSBY GROUP INC.

XXJINVWCATL JEA Page: 298 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSCC

Item Description: HOOK, PACKING - FLEXIBLE, #1 SIZE, 6-1/4" LENGTH, SPIRAL DIA.=1/4", SHAFT DIA. = 3/16", SPIRAL

530 LENGTH = 3/4" SHANK HAS TWO SPIRAL STEEL SHAFTS (ONE INSIDE THE OTHER) WOUND IN OPPOSITE

DIRECTIONS, T-HANDLE, PERMANENTLY POINTED AND TEMPER HOO

CS OSBORNE

58320

Item Description: HOOK, PACKING - FLEXIBLE, #2 SIZE, 10-5/8" LENGTH, SPIRAL DIA. = 5/16", SHAFT DIA. = 1/4",

540 SPIRAL LENGTH = 1 1/8" SHANK HAS TWO SPIRAL SHAFTS (ONE INSIDE THE OTHER) WOUND IN OPPOSITE

DIRECTIONS, T-HANDLE, PERMANENTLY POINTED AND TEMPER HOOK.

CS OSBORNE

1204

TLSDD

Item Description: J-PLUG, 4"-8" COMPLETE, MODEL #J-48-FOR 4", 6", AND 8" PIPE

570 SEWER EQUIPMENT CO.

J-48

Item Description: J-PLUG 8" - 12", (FOR 8", 10", & 12" PIPE)

575 SEWER EQUIPMENT CO.

J-812

Item Description: J-PLUG, 12" TO 18" FOR PIPES 12", 15", 16", 18"

580 REMO SEWER EQUIPMENT CO.

J-1218 J1218

Item Description: J-PLUG, 18" TO 24" FOR PIPES 18"-24"

590 SEWER EQUIPMENT CO.

J-1824

JEA XXJINVWCATL Page: 299 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSDD

Item Description: TELESCOPING ALUMINUM POLE, 8FT TO 20FT

604 SEWER EQUIPMENT CO.

130-6

Item Description: KIT, AIR, REMO-PLUG WITH POLY BRAIDED HOSE, GAUGE, AND FITTINGS

620 OATEY CO. REMO 383408 381408

Item Description: PUMP HAND AIR, WITH GAUGE J-PLUG SEWER EQUIPMENT COMPANY OF FLORIDA.

630 CHERNE SEWER EOUIPMENT CO.

273-958 B-20

Item Description: J-PLUG, RUBBER SLEEVE 8"-12" W/STAINLESS STEEL BANDS, MODEL A8-12 - FOR 8", 10" AND 12" PIPE

650

Item Description: J-PLUG, RUBBER SLEEVES, 12"-18", WITH STAINLESS STEEL BANDS, MODEL #A12-18, FOR 12", 16", & 18"

655 PTPE

Item Description: SLEEVE, RUBBER J-PLUG, REPLACEMENT SLEEVE ONLY, FOR 18"-24" PIPE, WITH STAINLESS STEEL BANDS

657

Item Description: KEY, CURB STOP, 1/2" X 4', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4"

671 SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4"

HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PE

JEA XXJINVWCATL Page: 300 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSDD

Item Description: KEY, CURB STOP, 1/2" X 3', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4" 672 SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4

HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PER

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 3', 1" X 1", 1/8" SQ TUBE SHAFT. KEY HEAD

673 MADE OF 1/4" SOLID CHANNEL IRON, "KEY" SLOT TO BE EXACTLY 3/4" WIDE, HEAD DIMENSIONS: 1-1/4"

WIDTH X1-1/4" HEIGHT X 1-1/2". **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 4', 1" X 1", 1/8" SQ TUBE SHAFT, KEY HEAD TO

675 BE 1/4" SOLID CHANNEL IRON, "KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH X

1-1/4" HEIGHT X 1-1/2", **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 5', 1" X 1", 1/8" SQ TUBE SHAFT. KEY HEAD TO

677 BE 1/4" SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH

X 1-1/4" HT X 1-1/2". **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, GATE VALVE, 6' X 1 1/4" ROUND STEEL TUBING, W/ 24" X 1-1/4" "T" HANDLE, FITS 2" VALVE

680 OPERATING NUTS

WATER KEY

SGVK-06

JEA XXJINVWCATL Page: 301 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSDD

Item Description: WRENCH, VALVE - ADJUSTABLE W/ KEY HEAD - EXTENDABLE HANDLE WITH ADJUSTMENT SCREW - HANDLE 685

ADJUSTABLE FROM 5FT TO 10FT - FOR OPERATING VALVES WITH A STANDARD 2" OPERATING NUT, **CUSTOM

FAB ONLY - NO SUB. **

CUSTOM FAB

VK5-10

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 4', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

690 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 5', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

700 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 6', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

710 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: LADDER, EXTENSION - ALUMINUM, 16 FT., TWO SECTION STRAIGHT EXTENSION TYPE, 250 LB. WORKING LOAD,

740 TYPE 1, "D" SHAPED RUNGS W/SERRATIONS, WORKING LENGTH TO BE 13FT SWIVEL SAFETY SHOES, GRAVITY

RUNG LOCKS, LADDER MUST MEET ANSI A14.2 & OSHA. LO

WERNER

D1316-2

JEA XXJINVWCATL Page: 302 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSDD

Item Description: LADDER, EXTENSION - ALUMINUM, 20 FT. TWO SECTION STRAIGHT EXTENSION TYPE, 250 LB. WORKING LOAD, 750 TYPE 1, "D" RUNGS WITH SERRATIONS, TOTAL LENGTH TO BE 20 FT., 17 FT. WORK LENGTH, SWIVEL SAFTEY SHOES, GRAVITY RUNG LOCKS, MUST MEET ANSI A14.2

WERNER

D1320-2

Item Description: LEVEL-ALUMINUM, 24"

800 STANLEY - PROTO INDUSTRIAL TOO

42-324

Item Description: LEVEL-ALUMINUM, 48"

810 STANLEY-PROTO INDUSTRIAL TOOLS

42-480

Item Description: LOCK-PAD, MASTER #1 KEY DIFFERENT - LOCK NUMBER MUST APPEAR ON ALL LOCKS ** NO SUBSTITUTE **

830 MASTER LOCK COMPANY

1INK

Item Description: LOCK-PAD, MASTER #1, KEY ALIKE #2414 LOCK NUMBER MUST APPEAR ON ALL LOCKS ** NO SUBSTITUTE **

840 MASTER LOCK COMPANY

1KAINK KEY #2414

Item Description: LOCK-PAD, MASTER #1, KEY ALIKE #2682 ** NO SUBSTITUTE ** LOCK # MUST APPEAR ON ALL LOCK S

850 MASTER LOCK COMPANY

> KEY #2682 1KA

Item Description: LOCK, PADLOCK - 5-3/4" VERTICAL SHACKLE CLEARANCE, KEYED ALIKE TO KEY #2414, #1 CASE (1-3/4" 857 WIDE X 7/8" THICK). MASTER BRAND LOCK ONLY *NO SUBSTITUTE* LOCK # MUST APPEAR ON ALL LOCK S

MASTER LOCK COMPANY

1KALNINK KEY #2414

JEA XXJINVWCATL Page: 303 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSDD

Item Description: NUT DRIVER, HEX - 1/4", PRECISION FORMED HEAT TREATED HEX OPENINGS, CHROME PLATED SHANKS, COLOR

880 CODED FIRE RESISTANT HANDLES, 3" SHANK LENGTH, APRROX. 6-5/8" OVERALL LENGTH. PROTO #9208

STANLEY-PROTO INDUSTRIAL TOOLS

9208

TLSEE

Item Description: PLIERS-LINEMAN, 8" INSULATED HANDLES (NO SUBSTITUTE)

100 KLEIN TOOLS

D201-8NE

Item Description: PUNCH, PIN, SOLID, 5/16" X 5/32", PROTO #47

220 PROTO PROFESSIONAL TOOLS

J475/16X5/32

Item Description: PUNCH, SOLID PIN 3/16" - PROTO #47

230 PROTO PROFESSIONAL TOOLS

J473/8X3/16

Item Description: PUNCH, DRIVE PIN, SOLID, 1/4", 6-3/4" OVERALL LENGTH. PROTO #47-1/2 X 1/4

240 STANLEY-PROTO INDUSTRIAL TOOLS

J471/2X1/4

Item Description: LEAF RAKE, 22" TIN SPRING BRACE, 54" HANDLE.

280 TRUE TEMPER

2604512

Item Description: RATCHET, 1/2" DRIVE, OVERALL LENGTH 10 1/2", **NO SUBSTITUTE**

315 STANLEY-PROTO INDUSTRIAL TOOLS

J5449

XXJINVWCATL JEA Page: 304 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSEE

Item Description: RATCHET WRENCH SET, 2 SOKET ENDS PER WRENCH, SOCKET SIZES/WRENCH: 3/4" & 7/8"; 15/16" & 1-1/8";

1-1/16" & 1-1/4", WITH GREEN PLASTICE CARING CASE.

TRUMBULL

364-9986

Item Description: ROD, PROBE, HOT DIP GALVANIZED, 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD SHAFT

340 SHALL BE 1/2" DIA. X 4' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE **

CUSTOM FAB U.S. FILTER

654PR4 65PR4

Item Description: ROD, PROBE, HOT DIP GALVANIZED, WITH 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD

350 SHAFT SHALL BE 1/2" DIA. X 5' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE **

CUSTOM FAB

65PR5

Item Description: RULER, FOLDING 6', IN TENTHS.

550 LUFKIN

1066DN

Item Description: HAND-SAW, 26", 8 POINT, (NO SUBSTITUTE)

560 STANLEY - PROTO INDUSTRIAL TOO

15-726 15-108

Item Description: SAW, HAND, PVC / ABS PIPE SAW WITH 18" BLADE, CUTS ON BOTH PUSH AND PULL STROKES.

565 LENOX SAW

20980-HSF-18

JEA XXJINVWCATL Page: 305 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSFF

Item Description: SHOVEL, TRENCHING, V-SHAPE, BLADE SIZE 3 WIDE X 6.125" DEPTH, HARDWOOD HANDLE 48".

841 AMERICAN MANUFACTURING

47023

Item Description: SHOVEL, ROUND POINT, W/LIFETIME GUARANTEE HANDLE & #2 TEMPERED BLADE. ALL HANDLES TO BE

847 FIBERGLASS. ***SPO=6***

AMES TRUE TEMPER

45000

Item Description: SHOVEL, SQUARE POINT - WITH LIFETIME GUARANTEED HANDLE AND #2 TEMPERED BLADE, ALL HANDLES TO BE

857 FIBERGLASS.

> AMES TRUE TEMPER NUPLA CORPORATION RAZORBACK

2585500 SP2L 44000

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 4' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

860 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 6' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

870 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 8' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

880 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

XXJINVWCATL JEA Page: 306 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSFF

887

Item Description: SLING, NYLON - 2 PLY, 2 INCH BY 6 FEET. TO BE USED ON SPREADER BEAM ASSEMBLY LIFTING METER

VAULTS, PERMANENTLY ATTACHED METAL TAG WITH LIFT CAPT, VERT, 6,400 LBS., CHOKER 5,000 LBS.,

BASKET 12,800 LBS.

INDUSCO LIFTALL77865671

EE2-802X6

Item Description: LIFTING EYE, 3/4" X 8", SCREW END (COIL ROD) EYE IS FOR LIFTING LARGE W200 UTILITY BOXES MUST BE

COMPATIBLE W/ EXISTING CONCRETE STRUCTURES AND LIFTING EQUIPMENT LIFTING EYE TO HAVE A MINIMUM

LIFTINGCAPABILITYOF2500LBS.

Item Description: LIFTING EYE, 1" X 7 3/4", SCREW END (COIL ROD) EYE IS FOR LIFTING LARGE CONCRETE METER VAULTS.

889 MUST BE COMPATIBLE WITH EXISTING CONCRETE STRUCTURES & LIFTING EOUIPMENT LIFTING EYE TO HAVE A

MINIMUM LIFTING CAPABILITY OF 2500 LBS.

INDUSCO

CLE-CN491734

Item Description: SLING, 8 FOOT LONG, 6,400 LBS VERTICAL CAPACITY, SYSNTHETIC SLING MADE FROM ONE SKEIN OF YARN

892 WITH DOUBLE-WALL TUBULAR JACKET, WEAR POINTS ARE AJUSTABLE. VERT. 6,400 LBS., CHOKER 5,000

LBS., BASKET 12,800 LBS.

INDUSCO LIFTALL

77865681 EE2802NFX8

Item Description: SLING, NYLON, 2PLY, 2 INCHES BY 10 FEET LONG. RATED: 6400 LBS VERTICAL, 5000 LBS CHOKER, 12800

893 LBS BASKET, PERMANENTLY ATTACHED WITH CAPACITY TAG.

LIFTALL

EE2-802X10

JEA XXJINVWCATL Page: 307 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSFF

Item Description: SLING, NYLON, 2 PLY, 2 INCH BY 12 FEET, PERMANENTLY ATTACHED TAG, WITH LIFT CAP. VERT. 6,400 894 LBS., CHOCKER 5,000 LBS., BASKET 12,800 LBS..

LIFTALL EE2-802X12

Item Description: SOCKET, 1/2" DRIVE, 1/2".

910 STANLEY-PROTO INDUSTRIAL TOOLS

J5416

Item Description: SOCKET-STANDARD, 12 POINT, 5/8" - 1/2" DRIVE, (NO SUBSTITUTE)

940 STANLEY-PROTO INDUSTRIAL TOOLS

5420

Item Description: SOCKET, 3/4, 1/2" DRIVE, 12-POINT.

960 STANLEY-PROTO INDUSTRIAL TOOLS

J5424

Item Description: SOCKET, 7/8" - 1/2" DRIVE, 12 POINT

980 STANLEY - PROTO INDUSTRIAL TOO 5428

TLSGG

Item Description: SOCKET, 1", 1/2" DRIVE. PROTO #5432

000 STANLEY - PROTO INDUSTRIAL TOO

5432

Item Description: TAPE, O.D. 6 FT., 146 IN., 100 THS., - FOR MEASURING THE OUTSIDE DIAMETER OF PIPE

240 LUFKIN W606PD

XXJINVWCATL JEA Page: 308 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSGG

Item Description: TAPE-STEEL, 10' (NO SUBSTITUTE)

LUFKIN

W9210

Item Description: TAPE, STEEL, 25', TAPE (IN 10THS)

255 **LUFKIN**

HV1425D PHV1425

Item Description: STEEL TAPE 100'

270 **LUFKIN**

ST100

Item Description: TARPAULIN, VINYL MATERIAL, BLUE, 12' X 15 FT., W/BRASS SPUR GROMMETS, 3 FT. SPACING DOUBLE

FOLD, POLY THREAD, WELDED SEAMS, BONDED, NO LAMANATION, WT. PER SQUARE YD 18 OZ. TEAR STRENGTH

115 LBS, FILL 93 LBS

MAURITZON INC

VCT-18-02-1215

Item Description: TOOL FLARING PRESSURE 3/4", REED #06071

330 REED TOOLS

06071

TLSHH

285

Item Description: WHEELBARROW, 6 CU. FT. HEAPED CAPACITY 5 1/2 LEV 16 GAGE TRAY, 2 PLY PHEUMATIC TIRES, OIL LUBE

400 BEARINGS, CONTRACTOR TYPE II, CLASS 2, GENERAL PURPOSE & CONCRETE TYPE IN ACCORDANCE

WITH/FEDERAL SPECS, KKK-W-291-F

AMES TRUE TEMPER

M6T22

XXJINVWCATL Page: 309 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSHH

Item Description: WHEELCUTTER, CAST IRON, REED CATALOG #H16, FOR REED CUTTERS #H6, H8 & H12 REED MFG CODE

430 #698198; ITEM CODE #03524 **** NO SUBSTITUTE *****

REED TOOLS

H16 / 03524

Item Description: WHEELCUTTER, CAST IRON, 4"-12", RIDGID #83140, MODEL #E-3186

445 RIDGID TOOL

83140

Item Description: WHEELCUTTER, TUBING - WHEELCUTTER FOR RIDGID MODEL #205 TUBING CUTTER, RIGID MODEL #E-3469,

450 CATALOG #33185

RIDGE TOOL

33185

Item Description: WHEELCUTTER, GALVANIZED, 1/2"-2", F3 CUTTER WHEEL, FOR 42A RIDGID PIPE CUTTER RIDGID #33105,

460 (NO SUBSTITUTE)

RIDGID TOOL

33105

Item Description: WHEELCUTTER, PIPE - WHEELCUTTER FOR RIGID MODEL #468C PIPE CUTTER, CUTTER WHEEL TO BE USED FOR

465 CUTTING CAST IRON PIPE. RIGID CATALOG #33135, RIGID MODEL #E-1962

RIDGID TOOL

33135

Item Description: WRENCH-ADJUSTABLE END, 8", CHROME PLATED (NO SUBSTITUTE)

490 PROTO PROFESSIONAL TOOLS

J708B

Item Description: WRENCH-ADJUSTABLE END, 18", CHROME PLATED (NO SUBSTITUTE)

PROTO PROFESSIONAL TOOLS

J718B

XXJINVWCATL JEA Page: 310 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSHH

Item Description: WRENCH, COMBINATION BOX/OPEN END, 1-13/16", 12 POINT, ARMSTRONG#25-258, ARMSTRONG, CRAFTSMAN OR PROTO ONLY,

ARMSTRONG TOOLS

25-258

Item Description: HEX BIT SET - 9 PIECE, BIT SIZES TO BE 5/64,3/32,7/64,1/8,9/64,5/32,3/16,7/32, 1/4. SET TO

720 INCLUDE CHROME PLATED STEEL HOLDER, BITS TO BE HEAT TREATED CHROME NICKEL ALLOY STEEL OR BLACK

OXIDE, SQUARE CUT AND CAMFERED, PROTO #4993, KLEIN TOO

PROTO PROFESSIONAL TOOLS

J4993

Item Description: WRENCH-PIPE 6" (NO SUBSTITUTE)

730 RIDGID TOOL

31000

Item Description: WRENCH-PIPE, 8" (NO SUBSTITUTE)

740 RIDGID TOOL

31005

Item Description: WRENCH-PIPE 10" (NO SUBSTITUTE)

750 RIDGID TOOL

31010

Item Description: WRENCH-PIPE 12" (NO SUBSTITUTE)

760 RIDGID TOOL

31015

Item Description: WRENCH-PIPE, 14" (NO SUBSTITUTE)

770 RIDGID TOOL

XXJINVWCATL JEA Page: 311 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSHH

Item Description: WRENCH-PIPE, 18" (NO SUBSTITUTE)

780 RIDGID TOOL

31025

Item Description: WRENCH-PIPE 24" (NO SUBSTITUTE)

790 RIDGID TOOL

31030

Item Description: HEX BIT SET - 11 PIECE, HEX BIT SIZES TO BE .050",1/16",5/64",3/32",7/64", 1/8",

846 9/64",5/32",3/16",7/32", 1/4". CHROME PLATED STEEL HOLDER, BITS TO BE HEAT TREATED CHROME

NICKEL ALLOY STEEL OR BLACK OXIDE SQUARE CUT AND CHAMFERED

STANLEY-PROTO INDUSTRIAL TOOLS

J4981

Item Description: HEX BIT SET - 5 PIECE, HEX BIT SIZES TO BE 3/16", 7/32", 1/4", 5/16", 3/8", SET TO INCLUDE

853 CHROME PLATED OR STAINLESS STEEL HOLDER, BITS TO BE HEAT TREATED CHROME NICKEL ALLOY STEEL OR

BLACK OXIDE SQUARE CUT AND CHAMFERED

STANLEY-PROTO INDUSTRIAL TOOLS

J4994

TLSJJ

Item Description: SHELL, CUTTER 3/4"

200 MUELLER

507577

TLSLL

Item Description: BIT, DRILL AND TAP REGULAR 1" B-100 MACHINE

450 MUELLER

XXJINVWCATL JEA Page: 312 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSNN

Item Description: BIT, DRILL REGULAR 1-7/8" FOR D-4 OR D-5 MACHINE

250 MUELLER

33540

TLSPP

Item Description: CUTTER, SHELL, 7/8", PVC, FOR E4, E5 AMD PL-2 DRILL MACHINES

640 **MUELLER**

681920

Item Description: CUTTER, SHELL, 1 1/2", PVC, FOR E4 & E5 MACHINES

660 MUELLER

528087

TLSQQ

Item Description: ADAPTER NIPPLE (LONG), 3/4", FOR COMPRESSION OR COPPER THREAD OUTLETS, MUELLER PL-2 MACHINE.

426 MUELLER

507632

Item Description: ADAPTER NIPPLE, 1" - FOR COMPRESSION OR COPPER THREAD OUTLETS. MUELLER PL-2 MACHINE.

500 MUELLER

507633

Item Description: BORING BAR FOR PL2 MACHINE

600 MUELLER

507141

Item Description: BORING BAR THREADED FOR PL2 MACHINE (OLD #507142)

700 MUELLER

XXJINVWCATL JEA Page: 313 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSQQ

Item Description: HOLDER, SHELL CUTTER, PVC, 1 1/2", 2" MACHINE

725 MUELLER

40438

Item Description: INACTIVATE UPON DEPLETION - PIN, BORING BAR FOR PL2 MACHINE

800 MUELLER

507143

TLSRR

Item Description: CUTTER SHELL 11/16" FOR PL2 MACHINE

000 MUELLER

681919

Item Description: INACTIVE: SAME AS TLSPP640: CUTTER SHELL, 7/8" FOR E4, E5 OR PL-2 MACHINE

005 MUELLER

681920

Item Description: MACHINE, DRILLING PL-2, MUELLER MODEL #1 COMPLETE, LESS ADAPTER, DRILL BITS AND RATCHET HANDLE

010 MUELLER

MUE39502

Item Description: GASKET, ADAPTER NIPPLE 3/4" MUELLER #69549, FOR MUELLER PL - 2 MACHINE

050 MUELLER

69549

Item Description: GASKET ADAPTER NIPPLE 1" MUELLER #52419 FOR MUELLER PL - 2 MACHINE

060 MUELLER

H10895

XXJINVWCATL JEA Page: 314 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

JAN-05-22 08:40:51

TLSUU

Item Description: RATCHET ARM, 5/8" SQUARE, LOWELL SERIES 10, HANDLE #15, W/ 5/8" GEAR SIZE, CAST MALLEABLE

IRON, REVERSING LEVER IN THE HEAD, GEARS ARE ENCLOSED AND REPLACEABLE, "BOLT THRU" GEARS.

FORD LOWELL CORPORATION

DMRW 15901-92610

Item Description: ADAPTER, CORPORATION STOP, 3/4", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.

602 ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**

FORD

DMA2-3

Item Description: YOKE (DMY) FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

603 **FORD**

DMY

Item Description: YOKE BOLTS FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

1 EACH = PAIR (2 BOLTS)

FORD

DMYB

Item Description: PLUG - 3/4" IRON PIPE THREAD FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

605 **FORD**

DMP-3

Item Description: PACKING BUSHING FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

606 **FORD**

DMPB

Item Description: BORING BAR PACKING (2) FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

607 **FORD**

DMBBP

XXJINVWCATL JEA Page: 315 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSUU

Item Description: ADAPTER, CORPORATION STOP, 1", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.

ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**

FORD

DMA2-4

Item Description: ADAPTER, 1-1/2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.

636 **FORD**

DMA2-6

Item Description: ADAPTER, 2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.

643 **FORD**

DMA2-7

Item Description: ADAPTER, 2" - MUELLER CORPORATION COCK ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH

GASKETS.

FORD

DMA1-7

Item Description: ARBOR, DRILLING MACHINE - ARBOR TO COME COMPLETE WITH PILOT DRILL AND HOLE SAW SPACER. USED ON

709 FORD MODEL 77 DRILLING MACHINE (BORING BAR #DMBB-67).

FORD

DMA-67

Item Description: DRILL, 1-3/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 1-

903 1/2" CORP STOPS ON DUCTILE/ CAST IRON PIPE.

FORD

DMSC-6-DI

JEA XXJINVWCATL Page: 316 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSUU

Item Description: DRILL, 1-7/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 2"

926 CORP STOPS ON DUCTILE/CAST IRON PIPE.

FORD

DMSC-7-DI

TLSVV

Item Description: DRILL, 11/16" - DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 3/4" CORP STOPS.

001 FORD

DMD-3

200760

Item Description: DRILL, 7/8" - DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 1" CORP STOPS

029 FORD

DMD-4A

Item Description: BORING BAR - FOR 11/16" DRILLS AND SHELL CUTTERS, (3/4" CORP STOPS) FORD MODEL 77 DRILLING

033 MACHINE,

FORD

DMBB-3

Item Description: BORING BAR - FOR 7/8" DRILLS AND SHELL CUTTERS, (1" CORP STOPS) FORD MODEL NO. 77 DRILLING

037 MACHINE

FORD

DMBB-4A

Item Description: BORING BAR - FOR 1-1/2" AND 2" CORP. STOPS, FORD MODEL 77 DRILLING MACHINE.

041 FORD

DMBB-67

JEA XXJINVWCATL Page: 317 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSVV

Item Description: SHELL CUTTER, 11/16" - SHELL CUTTER FOR PVC, SHELL FOR FORD MODEL 77 DRILLING MACHINE (FITS

045 BORING BAR #DMBB-3)

FORD

DMSC-3

Item Description: SHELL CUTTER, 7/8" - SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE (FITS BORING BAR

052 #DMBB-4A)

FORD

DMSC-4A

Item Description: SHELL CUTTER, 1 3/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE

060 FORD

DMSC6PVC

Item Description: SHELL CUTTER, 1 7/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE

065 FORD

DMSC7PVC

Item Description: HANDWHEEL AND FEEDSCREW, FOR FORD MODEL 77 DRILLING MACHINE

078 FORD

DMHF

Item Description: GASKET, ADAPTER - 1-1/2", INSIDE GASKET FOR FORD ADAPTER #DMA2-6 (COPPER FLARE). FORD MODEL 77

169 DRILL MACHINE (GT-143)

FORD

GT-143

Item Description: GASKET, ADAPTER - OUTSIDE, FORD MODEL 77 DRILLING MACHINE. FOR ALL SIZES OF CORPORATION STOPS.

194 FORD #DMOG

FORD

FGT130

XXJINVWCATL Page: 318 of: 341

Water and Wastewater Master Material Catalog

PUD-TOOLS

TLSVV

Item Description: BODY, REPLACEMENT PART, FOR THE FORD MODEL 77 DRILLING MACHINE

²⁰⁰ **FORD**

F(DMB)

JAN-05-22 08:40:51

TOOLS

TOLCE

Item Description: CORD, EXTENSION, 50', 3/C #14, 15 A, 125 VOLT, 1875 W

OO1 AMERICAN INSULATED WIRE CORP. CAROL CABLE GENERAL

2283 03356 3661

TRIANGLE - PWC INC.

CT-264500

TOLCW

Item Description: WRENCH, COMBINATION, 1 1/16" OPEN AND 12 POINT BOXED-END, STANDARD LENGTH, CHROME PLATED

013 ARMSTRONG TOOLS BLACKHAWK CRAFTMAN TOOLS

25-234 BW-1171 44706

PROTO PROFESSIONAL TOOLS SK HAND TOOL CORP. SNAP ON TOOLS

J1234ASD C34 OEX34

WILLIAMS MACHINE & TOOL CO.

1171

TOLGA

Item Description: CAN, GAS, METAL, YELLOW, 5 GAL

eagle Mfg. co.

U1-50-SY

XXJINVWCATL JEA Page: 319 of: 341

Water and Wastewater Master Material Catalog

TOOLS

JAN-05-22 08:40:51

TOLSH

Item Description: SHOVEL, SQUARE POINT, #2, 9-1/2" X 12", 47" HANDLE, (NO SUBSTITUTE) [SPQ 24 EA]

001 ACE AM LEONARD RAZORBACK

70024 VP-SPSX 44363

TOLUP

Item Description: TOOL, PROBE, FIBERGLASS UTILITY, 1/2" X 48" SHAFT, 5/8" X 3/4" TIP, 8 1/4" T-HANDLE

001 HISCO

#HIUP-48

TOLWR

Item Description: WRENCH, ONE HAND METER, CAPACITY FITTING 1/8 - 3/4, LENGTH - 11". USED FOR WATER METER

050 INSTALLATION AND REPAIR.

REED TOOLS

MW 3/4

Item Description: WRENCH, ONE HAND METER, ITEM CODE 02281, CAPACITY - FITTING 1 - 1 1/4 LENGHT - 16' WEIGHT - 3.1

055 LBS.

REED TOOLS

MW 1-1/4

Item Description: RATCHET WRENCH, COMBINATION, 9/16" X 3/4", HEAVY DUTY FORGED AND 12 POINTS BOXED END

212 RAUCKMAN UTILITY PRODUCTS

BW-203HD

JEA XXJINVWCATL Page: 320 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

VACUUM PUMPS

VACCO

Item Description: FLOVAC VALVE/CONTROLLER - VALVE 3' PISTON TYPE.

001 FLOVAC

2FLOFV0002

VACPE

Item Description: CONTROLLER, FLOVAC FOR VALVE 3", STANDARD

001 FLOVAC

3FLOFC0002

VACPI

Item Description: PISTON, VALVE, COMPLETE ASSEMBLED AND TESTED

001 FLOVAC

2FLOFV80020

VALVES

VALAR

Item Description: VALVE, AIR RELEASE 1", 250 PSI MIN, 1" NPT INLET SIZE, REINFORCED NYLON BODY CORROSION

100 RESISTANT POLYMER MATERIAL, OVERALL HEIGHT NOT TO EXCEED 5.5"

ARI INDUSTRIES INC.

D040P01

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVAA

Item Description: VALVE, AIR RELEASE 1", 150 PSI MIN. PRESSURE, 1" NPT INLET SIZE, FOR USE ON POTABLE WATER

200 SYSTEM, CAST IRON BODY WITH STAINLESS STEEL INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT

APCO VALVE & PRIMER CORP. CRISPIN GOLDEN ANDERSON

200A PL10 912

Item Description: VALVE, AIR RELEASE, 2", 150 PSIG MINIMUM, 2" NPT INLET, FOR USE ON POTABLE WATER, DUCTLE IRON

210 BODY W/SS INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT

APCO VALVE & PRIMER CORP. CRISPIN GOLDEN ANDERSON

200A PL10 920

Item Description: VALVE, AIR & PRIMER, 1" INLET, POTABLE WATER APPLICATIONS, USED ON PUMP

237 APCO VALVE & PRIMER CORP. CRISPIN

200AP.1 VPL10

Item Description: VALVE, BALL, 1/4" STAINLESS 316 GRADE, FOR SEWER APPLICATIONS.

260 ORDER BY DESCRIPTION

ORD

Item Description: VALVE, BALL, 1" - BRONZE, FIP X FIP, OUARTER TURN, LEVER-TYPE HANDLE, FULL PORT OPENING: 150

261 SWP; 600 WOG, REINFORCED TFE SEAT; CHROME PLATED BALL; THREADED ENDS.

NIBCO

T585-80-LF

Item Description: VALVE, BALL, 2" STAINLESS 316 GRADE, FOR SEWER APPLICATIONS

262 ORDER BY DESCRIPTION

OBD

Item Description: VALVE, BALL, 1/2" STAINLESS 316 GRADE, FOR SEWER APPLICATIONS

263 ORDER BY DESCRIPTION

OBD

Water and Wastewater Master Material Catalog

PUD-VALVES

VLVAA

Item Description: VALVE, BALL - PVC/CPVC, 3/4", TRUE UNION TYPE, VALVE TO BE FURNISHED WITH BOTH SOCKET AND

300 THREADED END CONNECTORS, EPDM O-RINGS, TEFLON SEATS, FULL PORT DESIGN, 150 PSI AT 73 DEGREES,

BI-DIRECTIONAL.

NIBCO

U45TB-E U45TBE

Item Description: VALVE, BALL, STAINLESS STEEL, 2"THREADED, BLOW-OUT-PROOF STEM DESIGN, ADJUSTABLE PACKING GLAND,

305 STAINLESS STEEL LEVER AND NUT CERTIFIED TO API 607, 4TH EDITION, CLASS 600

APOLLO VALVES WATTS

76-108-01 S8000-M3

Item Description: VALVE, BALL - PVC/CPVC, 2", TRU UNION TYPE, VALVE MUST COME WITH BOTH SOCKET & THREADED END

310 CONNECTORS, EPDM O-RINGS, TEFLON SEATS, FULL PORT DESIGN, 150 PSI AT 73 DEGREES, BI-

DIRECTIONAL. CHEMTROL TRU-UNION

Item Description: ***INACTIVE ONCE DEPLETED*** VALVE, BUTTERFLY 20", CAST IRON BODY, , MECHANICAL JOINT, 2"

530 OPERATING NUT WITH BURIED SERVICE ACTUATOR. LOW TORQUE AND BUBBLE TIGHT SHUTOFF. W/

ACCESSORIES.

Item Description: VALVE, CHECK, 1-1/2", HORIZONTAL SWING, AWWA BRONZE, RENEWABLE SEAT, 125 WSP/200 WOG, Y-

860 PATTERN, THREADED, FOR POTABLE WATER SERVICE.

WATTS EDP NIBCO STOCKHAM VALVES AND FITTINGS

T-413-Y-LF B-345 CVY JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 3" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-112 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2503 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6102 4571 4067

MUELLERA2360, A2361
250

Item Description: VALVE, GATE 4" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

115 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2504 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6100 4571 4067

MUELLER US PIPE A2360, A2361 250

Item Description: VALVE, GATE 6" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

120 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES

AMERICAN FLOW CONTROL AMERICAN RD AVK

2506 D100 SERIES 45

 CLOW
 KENNEDY
 VALVE
 M&H

 F-6100
 4571
 4067

MUELLERA2360, A2361

250

Water and Wastewater Master Material Catalog

PUD-VALVES

JAN-05-22 08:40:51

VLVBB

Item Description: VALVE, GATE 8" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-

140 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2508 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6100 4571 4067

MUELLERA2360, A2361

250

Item Description: VALVE, GATE 10" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

150 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2510 D100 SERIES 45

 CLOW
 KENNEDY VALVE
 M&H

 F-6100
 4571
 4067

MUELLERA2360, A2361
250

Item Description: VALVE, GATE 12" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-

160 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2512 D100 SERIES 45

 CLOW
 KENNEDY
 VALVE
 M&H

 F-6100
 4571
 4067

MUELLERA2360, A2361

250

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 14", CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MJ, NON-RISING STEM, W/O

167 ACCESSORIES, OPEN LEFT, MODEL # F6100, (AS PER APPROVED GATE VALVE LISTING)

2514 950-X 4067

U.S. PIPE

5860

Item Description: VALVE, GATE 16" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MECHANICAL JOINT, NON-RISING

170 STEM, W/ACCESSORIES (AS PER APPROVED GATE VALVE LISTING) OPEN LEFT

AFC M & H / CLOW

2516 F6100 / 4067-01

Item Description: VALVE, GATE 20" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MECHANICAL JOINT, NON-RISING

180 STEM, OPEN LEFT W/O ACCESSORIES. APPROVED VALVES ONLY

AFC M&H

2520 4067-01

Item Description: VALVE, GATE 24" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MJ, NON-RISING STEM, W/O

184 ACCESSORIES, OPEN LEFT. (AS PER APPROVED GATE VALVE LISTING)

AMERICAN FLOW CONTROL M & H M&H

2524 4067-01 4067-01

U.S. PIPE

5460

Item Description: INACTIVE - VALVE, GATE, BRONZE - 1/2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

220 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

IB638 T-136 B130 T-133 B131

XXJINVWCATL JEA Page: 326 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVBB

Item Description: VALVE, GATE, BRONZE - 3/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.

VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,

MILWAUKEE OR EQUAL.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

 IB646
 T-136
 B131

 IB638
 T-133-LF 3/4"
 B130

Item Description: VALVE, GATE, NO LEAD BRONZE - 1", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING

240 STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

NIBCO

T-113-LF 1"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

250 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFACATIONS.

NIBCO

T-113-LF 1-1/4"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

260 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

NIBCO

T-113-LF 1-1/2"

Item Description: VALVE, GATE, NO LEAD BRONZE - 2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING

270 STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS

NIBCO

T-113-LF 2"

XXJINVWCATL JEA Page: 327 of: 341

Water and Wastewater Master Material Catalog

PUD-VALVES

JAN-05-22 08:40:51

VLVBB

Item Description: VALVE, GATE, BRONZE - 3", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.

VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,

MILWAUKEE OR EQUAL.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

 IB646
 T-136
 B131

 IB638
 T-133- LF 3"
 B130

Item Description: VALVE, GATE, 4", CAST IRON, FLANGED, NON-RISING STEM, HANDWHEEL, 8-HOLE, RESILENT WEDGE ONLY,

293 OPEN LEFT, APPROVED GATE VALVES ONLY, AMERICAN AFC, M & H.

MATCO-NORCA INC.

10RW

Item Description: VALVE, GATE 3" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

300 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2503 3-F6102 3-4067-02

MUELLER 3-A2360-6

Item Description: VALVE, GATE 4" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

305 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2504 4-F6102 4-4067-02

MUELLER

4-A2360-6

XXJINVWCATL JEA Page: 328 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 6" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

310 STEM, OPERATING NUT.

AFC CLOW M & H

2506 6-F6102 6-4067-02

MUELLER 6-A2360-6

Item Description: VALVE, GATE 8" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

315 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2508 8-F6102 8-4067-02

MUELLER

8-A2360-6

Item Description: VALVE, GATE 10" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

320 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2510 10-F6102 10-4067-02

MUELLER

10-A2360-6

VLVBW

Item Description: INACTIVE ONCE DEPLETED - VALVE, BACKWATER, 4", PVC SCH 40, VALVE TO COME COMPLETE W/ THREADED

OO2 ACCESS COVER FOR INSPECTION AND CLEANING OF DRAIN LINE, FLAPPER AND COVER MUST HAVE ELASTOMERIC

GASKET. NSF APPROVED ** NO SUBTITUTES **

PLUM BEST

BO4-400

PUD-VALVES

VLVCC

Item Description: VALVE, AIR RELEASE 2", 150 PSI MIN., 2" NPT INLET SIZE, FOR SEWER SYSTEMS, STAINLESS STEEL BODY

700 W/ CORROSION- RESISTANT POLYMER MATERIALS OR SS INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT,

AND WAY OUT FEATURE

ARI H-TEC USA VENT-O-MAT

D-025ST Series 989 Series RGX II

Item Description: VALVE, AIR RELEASE 2", 150 PSI MIN. 2" NPT INLET SIZE FOR SEWER SYSTEMS, SS LONG BODY WITH

705 CORRISION RESISTANT POLYMER MATERIAL OR SS INTERNAL MOVING PARTS, INCLUDING TRIM AND FLOAT AND

WAY OUT FEATURE.

ARI H-TEC USA VENT-TECH

Series 986 D-026SST02 Model SDG-Series C

Item Description: CAMLOCK, FOR ARV CLAMPING ASSEMBLY

710 ARI INDUSTRIES INC.

0247-47112BP-M

Item Description: VALVE, AIR RELEASE, H-TEC 986 SS 3" FLANGED WITH REIGN PORTS

711 H-TEC USA

8889860801RR

Item Description: VALVE, AIR RELEASE, H-TEC 986 SS 4" FLANGED WITH REIGN PORTS.

712 H-TEC USA

8889861001RR

Item Description: SEAL PLUG ASSEMBLY FOR ARV CLAMPING ASSEMBLY

720 ARI INDUSTRIES INC.

0447-5402-LP

Item Description: FLOAT UPPER, FOR ARV CLAMPING ASSEMBLY

725 ARI INDUSTRIES INC.

0247-2602PP

XXJINVWCATL JAN-05-22 08:40:51 Water and Wastewater Maste

Water and Wastewater Master Material Catalog

Page: 330 of: 341

PUD-VALVES

VLVCC

Item Description: CLAMPING STEM, FOR ARV CLAMPLING ASSEMBLY

730 **ARI INDUSTRIES INC.** 0245-1802-PL-NSF

Item Description: BODY, NYLON UPPER, FOR ARV CLAMPING ASSEMBLY

735 **ARI INDUSTRIES INC.** 0245-0002NMN5

Item Description: NUT, DOME, FLOAT ASSEMBLY FOR ARV CLAMPING ASSEMBLY

740 **ARI INDUSTRIES INC.** 0447-26-PN16-SH-DN

Item Description: O-RING UPPER, FOR ARV CLAMPING ASSEMBLY

745 **ARI INDUSTRIES INC.** 0310-562-235-NSF

Item Description: VALVE BALL, TAP FOR ARV CLAMPING ASSEMBLY

750 **ARI INDUSTRIES INC.** 0310-7350BP-F/M-N316

Item Description: STOPPER FLAOT ASSEMBLY FOR ARV CLAMPING ASSEMBLY

755 **ARI INDUSTRIES INC.** 0447-26-PN16-SH-S

Item Description: SPRING SS, FLOAT ASSEMBLY, FOR ARV CLAMPING ASSEMBLY

760 **ARI** 0447-26-PN16-SH-SSS

XXJINVWCATL JEA Page: 331 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVCC

Item Description: SPRING, WASHER UNDER, FLOAT ASSEMBLY FOR ARV CLAMPING ASSEMBLY
765

ARI

0447-26-PN16-SH-W

Item Description: STEM, FOR ARV CLAMPING ASSEMBLY

770 **ARI**

0447-26-PN16-SH-STEM

Item Description: BODY, REINFORCED NYLON, FOR ARV CLAMPING ASSEMBLY

775 **ARI**

0247-0002-SH-PL

Item Description: CLAMPING ASSEMBLY, FOR ARV CLAMPING ASSEMBLY

⁷⁸⁰ **ARI**

0447-PPN5-SH-KIT

Item Description: O-RING, LOWER, FOR ARV CLAMPING ASSEMBLY

⁷⁸⁵ **ARI**

0310-56208X6

Item Description: FLOAT, LOWER, FOR ARV CLAMPING ASSEMBLY

790 **ARI**

0447-26-PN16-SH-FLOAT

Item Description: WASHER UNDER FLOAT FOR ARV CLAMPING ASSEMBLY

⁷⁹⁵ **ARI**

0247-3326S6-SH

XXJINVWCATL JEA Page: 332 of: 341

Water and Wastewater Master Material Catalog

PUD-VALVES

JAN-05-22 08:40:51

VLVCC

Item Description: BASE, 2" THREADED

800 **ARI**

0247-2802NT-SH-PL

VLVCP

Item Description: CAP, 6" DEBRIS, BLUE WITH LOCKING DEVICE

100 INFRA TECH GROUP

SDC456BLLD4

VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1" PE COMP X FIP BALL CURB LW.

007 FORD MUELLER

B61-444W-NL B25196N

Item Description: NO LEAD VALVE, CORP STOP, 1", CC THREAD X FIP THREAD. INVERTED KEY (GROUND KEY) OR BALL TYPE.

009 A.Y. MCDONALD FORD MUELLER

4113-145 F1600-4-NL H-10045N

B-20045N

Item Description: NO LEAD VALVE, CORP STOP 2" INLET: COPPER TO COPPER THREAD; OUTLET: FIP THREADS

012 **FORD**

FB16007

FB1600-7

Item Description: NO LEAD VALVE, CORP STOP, 1" MIP INLET: 1" COMPRESSION FOR POLYBUTYLENE TUBING OUTLET (P/N F

115 1100-4)

FORD

F1100-4-NI

PUD-VALVES

VLVDD

Item Description: NO LEAD VALVE, CORP STOP, 1-1/2", INLET: AWWA COPPER TO COPPER THREAD, OUTLET: COMPRESSION OR

120 PACK JOINT.

FORD

FB1000-6-NL

Item Description: NO LEAD VALVE, CORP STOP, 1-1/2", BALL TYPE, INLET TO BE MALE IRON PIPE THREAD, OUTLET TO BE

127 COMPRESSION FOR 250 PSI POLYBUTYLENE.

FORD

FB-1100-6-NL

Item Description: INACTIVE - NO LEAD VALVE, STOP CORP 1-1/2" X 2", INLET: COPPER TO COPPER THREAD, OUTLET:

130 COPPER, NO GASKET REQUIRED, W/STRAIGHT COUPLING NUT.

FORD MUELLER

FB600-67 H-15000

FB-600

Item Description: NO LEAD VALVE, CORP STOP, 2", INLET: COPPER TO COPPER THREAD, OUTLET: COMPRESSION (OR PACK

140 JOINT)

FORD MCDONALD MUELLER

FB1000-7-NL 4701B-22FT H-25028N

Item Description: BALL TYPE, INLET TO BE MALE IRON PIPE THREAD, OUTLET TO BE COMPRESSION FOR 250 PSI

147 POLYBUTYLENE.

FORD

FB1100-7-NL

Item Description: NO LEAD VALVE, CORP STOP, 3/4", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE COMPRESSION

160 CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

FORD MUELLER

F1000-3-NL 15008N

XXJINVWCATL JEA Page: 334 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVDD

Item Description: NO LEAD BRASS VALVE, CORP STOP 1", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE

170 COMPRESSION CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

FORD

F1000-4-NL

Item Description: NO LEAD VALVE, CORP STOP 1-1/2", OUTLET; INCREASING I.P. THREAD, INLET: AWWA CC THREAD, NO

200 COUPLING, (OLD STYLE)

A.Y. MCDONALD FORD MUELLER

73121B 1\(\frac{1}{3}\)" FB800-6-NL B-20003N

Item Description: NO LEAD BRASS VALVE, CORP STOP, 2" X 2-1/2", INLET: COPPER TO COPPER, OUTLET: INCREASING IRON

210 PIPE THREAD.

FORD MUELLER

FB800-7-NL H-10003N

Item Description: NO LEAD VALVE, CURB STOP, COPPER TO COPPER - 3/4", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE,

300 INLET: COPPER, OUTLET: FEMALE IRON PIPE THREAD

FORD MIJELLER

ZVC-1W-NL H-15166N

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 3/4", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK

304 WING, COMPRESSION (OR PACK JOINT)

FORD

B41-333W-NL

Item Description: NO LEAD VALVE STOP CURB COPPER TO COPPER 1", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE, INLET:

310 COPPER, OUTLET: FEMALE IRON PIPE THREAD

FORD

ZVC-3W-NL

JEA XXJINVWCATL Page: 335 of: 341 JAN-05-22 08:40:51

Water and Wastewater Master Material Catalog

PUD-VALVES

VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 1", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK

314 WING, COMPRESSION (OR PACK JOINT)

FORD

B41-444W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, BALL, CURB STOP, 1-1/2", BALL TYPE FEMALE IRON PIPE X COMPRESSION (OR

320 PACK JOINT), FULL PORT ONLY, PADLOCK WINGS.

FORD

B41-666W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 3/4", BALL TYPE, FIP X FIP, WITH LOCK WING, FULL PORT

404 ONLY,

FORD

B11-333W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1", BALL TYPE ,FIP X FIP, WITH LOCK WING, FULL PORT ONLY,

414 FORD

B11-444W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1-1/2", BALL TYPE, FEMALE IRON PIPE ON BOTH ENDS, FULL PORT,

420 TO BE SUPPLIED WITH PADLOCK WINGS.

FORD

B11-666W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", FIP X FIP, BALL VALVE, FULL PORT, TO BE SUPPLIED WITH

500 PADLOCK WINGS

FORD

B11-777W-NL

PUD-VALVES

VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", COMPRESSION X FIP, BALL VALVE, FULL PORT, TO BE

562 SUPPLIED WITH PADLOCK WINGS.

FORD

B41-777W-NL

Item Description: VALVE, CURB STOP, 1" RECLAIM WATER

580 **FORD**

3710BRW4144W

VLVEE

Item Description: VALVE, TAPPING 4", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

110 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 6", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

120 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 8", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

130 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 10", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

140 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

XXJINVWCATL JEA Page: 337 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVEE

Item Description: VALVE, TAPPING 12", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

150 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

VLVFF

Item Description: BOX, VALVE - PLATE W-17, ADJUSTABLE ROADWAY. ** 2 PIECE HEAVY DUTY VALVE BOX ONLY, SHIP

000 ASSEMBLED AND PALLETIZED. STACK NO MORE THAN 2 HIGH ON PALLET. LIDS OR COVERS ARE ORDERED AND

SHIPPED AS SEPERATE LINE ITEMS.

 EAST JORDON IRON WORKS
 OPELIKA FOUNRDY
 RUSSCO

 85501922
 4905 (SIZE 18) (HD)
 VB2612X

 SIGMA
 STAR PIPE PRODUCTS
 TYLER PIPE

 VB2612X
 VB461S
 461-SH (HD)

Item Description: BOX, VALVE JACKET RISER, 5-1/4" X 3". HEAVY DUTY

010 SIGMA STAR PIPE PRODUCTS

VB-2603 VBR-3

VLVGG

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "SEWER". DETAIL PLATE #S-31. **

845 BOX COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

OPELIKA FOUNDRY RUSSCO STAR PIPE PRODUCTS

4905(18) (HD) VB 26005 (HD) VB 461 SHD

 TYLER PIPE
 U.S. FOUNDRY

 461-SH (HD)
 7500 (HD)

XXJINVWCATL JEA Page: 338 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-VALVES

VLVGG

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "WATER". DETAIL PLATE #W-16. **

850 COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

STAR PIPE PRODUCTSTYLER PIPEU.S. FOUNDRYVBLIDHD461-SH (HD)7500 (HD)

Item Description: COVER, VALVE BOX, HEAVY DUTY/DOMESTIC- APPROX-12LB COVER TO BE MARKED "REUSE" **** BOX COVER

855 ONLY. DETAIL PLATE #W-16 . **COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.****

TYLER PIPE 458975

Item Description: VALVE, 2" RECLAIM BALL, WITH LOCKING

860 **FORD**

3720BRW41777W

Item Description: INACTIVE - DEBRIS CAP, ADJUSTABLE VALVE BOX - CAP TO BE COLOR CODED BLUE (FOR WATER USE), CAP

TO COME COMPLETE WITH LOCKING ADAPTER FOR STANDARD PADLOCK. --

S. W. SERVICES

DC500

Water and Wastewater Master Material Catalog

Page: 339 of: 341

WASHERS

WASFG

Item Description: WASHER, 3/4", FLAT ROUND, 316 SS ** STD. PKG. 100 EACH **

650

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: WELLPOINTS, SELF JETTING, TOP THREADED FOR 1-1/2" STANDARD PIPE, 2.60 O.D., REMOVABLE PVC

010 SCREEN, HEAVY DUTY STEEL INFLOW PIPE WITH SUCTION HOLES AT THE BOTTOM, ANGULAR CAST JET HEAD

WITH HEAVY CUTTING TEETH AND A SINGLE BALL VALVE. ** MUS

Item Description: ELBOW, HOSE - 90 DEGREE WELLPOINT (SWING JOINT) PLASTIC ELBOW, ELBOW COMES WITH THREE O-RINGS,

020 ONE END TO BE MALE HOSE SLIP-ON, OTHER END TO BE O-RING CONNECTOR **ITEM MUST BE COMPATIBLE WITH

COMPLETE WELLPOINT SYSTEMS** ** NO SUBSTITUTE **

Item Description: INACTIVE - CLAMP, HEADER, WELLPOINT, 4", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART

050 #128 OD CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

Item Description: CLAMP, HEADER, WELLPOINT, 6", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART #56128 QD

060 CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: INACTIVE - SLEEVE RUBBER 6" WELLPOINT HEADER ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT 090 SYSTEMS **

Item Description: HOSE, WATER/AIR, 1"(125.4 MM), WITH BRASS MALE/FEMALE HOSE CONNECTORS ON EACH END, 200 PSI 120 PRESSURE MINIMUM, GOODYEAR "HORIZON" HOSE OR EQUAL. HOSE TO BE IN 100 FT LENGTHS ONLY. ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS *

Item Description: ADAPTER, HOSE - MALE, 1 1/2". ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS ** 125

Item Description: O'RING, WELLPOINT 2-1/8" I.D. PART #315 (FOR SWING JOINT ELBOWS) ** ITEM MUST BE COMPATIBLE 140 WITH COMPLETE WELLPOINT SYSTEMS **

Item Description: PIPE, PVC, 4", WELLPOINT HEADER PIPE, SCH40 PIPE, 20 FT LENGTHS, COMPLETE WITH SPECIAL RED RUBBER INSERTS, HOLED ON 3 FT CENTERS (7 INSERTS). HOLLAND PUMP MANUFACTURING ***** NO 151 SUBSTITUTE ****

Item Description: PIPE, PVC, 6", WELLPOINT HEADER, TYPE SCH40 PVC PIPE, 20 FT LENGTHS, PIPE MUST HAVE 2" SADDLES 160 PER COMPLETE WELLPOINT SPECIFICATIONS. NOTE: MUST BE COMPLETE DEWATERING PUMPS AND WELL, WELLPOINT SYSTEMS.

COMPLETE DEWATERING AND WELL

XXJINVWCATL Page: 341 of: 341

JAN-05-22 08:40:51 Water and Wastewater Master Material Catalog

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: JOINT, SWING, WELLPOINT COMPLETE ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS**
180

Item Description: TOP, WELLPOINT (RISER TOPS), ALUMINUM, ONE PIECE, 1-1/2" FEMALE THREAD ON ONE END AND OTHER END

TO BE CUPPED AND BEVELED TO FIT WELLPOINT SWING JOINT -- TO BE COMPATIBLE AND INTERCHANGEABLE

WITH COMPLETE WELLPOINT SYSTEMS

Item Description: INSERT, HEADER PIPE - BLUE RUBBER, 1-1/2", FOR 4" HEADER, FOR USE WITH HOLLAND TAPER FIT SWING

JOINT ELBOW. HOLLAND PUMP MANUFACTURING ***** NO SUBSTITUTE *****

Item Description: PLUG, HEADER PIPE - VACUUM HAT (PLUG) FOR HOLLAND PUMP RUBBER INSERTS, SOLID PLASTIC (NEW STYLE). HOLLAND PUMP MFG ***NO SUBSTITUTE***

Item Description: PLUG, HEADER, WELLPOINT, 2" PART #315 ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS **

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-----------------------------|-------|
| ACCMJ | PUD-MECHANICAL JOINT ACC. | 1-2 |
| ADCCL | ADHESIVES & COMPOUNDS | 3 |
| ADCMI | ADHESIVES & COMPOUNDS | 3 |
| ADCSE | ADHESIVES & COMPOUNDS | 3 |
| ATSER | AUTO TRANSFER SWITCH | 4 |
| BDMAA | PUD-BUILDING MATERIAL | 4-6 |
| BDMCC | PUD-BUILDING MATERIAL | 6 |
| BDMDD | PUD-BUILDING MATERIAL | 6 |
| BDMEE | PUD-BUILDING MATERIAL | 7 |
| BDMFF | PUD-BUILDING MATERIAL | 7 |
| BELAA | PUD-BELTS | 8 |
| BFPAA | PUD-BACKFLOW PREVENTERS | 8-9 |
| BOLEY | BOLTS | 9 |
| CDUNL | CONDUIT | 9-10 |
| CHLEE | PUD-CHLORINE PARTS/MATERIAL | 10 |
| CHLGG | PUD-CHLORINE PARTS/MATERIAL | 10-11 |
| CHMDE | CHEMICALS | 11 |
| CHNAA | PUD-CHAIN & ATTACHMENTS | 11-12 |
| CLPAA | PUD-CLAMPS | 12-13 |
| CLPBB | PUD-CLAMPS | 14-16 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-------------------|-------|
| CLPCC | PUD-CLAMPS | 16-18 |
| CLPDD | PUD-CLAMPS | 18-19 |
| CLPEE | PUD-CLAMPS | 19-21 |
| CLPFF | PUD-CLAMPS | 21-22 |
| CLPGG | PUD-CLAMPS | 22-23 |
| СЬРНН | PUD-CLAMPS | 23-25 |
| CLPJJ | PUD-CLAMPS | 25 |
| CLPKK | PUD-CLAMPS | 26-27 |
| CLPLL | PUD-CLAMPS | 27-28 |
| CLPMM | PUD-CLAMPS | 28-30 |
| CLPNN | PUD-CLAMPS | 30-33 |
| CLPPP | PUD-CLAMPS | 33-34 |
| CLPQQ | PUD-CLAMPS | 34-38 |
| CLPRR | PUD-CLAMPS | 39 |
| CLSBB | CLEANING SUPPLIES | 39 |
| CLSCC | CLEANING SUPPLIES | 40 |
| CLSEE | CLEANING SUPPLIES | 40 |
| CLSGG | CLEANING SUPPLIES | 40 |
| CLSHH | CLEANING SUPPLIES | 41 |
| CNNTL | CONNECTORS | 41 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|--------------------------|-------|
| CNNWC | CONNECTORS | 41-42 |
| ELEBT | ELECTRICAL PARTS, COMMON | 42-43 |
| ELMAB | ELECTRICAL COMPONENTS | 44 |
| ELMAE | ELECTRICAL COMPONENTS | 44 |
| ELMAF | ELECTRICAL COMPONENTS | 44 |
| ELMAK | ELECTRICAL COMPONENTS | 45 |
| ELMBA | ELECTRICAL COMPONENTS | 45 |
| ELMBB | ELECTRICAL COMPONENTS | 45 |
| ELMBC | ELECTRICAL COMPONENTS | 45 |
| ELMBE | ELECTRICAL COMPONENTS | 46 |
| ELMBG | ELECTRICAL COMPONENTS | 46-47 |
| ELMBJ | ELECTRICAL COMPONENTS | 47-49 |
| ELMBK | ELECTRICAL COMPONENTS | 49 |
| ELMCA | ELECTRICAL COMPONENTS | 49 |
| ELMCB | ELECTRICAL COMPONENTS | 49 |
| ELMCF | ELECTRICAL COMPONENTS | 50 |
| ELMCJ | ELECTRICAL COMPONENTS | 51 |
| ELMCK | ELECTRICAL COMPONENTS | 51 |
| ELMCL | ELECTRICAL COMPONENTS | 51 |
| ELMCM | ELECTRICAL COMPONENTS | 52-53 |

JEA Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-----------------------|--------|
| ELMCP | ELECTRICAL COMPONENTS | 53 |
| FASAA | PUD-FASTENERS | 54 |
| FASBB | PUD-FASTENERS | 54 |
| FASCC | PUD-FASTENERS | 55 |
| FLTAA | PUD-FILTERS | 56 |
| FTGAA | PUD-FITTINGS | 56-58 |
| FTGAE | PUD-FITTINGS | 58-61 |
| FTGAJ | PUD-FITTINGS | 61-63 |
| FTGAL | PUD-FITTINGS | 63-68 |
| FTGAN | PUD-FITTINGS | 68-70 |
| FTGAP | PUD-FITTINGS | 70 |
| FTGAR | PUD-FITTINGS | 70-71 |
| FTGAT | PUD-FITTINGS | 71-83 |
| FTGAV | PUD-FITTINGS | 84 |
| FTGAZ | PUD-FITTINGS | 84-86 |
| FTGBB | PUD-FITTINGS | 86 |
| FTGBD | PUD-FITTINGS | 86-87 |
| FTGBF | PUD-FITTINGS | 87-89 |
| FTGBH | PUD-FITTINGS | 89-92 |
| FTGBK | PUD-FITTINGS | 93-109 |

JEA Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|--------------|---------|
| FTGBM | PUD-FITTINGS | 109-113 |
| FTGBQ | PUD-FITTINGS | 113-114 |
| FTGBR | PUD-FITTINGS | 114-116 |
| FTGBU | PUD-FITTINGS | 116-117 |
| FTGBW | PUD-FITTINGS | 117 |
| FTGBY | PUD-FITTINGS | 118-120 |
| FTGCA | PUD-FITTINGS | 120-123 |
| FTGCE | PUD-FITTINGS | 124-126 |
| FTGCF | PUD-FITTINGS | 126-127 |
| FTGCH | PUD-FITTINGS | 127-129 |
| FTGCL | PUD-FITTINGS | 129-132 |
| FTGCN | PUD-FITTINGS | 132-140 |
| FTGCP | PUD-FITTINGS | 140-141 |
| FTGCR | PUD-FITTINGS | 141-143 |
| FTGCT | PUD-FITTINGS | 143-144 |
| FTGCZ | PUD-FITTINGS | 145-146 |
| FTGDD | PUD-FITTINGS | 147 |
| FTGDF | PUD-FITTINGS | 148-154 |
| FTGDH | PUD-FITTINGS | 154-158 |
| FTGDK | PUD-FITTINGS | 158-165 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|---------------------------|---------|
| FTGDM | PUD-FITTINGS | 165-166 |
| FTGDQ | PUD-FITTINGS | 166-169 |
| FTGDU | PUD-FITTINGS | 169-172 |
| FTGDW | PUD-FITTINGS | 173 |
| FTGDY | PUD-FITTINGS | 173-176 |
| FTGEE | PUD-FITTINGS | 177-184 |
| FTGEG | PUD-FITTINGS | 184 |
| FTGIP | PUD-FITTINGS | 185 |
| FUSSU | FUSES | 185 |
| FUSUG | FUSES | 186 |
| GAGAA | PUD-GAUGES | 186-187 |
| GKTAA | PUD-GASKETS | 187-188 |
| HDWTW | HARDWARE | 188-189 |
| HSEAA | PUD-HOSE & FITTINGS | 189 |
| HSEBB | PUD-HOSE & FITTINGS | 190-191 |
| HSECC | PUD-HOSE & FITTINGS | 192-193 |
| HSEDD | PUD-HOSE & FITTINGS | 193-194 |
| HSEEE | PUD-HOSE & FITTINGS | 194 |
| нѕенн | PUD-HOSE & FITTINGS | 194-195 |
| HYDAA | PUD-FIRE HYDRANTS & PARTS | 195-196 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|---------------------------|---------|
| HYDBB | PUD-FIRE HYDRANTS & PARTS | 196-197 |
| HYDDD | PUD-FIRE HYDRANTS & PARTS | 197 |
| HYDEE | PUD-FIRE HYDRANTS & PARTS | 198-200 |
| HYDFF | PUD-FIRE HYDRANTS & PARTS | 200-201 |
| HYDGG | PUD-FIRE HYDRANTS & PARTS | 202-203 |
| HYDRF | PUD-FIRE HYDRANTS & PARTS | 204 |
| INCBB | PUD-INCINERATOR MATERIAL | 204 |
| INCDD | PUD-INCINERATOR MATERIAL | 204 |
| JANBG | JANITORIAL SUPPLIES | 204-205 |
| JANCT | JANITORIAL SUPPLIES | 205 |
| JANSO | JANITORIAL SUPPLIES | 205 |
| JANTI | JANITORIAL SUPPLIES | 206 |
| JANTO | JANITORIAL SUPPLIES | 206 |
| LABSE | LABORATORY SUPPLIES | 206-207 |
| LAMFL | LAMPS | 206-207 |
| LAMUV | LAMPS | 207 |
| LBRAA | PUD-LUBRICANTS | 207 |
| LBRCC | PUD-LUBRICANTS | 207-208 |
| LOCPA | LOCKS | 208-209 |
| LTGLN | LIGHTING & ACCESSORIES | 209 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|----------------------|---------|
| LUBLU | LUBRICANTS | 209 |
| LUBOI | LUBRICANTS | 209 |
| METSE | METERS & ACCESSORIES | 210 |
| MHLAA | PUD-MANHOLE MATERIAL | 210-215 |
| MHLBA | PUD-MANHOLE MATERIAL | 216 |
| MHLDB | PUD-MANHOLE MATERIAL | 216 |
| MHLFB | PUD-MANHOLE MATERIAL | 217 |
| MHLSE | PUD-MANHOLE MATERIAL | 218 |
| MTEAA | PUD-METERS | 219-227 |
| MTEAC | PUD-METERS | 228-230 |
| MTEBB | PUD-METERS | 230-232 |
| MTEBC | PUD-METERS | 232-234 |
| MTECC | PUD-METERS | 234-237 |
| MTECD | PUD-METERS | 237-238 |
| MTEHV | PUD-METERS | 238-243 |
| MTEHX | PUD-METERS | 244 |
| NUTSA | NUTS | 245 |
| PMPAD | PUMPS | 245-247 |
| PMPAR | PUMPS | 247 |
| PMPBK | PUMPS | 247 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-------------------|---------|
| PMPCN | PUMPS | 248 |
| PMPHP | PUMPS | 248 |
| PMPTI | PUMPS | 248 |
| PNTAA | PUD-PAINT | 248-250 |
| PPEDU | PUD-PIPE & TUBING | 251-252 |
| PPEGV | PUD-PIPE & TUBING | 252-253 |
| PPEPV | PUD-PIPE & TUBING | 253-256 |
| PPERW | PUD-PIPE & TUBING | 256-258 |
| PPESC | PUD-PIPE & TUBING | 258-259 |
| PPESD | PUD-PIPE & TUBING | 259 |
| PPESH | PUD-PIPE & TUBING | 259-260 |
| PPESW | PUD-PIPE & TUBING | 261-263 |
| PPETU | PUD-PIPE & TUBING | 263-264 |
| PPEVY | PUD-PIPE & TUBING | 264 |
| PUMSP | PUMPS (2) | 264 |
| PUMSU | PUMPS (2) | 264 |
| RODCP | ROD, THREADED | 265 |
| RODTH | ROD, THREADED | 265 |
| SAFBC | SAFETY SUPPLIES | 265-266 |
| SAFBO | SAFETY SUPPLIES | 265-266 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-----------------------|---------|
| SAFCC | SAFETY SUPPLIES | 266-267 |
| SAFEY | SAFETY SUPPLIES | 267 |
| SAFGL | SAFETY SUPPLIES | 268 |
| SAFRE | SAFETY SUPPLIES | 268 |
| SAFRW | SAFETY SUPPLIES | 269-276 |
| SAFTC | SAFETY SUPPLIES | 276-279 |
| SAFWC | SAFETY SUPPLIES | 279 |
| SFTCC | PUD-SAFETY SUPPLIES | 279-284 |
| SFTDD | PUD-SAFETY SUPPLIES | 284-285 |
| SFTEE | PUD-SAFETY SUPPLIES | 286 |
| SFTFL | PUD-SAFETY SUPPLIES | 287 |
| SFTGL | PUD-SAFETY SUPPLIES | 287-288 |
| STLLA | STREET LIGHT MATERIAL | 288 |
| TAPDU | TAPE | 289 |
| TAPMS | TAPE | 289 |
| TAPSE | TAPE | 289 |
| TIECA | TIES | 289 |
| TIESS | TIES | 290 |
| TLSAA | PUD-TOOLS | 290-294 |
| TLSBB | PUD-TOOLS | 294-295 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|-------------|---------|
| TLSCC | PUD-TOOLS | 295-298 |
| TLSDD | PUD-TOOLS | 298-303 |
| TLSEE | PUD-TOOLS | 303-304 |
| TLSFF | PUD-TOOLS | 305-307 |
| TLSGG | PUD-TOOLS | 307-308 |
| TLSHH | PUD-TOOLS | 308-311 |
| TLSJJ | PUD-TOOLS | 311 |
| TLSLL | PUD-TOOLS | 311 |
| TLSNN | PUD-TOOLS | 312 |
| TLSPP | PUD-TOOLS | 312 |
| TLSQQ | PUD-TOOLS | 312-313 |
| TLSRR | PUD-TOOLS | 313 |
| TLSUU | PUD-TOOLS | 314-316 |
| TLSVV | PUD-TOOLS | 316-318 |
| TOLCE | TOOLS | 318 |
| TOLCW | TOOLS | 318 |
| TOLGA | TOOLS | 318 |
| TOLSH | TOOLS | 319 |
| TOLUP | TOOLS | 319 |
| TOLWR | TOOLS | 319 |

JEA
Water and Wastewater Master Material Catalog Index

| Item | Description | Pages |
|-------|------------------------|---------|
| VACCO | VACUUM PUMPS | 320 |
| VACPE | VACUUM PUMPS | 320 |
| VACPI | VACUUM PUMPS | 320 |
| VALAR | VALVES | 320 |
| VLVAA | PUD-VALVES | 321-322 |
| VLVBB | PUD-VALVES | 323-328 |
| VLVBW | PUD-VALVES | 328 |
| VLVCC | PUD-VALVES | 329-332 |
| VLVCP | PUD-VALVES | 332 |
| VLVDD | PUD-VALVES | 332-336 |
| VLVEE | PUD-VALVES | 336-337 |
| VLVFF | PUD-VALVES | 337 |
| VLVGG | PUD-VALVES | 337-338 |
| WASFG | WASHERS | 338-339 |
| WPTAA | PUD-WELLPOINT MATERIAL | 339-341 |