

## JEA Water and Wastewater Approved Materials Manual

**VOLUME III** 

January 1, 2024 - Edition

"Foundation for the Future - Water & Wastewater Standards"



## Table of Contents

TABLE OF CONTENTS	2
WATER & RECLAIMED WATER APPROVED MATERIALS	10
PIPE	11
AW-101: DUCTILE IRON PIPE	
AW-102: PVC PIPE (DR14 & DR18)	12
AW-103: PVC PIPE (SDR-21)	13
AW-104: PVC PIPE (SCH 40 & SCH 80)	14
AW-105: POLYETHYLENE TUBING	15
AW-106: GALVANIZED PIPE	16
AW-107: HDPE PIPE	17
FITTINGS	18
AW-201: DUCTILE IRON FITTING	18
AW-202: IRON TAPPING SLEEVE	19
AW-203: STAINLESS STEEL TAPPING SLEEVE	20
AW-204: PVC SOLVENT WELD FITTING	21
AW-205: SDR 21 PUSH ON JOINT FITTING	22
AW-206: PVC PRESSURE FITTING	23
VALVES, HYDRANTS	24
AW-301: VALVE BOX AND COVER	24
AW-302: GATE VALVE	25
AW-303: CONTROL VALVE	26
AW-304: TAPPING VALVE	27
AW-305: CORPORATION STOP	28
AW-306: INSERTION VALVE	29
AW-307: CURB STOP	30

AW-308: FIRE HYDRANT	31
SERVICE PIPE ACCESSORIES	32
AW-401: BOLTLESS COUPLING	32
AW-402: BRASS ADAPTER & COUPLER	33
AW-403: SERVICE SADDLE, DOUBLE STRAP	34
AW-404: SERVICE SADDLE, SINGLE STRAP	35
AW-405: PAIR ADAPTORS	36
AW-406: METER BOX	37
AW-408: FUSED POLY SERVICE SADDLES	39
LARGE PIPE ACCESSORIES	40
AW-501: CAST COUPLING	40
AW-502: FULL CIRCLE REPAIR CLAMP	41
AW-503: ACCESSORY PACK	42
AW-504: RESTRAINTS FOR PVC & D.I. PIPE	43
AW-505: PVC & D.I. BELL RESTRAINING DEVICE	44
AW-506: MECHANICAL JOINT FASTENERS	45
AW-507: FLANGE ADAPTER	46
AW-508: CASING SPACER	47
LOCATE WIRE	48
AW-601: LOCATE WIRE	48
AW-602: DIRECT BURY LUG	49
AW-603: LOCATE WIRE TESTING EQUIPMENT	50
MISC MATERIALS	51
AW-701: ADMIXTURES	51
AW-702: METALWORK FINISHES	52
WASTEWATER APPROVED MATERIALS	53
PIPE	54
AS-101: HDPE PIPE	54
AS-102: PVC PRESSURE (DR18 & DR25) PIPE	55

AS-103: PVC GRAVITY PIPE	56
AS-104: PVC PIPE (SCH 40 & SCH 80)	57
AS-105: FIBERGLASS REINFORCED POLYMER MORTAR PIPE	58
FITTINGS	59
AS-201: DUCTILE IRON FITTINGS	59
AS-202: STAINLESS STEEL TAPPING SLEEVE	60
AS-203: PVC SOLVENT WELD FITTING	61
AS-204: PVC GRAVITY FITTING (SDR26)	62
AS-205: PVC PRESSURE FITTING	63
AS-206: EPOXY LINING	64
VALVES	65
AS-301: VALVE BOX AND COVER	65
AS-302: GATE VALVE	66
AS-303: TAPPING VALVE	67
AS-304: PLUG VALVE	68
AS-305: CHECK VALVE	69
AS-306: AIR VALVE	70
AS-307: INSERTION VALVE	71
PIPE ACCESSORIES	72
AS-401: FULL CIRCLE 2" TAPPING SADDLE FOR ARVS	72
AS-402: RESTRAINTS FOR PVC OR D.I. PIPE	73
AS-403: PVC OR D.I. BELL RESTRAINING DEVICE	74
AS-404: ACCESSORY PACK	75
AS-405: MECHANICAL JOINT FASTENER	76
AS-406: FLANGE ADAPTER	77
AS-407: CASING SPACER	78
AS-408: PIPE COUPLING	79
AS-409: FULL CIRCLE REPAIR CLAMP	80
MANHOLES	81
AS-501: MANHOLE AND ACCESSORIES	81

AS-502: PROTECTIVE COATING	82
AS-503: MANHOLE ADJUSTMENT RING	83
AS-504: MANHOLE FRAME AND COVER	84
AS-505: MANHOLE MONITOR	85
AS-506: MANHOLE JOINT SEALANT	86
PUMP STATIONS	87
AS-601: ALUMINUM HATCH (FRAME AND COVER)	87
AS-602: CONCRETE LINER	88
AS-603: WASTEWATER PUMP	89
AS-604: ELECTRICAL, CONTROL PANEL, VFD & SCADA	90
AS-605: TRANSFER SWITCH	91
AS-606: ENGINE-DRIVEN EMERGENCY PUMP	92
AS-607: COMMUNICATIONS RADIO	93
VACUUM SYSTEM	94
AS-701: VACUUM SEWER VALVE	94
LOCATE WIRE	95
AS-801: LOCATE WIRE	95
AS-802: DIRECT BURY LUG	96
AS-803: LOCATE WIRE TESTING EQUIPMENT	97
MISC MATERIALS	98
AS-901: ADMIXTURES	98
AS-902: METALWORK FINISH	99
VASTEWATER TREATMENT PLANT APPROVED MATE	ERIALS 100
PROTECTIVE COATING	101
WWT-101: PROTECTIVE COATING	101
ELECTRICAL, CONTROL PANEL, VFD & SCADA	102
WWT-201: ELECTRICAL CONTROL PANEL AND MCC	
WWT-203: VARIABLE FREQUENCY DRIVES	
SCREENS	

WWT-301: WWTP SCREENS	105
UV SYSTEMS	106
WWT-401: UV DISINFECTION EQUIPMENT	106
ODOR CONTROL	107
WWT-402: ODOR CONTROL	107
GATES	108
WWT-501: SLUICE/SLIDE GATES	108
STAINLESS STEEL GATES: STAINLESS STEEL GATES LARGER THAN 24 INCHES ARE LIMITE AERATION BASINS AND DOWN STREAM LOCATIONS ONLY. ALL OTHER LOCATIONS MUEXCEED A MAXIMUM OF 24 INCHES	JST NOT
AIR SCRUBBERS	109
WWT-601: PLANT AIR SYSTEM	109
WWT-602: AIR FILTRATION CARBON	110
TANKS	111
WWT-701: FLAT ALUMINUM TANK COVERS	111
WWT-702: GLASS FUSED/STEEL TANKS	112
WWT-703: PRESTRESS STORAGE TANKS	113
WWT-704: FUEL TANKS	114
WWT-705: LINERS FOR CORROSION PROTECTION	115
EFFLUENT FILTERS	116
WWT-801: CLOTH DISK FILTERS	116
CENTRIFUGES	117
WWT-901: CENTRIFUGES	117
AERATION DIFFUSERS	118
WWT-1001: FINE BUBBLE DIFFUSERS	118
VALVE ACTUATORS	119
WWT-1101: ACTUATOR	119
CHEMICAL FEED SKIDS	120
WWT-1201: CHEMICAL METERING FEED PUMP SKID	120

FLOW METERS	121
WWT-1301: MAGNETIC FLOW METERS	121
WWT-1302: ULTRASONIC FLOW METERS	122
WWT-1303: SLUDGE/BIOSOLIDS DENSITY METER	123
PUMPS	124
WWT-1401: CHEMICAL METERING PUMPS	124
WWT-1402: RECYCLE/EFFLUENT PUMPS	125
WWT-1403: GRINDER PUMPS	126
WWT-1404: REUSE VERTICAL TURBINE PUMPS	127
WWT-1405: SELF-PRIMING RAW SEWAGE PUMPS	128
WWT-1406: PROGRESSIVE CAVITY PUMPS	129
WWT-1407: VACUUM PUMP	130
WWT-1408: SLUDGE PUMP	131
VALVES	132
WWT-1501: PLUG VALVES	132
WWT-1502: CHECK VALVES	133
WWT-1503: BALL VALVES	134
VALVE POSITION MONITOR	135
WWT-1601: ROTARY POSITION MONITOR	135
CONVEYOR	136
WWT-1701: CONVEYOR SYSTEM	136
INSTRUMENTATION	137
GENERAL	137
ANALYZERS	138
CONTROLLERS	139
PROBES	140
SAMPLERS	141
SENSORS	142
TRANSMITTERS	143

WATER TREATMENT PLANT APPROVED MATERIALS	144
PROTECTIVE COATINGS	145
WT-101: PROTECTIVE COATING	145
OIL	146
WT-201: OIL	146
SLEEVE BEARINGS AND MECHANICAL SEALS	147
WT-301: SLEEVE BEARINGS	
WT-302: MECHANICAL SEALS	148
PUMPS	149
WT-401: PUMPS	
ELECTRICAL-ELECTRONICS-INSTRUMENTATION	150
WT-501: ELECTRICAL EQUIPMENT	150
WT-502: INSTRUMENTATION EQUIPMENT	150
WT-503: ELECTRONIC EQUIPMENT	153
STORAGE TANKS	155
WT-601: STORAGE TANKS	155
FANS	156
WT-701: FANS AND INTAKE HOOD	156
FLOW METERS	157
WT-801: FLOW METERS AND RELATED EQUIPMENT	157
VALVES	158
WT-901: AIR RELEASE/VACUUM VALVES	158
WT-902: BALL VALVES	159
WT-903: BUTTERFLY VALVES	160
WT-904: CHECK VALVES	161
WT-905: GATE VALVES	162
WT-906: PRESSURE REGULATING VALVES	163
WT-907: MISC. VALVE TYPES	164



MISCELLANEOUS	. 165
WT-1001: MISC MATERIALS	165



# WATER & RECLAIMED WATER APPROVED MATERIALS

#### **PIPE**

#### **AW-101: DUCTILE IRON PIPE**

Note: Push on joint shown as example only. (For additional joints, see specifications)

**DESCRIPTION:** Ductile Iron Pipe (D.I.P), cement lined. See Chapter III.1. - Section 350 of the current JEA Standards

for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water

specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	American Cast Iron Pipe Company	N/A
3-inch & larger	McWane Ductile	N/A
3-inch & larger	U.S. Pipe	N/A

#### **AW-102: PVC PIPE (DR14 & DR18)**

<u>DESCRIPTION:</u> DR14 & DR18 Pipe. See Chapter III. 1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4 – 12-inch	Diamond Plastics	N/A
4 – 12-inch	JM Eagle	N/A
4 – 12-inch	National Pipe & Plastics/National PVC)	N/A
4 – 12-inch	Westlake fka NAPCO	N/A
4 – 12-inch	Ipex	N/A
4 – 12-inch	Sanderson Pipe Corportation	N/A

#### **AW-103: PVC PIPE (SDR-21)**

<u>DESCRIPTION:</u> PVC 1120, SDR 21 Pipe. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
2-inch only	Diamond Plastics	N/A
2-inch only	JM Eagle	N/A
2-inch only	Westlake fka NAPCO	N/A
2-inch only	National Pipe & Plastics	N/A
2-inch only	Sanderson Pipe	N/A

#### AW-104: PVC PIPE (SCH 40 & SCH 80)

DESCRIPTION: PVC SCH 40 & SCH 80 Pipe. See Chapter III.1. - Section 350 of the current JEA Standards for

specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications

and requirements.

SIZE	MANUFACTURER	MODEL#
2-inch only	JM Eagle Manufacturing	N/A
2-inch only	National Pipe and Plastics	N/A
2-inch only	Westlake fka NAPCO	N/A
2-inch only	Universal 100 / Accord	N/A
2-inch only	Charlotte Pipe and Foundry Co	N/A
2-inch only	Ipex	N/A

#### **AW-105: POLYETHYLENE TUBING**

<u>DESCRIPTION:</u> PE 4710, SDR-9, Copper Tube Size, Polyethylene Tubing. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for

Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL #
2-inch & smaller	Endot, LLC	EndoPure – Blue (Potable) Only
2-inch & smaller	Endot, LLC	EndoCore – Purple (Reclaim) Only
2-inch & smaller	Phillips Driscopipe/Performance Pipe	N/A
2-inch & smaller	Charter Plastics	Blue Ice
2-inch & smaller	Silver-Line Plastics	N/A
2-inch & smaller	Advanced Drainage System	ADS PolyFlex



#### **AW-106: GALVANIZED PIPE**

**Note:** For use in Contaminated Soil Sites only.

**DESCRIPTION:** Galvanized Pipe. See Chapter III.1. - Section 350 of the current JEA Standards for specifications

and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and

requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & smaller	Grinnell Corporation	N/A
4-inch & smaller	Wheatland Tube	N/A

#### **AW-107: HDPE PIPE**

<u>DESCRIPTION:</u> AWWA C906 Polyethylene (PE) Pressure Pipe and Fittings, 4-inch through 63-inch, for Water Distribution American Society for Testing and Materials (ASTM) Standards.

SIZE	MANUFACTURER	MODEL#
4-inch and larger		N/A

### **FITTINGS**

**AW-201: DUCTILE IRON FITTING** 

**Note:** Mechanical Joint, bend, shown as example only (for additional joints & fittings, see specifications).

**DESCRIPTION:** Ductile Iron Fitting, cement-lined or JEA approved equal. See Chapter III.1. - Section 350 of the

current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for

Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	Tyler Union	N/A
4-inch & larger	Star Pipe Products	N/A
3-inch & larger	Sigma Corp. (Russell Pipe)	N/A
3-inch & larger	SIP Industries	N/A

#### **AW-202: IRON TAPPING SLEEVE**

**Note:** Mechanical Joint Shown as example only (for additional joints, see specifications).

**DESCRIPTION:** Iron Tapping Sleeve. See Chapter III. 2. - Section 351 of the current JEA Standards for specifications

and requirements. See Chapter V.2. - Section 702 for Reclaimed Water specifications and

requirements. This sleeve shall not be utilized on PVC pipe larger than 12-inch.

SIZE	MANUFACTURER	MODEL #
4-inch & larger	American Cast Iron Pipe Company	1004
4-inch & larger	Clow Valve	F-5205
4-inch & larger	M & H Valve Company	1574
4-inch & larger	Mueller Company	H-615, H-616, H-619
4-inch & larger	Tyler Union	5-149-CI
4-inch & larger	US Pipe	N/A
30-inch & larger	Smith-Blair (Carbon Steel)	623

#### **AW-203: STAINLESS STEEL TAPPING SLEEVE**

**Note:** Must be all stainless steel, no dissimilar metals allowed.

<u>DESCRIPTION:</u> Stainless Steel Tapping Sleeve. See Section 351 of the current JEA Standards for specifications and requirements. See Section 702 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch & larger	Cascade Waterworks Mfg.	CST-EX
4-inch & larger	Dresser Inc./GE	630
4-inch & larger	Ford Meter Box Company	FAST Series, FTSS
4-inch & larger	JCM Industries, Inc.	432, 439, 452 (14-inch and larger)
4-inch & larger	Power Seal	3490, 3490 MJ (8-inch and smaller)
4-inch & larger	Romac Industries, Inc.	SST
4-inch & larger	Smith-Blair	663 & 665
4-inch & larger	Mueller	H304

#### **AW-204: PVC SOLVENT WELD FITTING**

**DESCRIPTION:** Schedule 40 & 80 Solvent Weld Fittings. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
2-inch only	Chemtrol/NIBCO	N/A
2-inch only	Ipex	N/A
2-inch only	Lasco Fittings, Inc.	N/A
2-inch only	Georg Fisher Sloane Manufacturing (GF Piping Systems)	N/A
2-inch only	Spears Manufacturing	N/A
2-inch only	Charlotte Pipe and Foundry Co	N/A

#### **AW-205: SDR 21 PUSH ON JOINT FITTING**

**DESCRIPTION:** PVC 1120, SDR 21 Push On Joint Fittings. See Chapter III.1. - Section 350 of the current JEA

Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water

specifications and requirements.

SIZE	MANUFACTURER	MODEL#
2-inch	Ipex	N/A

#### **AW-206: PVC PRESSURE FITTING**

**DESCRIPTION:** PVC C900, DR18 Injection Molded, Push on Joint (pressure) Fittings. See Chapter III.1. - Section

350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section

701 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch-12	Harrington Corporation (HARCO)	N/A
4-inch-12	Ipex	N/A
4-inch-12	Multi-Fittings	N/A



## **VALVES, HYDRANTS**

**AW-301: VALVE BOX AND COVER** 

**DESCRIPTION:** Valve Box and Cover. See Section 351 of the current JEA Standards for specifications and requirements. See Section 702 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
N/A	Tyler Pipe	461-S, Heavy Duty
N/A	Sigma Corp. (Russell Pipe)	VB-26, Heavy Duty
N/A	U.S. Foundry	7500, Heavy Duty
N/A	East Jordan Iron Works	461S, Heavy Duty
N/A	Star Pipe Products	VB 461 SHD, Heavy Duty
N/A	SIP	6004/6004CL35, Heavy Duty



#### **AW-302: GATE VALVE**

Note: All valves shall open by turning to the left. Mechanical joint shown as example only. See

specifications for additional joints.

**DESCRIPTION:** Resilient Seat Gate Valve. See Chapter III. 2. - Section 351 of the current JEA Standards for

specifications and requirements. See Chapter V. 2. - Section 702 for Reclaimed Water specifications

and requirements.

Size	Manufacturer	M.Jt. Model #
3-inch to 12-inch	United Water Products	2010
3-inch & larger	American Flow Control (American Cast Iron Co)	2500 Series ALHA w/Restraint Joint
3-inch & larger	AVK (S/S Stem Only)	Series 45
3-inch & larger	Clow Valve	F-6100
3-inch & larger	Kennedy Valve Company	8571
3-inch & larger	Mueller	A2361
3-inch & larger	M & H Valve Company	4067
3-inch & larger	U.S. Pipe	250
3-inch & larger	Mueller Co	A-2361 Series
3-inch & larger	American – RD (Product line of Kennedy Valve)	D100

#### **AW-303: CONTROL VALVE**

**<u>DESCRIPTION:</u>** Pressure control valves. Specification required by design engineer.

Size	Manufacturer	Model #
4-inch & larger	Bermad	730

#### **AW-304: TAPPING VALVE**

<u>DESCRIPTION:</u> See Chapter III. 2. - Section 351 of the current JEA Standards for specifications and requirements. See Chapter V. 2. - Section 702 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	American Flow Control (American cast iron company)	N/A
3-inch & larger	AVK (S/S Stem Only)	25/30081
3-inch & larger	Clow Valve	F-6114, 2638
3-inch & larger	Kennedy Valve Company	950-X
3-inch & larger	M & H Valve	4751
3-inch & larger	Mueller	T-2360, T-2361
3-inch & larger	U.S. Pipe	5860
3-inch & larger	Mueller-Aqua Grip	A-2361-76
3-inch & larger	American – RD (Product line of Kennedy valve)	N/A

#### **AW-305: CORPORATION STOP**

**Note:** Only full port valves are allowed.

<u>DESCRIPTION:</u> Corporation Stop Chapter III. 2. - Section 351 of the current JEA Standards for specifications and requirements. See Chapter V. 2. - Section 702 for Reclaimed Water specifications and requirements.

SIZE	MANUFACTURER	MODEL#
2-inch & smaller	Ford Meter Box Company	1000 and 1100 Series
2-inch & smaller	A.Y. McDonald Mfg.	4700 Series
2-inch & smaller	Mueller	H Series
2-inch & smaller	Mueller	B Series
2-inch & smaller	James Jones Company	N/A
2-inch & smaller	Cambridge Brass	N/A

#### **AW-306: INSERTION VALVE**

**DESCRIPTION:** See Chapter IV.4. - Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch thru 8-inch	ROMAC	310 Sleeve w/ 361 valve
10" thru 12"	ROMAC	311 Sleeve w/ 358 valve
4" thru12"	Hydra-Stop	Insta-Valve
14-inch & larger	Submittal and JEA Approval	Special Case

**AW-307: CURB STOP** 

<u>DESCRIPTION:</u> Curb Stop, Ball Valve. See Chapter III.2. - Section 351 of the current JEA Standards for specifications and requirements. See Chapter V.2. - Section 702 for Reclaimed Water specifications and

requirements. Only full port valves are allowed.

SIZE	MANUFACTURER	MODEL#
2-inch & smaller	Ford Meter Box Company	B11 Series (w/lockwing, FIPxFIP)
2-inch & smaller	Ford Meter Box Company	B41 Series (w/lockwing)
2-inch & smaller	McDonald A.Y. McDonald Mfg	6100 Series (w/lockwing)
2-inch & smaller	Mueller	B20200 (w/lockwing, FIPxFIP)
2-inch & smaller	Mueller	B25170 (w/lockwing)
2-inch & smaller	James Jones	N/A
2-inch & smaller	Cambridge Brass	N/A

#### **AW-308: FIRE HYDRANT**

<u>DESCRIPTION:</u> 5¼" Fire Hydrant. See Chapter III.2. - Section 351 of the current JEA Standards for specifications and requirements.

MANUFACTURER	MODEL #
American Flow Control (American Cast Iron Company)	B-84-B
M & H Valve Company	129
Mueller Co	A-423
US Pipe/Muller	Met M94
AVK	2780
EJ WaterMaster	5CD250



#### **SERVICE PIPE ACCESSORIES**

**AW-401: BOLTLESS COUPLING** 

**DESCRIPTION:** Boltless Coupling (Long or Short type). See Chapter III. 1. - Section 350 of the current JEA Standards

for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water

specifications and requirements.

Size	Manufacturer	Model #
2-inch & smaller	Dresser Inc./GE	Style 65
2-inch & smaller	Smith-Blair	525
2-inch & smaller	TPS	Series 6000

#### **AW-402: BRASS ADAPTER & COUPLER**

<u>DESCRIPTION:</u> Brass Adapters & Couplers. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
2-inch & smaller	The Ford Meter Box Co, Inc	
2-inch & smaller	McDonald A.Y. McDonald Mfg	
2-inch & smaller	Mueller	
2-inch & smaller	James Jones	
2-inch & smaller	Cambridge Brass	

#### **AW-403: SERVICE SADDLE, DOUBLE STRAP**

Note:

Select desired saddle O.D. range which specifically matches outside diameter of pipe. Saddles for C-900 shall be sized to the exact O.D. size for proper fit. A double strap saddle will be required for all wet taps and are acceptable for installation on dry water supply mains (all sizes).

**DESCRIPTION:** Service Saddle shall be epoxy or poly coated with double stainless steel straps. See Chapter IV.6. -Section 351 of the current JEA Standards for specifications and requirements. See Chapter V.2. -Section 702 for Reclaimed Water specifications and requirements.

Outlet Size	Manufacturer	Model #
2-inch & smaller	Cascade Waterworks Mfg.	CDS2/CDS-LD
2-inch & smaller	Dresser Inc./GE	291DS
2-inch & smaller	The Ford Meter Box Co.	FC – 202, 202BS
2-inch & smaller	JCM Industries	406
2-inch & smaller	Smith Blair	317
2-inch & smaller	Mueller	DR 25
2-inch & smaller	Power Seal	3417, 3409

#### **AW-404: SERVICE SADDLE, SINGLE STRAP**

Note:

Select desired saddle O.D. range which specifically matches outside diameter of pipe. Saddles for C-900 shall be sized to the exact O.D. size for proper fit. Single Strap Saddle is approved for new 1inch water services only which are installed on dry water main, sized 4-inch through 10 inch.

**DESCRIPTION:** Service Saddle shall be epoxy or poly coated with single stainless steel straps. See Chapter IV.6. -Section 351 of the current JEA Standards for specifications and requirements. See Chapter V.2. -Section 702 for Reclaimed Water specifications and requirements.

Outlet Size	Manufacturer	Model #
1-inch & smaller	Cascade Waterworks Mfg.	CDS2
1-inch & smaller	Dresser Inc./GE	291-SS
1-inch & smaller	Ford Meter Box Company	FC-101
1-inch & smaller	JCM Industries	405
1-inch & smaller	Smith Blair	315
1-inch & smaller	Mueller	DR1S
1-inch & smaller	Power Seal	3417, 3409

#### **AW-405: PAIR ADAPTORS**

**DESCRIPTION:** Brass adaptor to change 3/4" meter to 5/8" meter spud size

SIZE	MANUFACTURER	MODEL #
3/4" to 5/8"	Ford	A13

**AW-406: METER BOX** 

<u>DESCRIPTION:</u> Meter Box. See Chapter III.2. - Section 351 of the current JEA Standards for specifications and requirements. See Chapter V.2. - Section 702 for Reclaimed Water specifications and requirements.

Size	Box	Model #
N/A	Glassmasters	N/A
N/A	Southern Meter Box	N/A
N/A	Pentek	N/A

#### **AW-407: METER**

Size	Manufacturer	Contact
N/A	Badger Meter	Rebecca Loomans (414)426- 7387

#### **AW-408: FUSED POLY SERVICE SADDLES**

<u>DESCRIPTION:</u> See Chapter III.5.2. - Section 350 of the current JEA Standards for specifications and requirements for use on water or reuse service connections to HDPE Pipe.

Size	Вох	Model #
2" and Smaller	Frialen VA or VA-TL	VA or VA-TL



## LARGE PIPE ACCESSORIES

**AW-501: CAST COUPLING** 

<u>DESCRIPTION:</u> Cast Coupling. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
4-inch & larger	Cascade Waterworks Mfg.	CDC, CRC, CRFA
4-inch & larger	Dresser Inc./GE	153, 262
4-inch & larger	Ford Meter Box	FC2A, FC2W
4-inch & larger	JCM Industries	210
4-inch & larger	PowerSeal	3501, 3501B, 3521
4-inch & larger	Romac	501
4-inch & larger	Smith-Blair	441
4-inch & larger	TPS, Hymax	2000
2-inch & larger	Mueller	MAXIFIT
4-inch & larger	Mueller Aqua Grip	
4-inch & larger	Gripper Gasket LLC	Maxadaptor

#### **AW-502: FULL CIRCLE REPAIR CLAMP**

<u>DESCRIPTION:</u> Full Circle Repair Clamp (stainless steel). See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
All Sizes	Cascade Waterworks Mfg.	CDR1, CDR2, CDR3
All Sizes	Dresser Inc./GE	360
All Sizes	The Ford Meter Box Co, Inc	"F", "FS" Series
All Sizes	JCM Industries	101, 131
All Sizes	JCM Industries	102, 132
All Sizes	Powerseal	3121, 3122
All Sizes	Romac	"SS", "CL" Series
All Sizes	Smith Blair	Series 226, 256
All Sizes	Smith Blair	Series 228, 263
All Sizes	TPS, EZ-MAX	Model 4000
All Sizes	Mueller	500, 510, 540, 550
All Sizes	TPS Bell Encapsulation	Ultra-Sleeve

**AW-503: ACCESSORY PACK** 

<u>DESCRIPTION:</u> Accessory Pack: See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
3-inch & larger	American Cast Iron Pipe Company	N/A
3-inch & larger	Clow Valve	N/A
3-inch & larger	Tyler Union	N/A
3-inch & larger	Sigma	N/A
3-inch & larger	U.S. Pipe	N/A
3-inch & larger	Star Pipe Products	N/A
3-inch & larger	SIP	N/A

#### AW-504: RESTRAINTS FOR PVC & D.I. PIPE

**DESCRIPTION:** Restraints for PVC or D.I. Pipe. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
All Sizes	EBAA Iron	1100 (Ductile Pipe Only)
All Sizes	EBAA Iron	2000 PV, 2000 SV (PVC Pipe Only)
All Sizes	The Ford Meter Box Co, Inc (Uniflange)	1400 (Ductile Pipe Only)
All Sizes	The Ford Meter Box Co, Inc (Uniflange)	1500 (PVC Pipe Only)
All Sizes	Sigma (Russell Pipe)	One-Lok SLCE (PVC Pipe Only)
All Sizes	Sigma (Russell Pipe)	One-Lok SLDE (Ductile Pipe Only)
All Sizes	Star Pipe Products	Stargrip 3000 (Ductile Pipe Only)
All Sizes	Star Pipe Products	AllGrip (Ductile/PVC Pipe)
All Sizes	Star Pipe Products	Stargrip 4000 (PVC Pipe)
All Sizes	Tyler Union	TUFGrip (Ductile-TLD/PVC-TLP Pipe)
All Sizes	SIP	EZPVC/EZVCU(PVC) EZD (DIP)

#### AW-505: PVC & D.I. BELL RESTRAINING DEVICE

<u>DESCRIPTION:</u> Bell Restraining Devices. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
All Sizes	EBAA Iron	1500, 1600 Series (PVC/Ductile)
All Sizes	EBAA Iron	2500 Series (PVC Only)
All Sizes	EBAA Iron	2800 Series (PVC Only)
All Sizes	The Ford Meter Box Co, Inc (Uniflange)	1300 Series (PVC/Ductile)
All Sizes	The Ford Meter Box Co, Inc (Uniflange)	1350, 1360 Series (PVC Only)
All Sizes	The Ford Meter Box Co, Inc (Uniflange)	1390 Series (PVC/Ductile)
All Sizes	JCM	610 Series (PVC/Ductile)
All Sizes	JCM	621 Series (PVC/Ductile)
All Sizes	Romac	Grip Ring (PVC/Ductile)
All Sizes	Star Pipe Products, Inc.	1000, 1100 (PVC/Ductile), 1200 (PVC Only) Series
All Sizes	Star Pipe Products, Inc.	ALLGRIP 3600 (PVC/Ductile),
All Sizes	Star Pipe Products, Inc.	Stargrip 3100(Ductile only), 4100 (PVC Only)
All Sizes	Sigma (Russell Pipe)	PWP(PVC/Ductile)
All Sizes	Tyler Union	3000 (PVC Only)
All Sizes	SIP	PTPVC (PVC Only)

#### **AW-506: MECHANICAL JOINT FASTENERS**

<u>DESCRIPTION:</u> Mechanical Joint Fasteners. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter V.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
	Tie Lugs:	
	See Specifications	
	All Thread Rods:	
	See Specifications	
	Eye Bolts:	
	See Specifications	
	Nuts & Washers:	
	See Specifications	

#### **AW-507: FLANGE ADAPTER**

Note: The use of flange adapters shall be limited to areas specifically approved by JEA on a project-by-

project basis.

**<u>DESCRIPTION:</u>** Flange Adapters. See Section 350 of the current JEA Standards for specifications and requirements.

See Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
3-inch & larger	EBAA	Series 1000 DIP
3-inch & larger	EBAA	Series 2100 DIP
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	200 C & S
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	400 C& S
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	900 C & S
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	UFA-200 DIP
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	UFA-900 PVC
3-inch & larger	Star Pipe	Series 200G
3-inch & larger	Star Pipe	Series 400G

**AW-508: CASING SPACER** 

<u>DESCRIPTION:</u> Casing Spacers. See Chapter III.1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter VI.1. - Section 701 for Reclaimed Water specifications and requirements.

Size	Manufacturer	Model #
Varies	Cascade Waterworks Mfg.	CCS
Varies	EnPro Industries, Inc.	S/S Type
Varies	EnPro Industries, Inc.	PVC Coated Steel
Varies	RACI	High Density Polyethylene
Varies	Advanced Products & Systems, Inc.	SSI, SI, CI
Varies	BWM Company	
Varies	CCI Pipeline Systems	CSC, CSS

## **LOCATE WIRE**

**AW-601: LOCATE WIRE** 

<u>DESCRIPTION:</u> Locate wiring for direct bury. See Chapter II.6. - Section 350 of the current JEA Standards for specifications and requirements

SIZE	MANUFACTURER	MODEL #
12-gauge	Copper Head Industries	Soloshot – 1230BHS500
12-gauge	Pro-Line Safety Products Co.	Protrace-744120232

#### **AW-602: DIRECT BURY LUG**

**<u>DESCRIPTION:</u>** Direct bury lug is for use with tracer lines.

SIZE	MANUFACTURER	MODEL #
	DRYCONN	90120-DB Lug Yellow

#### **AW-603: LOCATE WIRE TESTING EQUIPMENT**

<u>DESCRIPTION:</u> Cable/Fault Locator – Precisely locates sheath or ground faults on both long and short cable sections.

MANUFACTURER	MODEL#
3M Dynatel	2273
Metrotech	9800XT
Ditch Witch	950 R/T

## **MISC MATERIALS**

**AW-701: ADMIXTURES** 

SIZE	MANUFACTURER	MODEL#
N/A	Hercules Power Company of Wilmington, Delaware	
N/A	Dewey and Almy Chemical Company, Cambridge Mass	
N/A	Master Builders Company, Cleveland Ohio	
N/A	L. Sonneborn Sons, Inc. 80 Eighth Avenue, New York, NY 10011	

#### **AW-702: METALWORK FINISHES**

Manufacturer	Contact	Model #
Alumilite		



# WASTEWATER APPROVED MATERIALS

## **PIPE**

**AS-101: HDPE PIPE** 

DESCRIPTION: AWWA C906 Polyethylene (PE) Pressure Pipe and Fittings, 4-inch through 63-inch, for Water

Distribution American Society for Testing and Materials (ASTM) Standards.

SIZE	MANUFACTURER	MODEL#
4-inch and larger		N/A

#### AS-102: PVC PRESSURE (DR18 & DR25) PIPE

<u>DESCRIPTION:</u> DR18 & DR25 PVC Pipe. See Chapter IV.2. - Section 428 & Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch – 36	Diamond Plastics	N/A
4-inch – 36	JM Eagle	N/A
4-inch – 36	National Pipe & Plastics	N/A
4-inch – 36	Westlake fka NAPCO	N/A
4-inch – 48	Ipex	N/A
4-inch – 24	Sanderson Pipe Corportation	N/A

#### **AS-103: PVC GRAVITY PIPE**

<u>DESCRIPTION:</u> PVC SDR 26: See Chapter IV.2. - Section 428 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
6-inch & larger	Charlotte Pipe	N/A
6-inch & larger	Diamond Plastics Corp	N/A
6-inch & larger	JM Eagle	N/A
6-inch & larger	National Pipe & Plastics	N/A
6-inch & larger	Westlake fka NAPCO	N/A
6-inch & larger	Sanderson Pipe Co.	N/A
6-inch & larger	HAWK Plastics Corporation	SDR-26

#### **AS-104: PVC PIPE (SCH 40 & SCH 80)**

<u>DESCRIPTION:</u> PVC SCH 40 or 80 Pipe. See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & smaller	JM Eagle	N/A
3-inch & smaller	National Pipe & Plastics	N/A
3-inch & smaller	Westlake fka NAPCO	N/A
3-inch & smaller	Sanderson Pipe Company	N/A
3-inch & smaller	Accord Industries	N/A
3-inch & smaller	Charlotte Pipe & Foundry	N/A
3-inch & smaller	Ipex	N/A

#### **AS-105: FIBERGLASS REINFORCED POLYMER MORTAR PIPE**

SIZE	MANUFACTURER	MODEL#
18"-48"	HOBAS Pipe USA, Inc	

## **FITTINGS**

#### **AS-201: DUCTILE IRON FITTINGS**

Note: Mechanical joint, 90-degree bend & fittings, flange fitting shown as example only (for additional joints,

see specifications).

DESCRIPTION: Ductile Iron Fitting, epoxy-lined. See Sections 428 & Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	Tyler Union	N/A
3-inch & larger	Star Pipe Products	N/A
3-inch & larger	Sigma Corporation (Russell Pipe)	N/A
3-inch & larger	SIP Industries	N/A
3-inch & larger	US Pipe	N/A

#### **AS-202: STAINLESS STEEL TAPPING SLEEVE**

**Note:** Must be all stainless steel, no dissimilar metals allowed.

<u>DESCRIPTION:</u> Stainless Steel Tapping Sleeve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4-inch & larger	Cascade Waterworks Mfg.	CST-EX
4-inch & larger	Dresser Inc./GE	630
4-inch & larger	Ford Meter Box Company	FAST Series, FTSS
4-inch & larger	JCM Industries, Inc.	432, 439, 452, (taps 14-inch and larger)
4-inch & larger	Power Seal	3490, 3490MJ (8-inch and smaller)
4-inch & larger	Romac Industries, Inc.	SST
4-inch & larger	Smith-Blair	N/A
4-inch & larger	Mueller	H304

#### **AS-203: PVC SOLVENT WELD FITTING**

<u>DESCRIPTION:</u> Schedule 40 and 80 Solvent Weld Fittings. See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & smaller	Ipex	
3-inch & smaller	LASCO Fittings, Inc.	
3-inch & smaller	Nibco	
3-inch & smaller	Georg Fischer Sloane (GF Piping Systems)	
3-inch & smaller	Spears	
3-inch & smaller	Charlotte Pipe & Foundry	

#### **AS-204: PVC GRAVITY FITTING (SDR26)**

<u>DESCRIPTION:</u> PVC Gravity Fitting (SDR26). See Chapter IV.2. - Section 428 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
6-inch & larger	GPK Products, Inc	
6-inch & larger	Harco Inc.	
6-inch & larger	Multi Fittings	
6-inch & larger	Tigre-ADS USA	
6-inch & larger	Plastic Trends (Royal Building Projects)	

#### **AS-205: PVC PRESSURE FITTING**

**DESCRIPTION:** For 12-inch and smaller (Pressure Fittings) - PVC C900, DR18 Injection Molded, Push-On Joint Fittings. See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements. For 14-inch and larger (pressure Fittings) - PVC C905 Fabricated Fittings (no Tee Fitting). See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch – 12-inch	Harco Inc.	N/A
4-inch – 12-inch	Multi-Fittings	N/A
4-inch & larger	Ipex	N/A
14-inch & larger	Galaxy Plastics	N/A
14-inch & larger	Plastic Trends (Royal Building Projects)	N/A

**AS-206: EPOXY LINING** 

<u>DESCRIPTION:</u> For use on the interior surfaces of ductile iron pipe and fittings used in wastewater applications. See Chapter II.4 - Section 429 of the current JEA Standards for specifications and requirements.

Application	MANUFACTURER	MODEL #
DI Pipe and DI Fittings	Permox-CTF	N/A
DI Pipe and DI Fittings	Protecto 401 Ceramic	N/A
DI Pipe and DI Fittings	Tnemec Permashield	N/A

## **VALVES**

**AS-301: VALVE BOX AND COVER** 

<u>DESCRIPTION:</u> Valve Box and Cover. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
N/A	Tyler Union	461-S, Heavy Duty
N/A	Sigma (Russell Pipe)	VB-26, Heavy Duty
N/A	U.S. Foundry	7500, Heavy Duty
N/A	East Jordon Iron Works	461S, Heavy Duty
N/A	Star Pipe Products	VB 461 SHD, Heavy Duty
N/A	SIP	6004/6004CL35, Heavy Duty



#### **AS-302: GATE VALVE**

Note: All valves shall open by turning to the left. Mechanical joint shown as example only. See

specifications for additional joints.

<u>DESCRIPTION:</u> Resilient Seat Gate Valve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	M.Jt. MODEL #
3-inch & larger	AVK (S/S Stem Only)	Series 45
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	2500 Series
3-inch & larger	Clow Valve	F-6100
3-inch & larger	Kennedy Valve Company	8571
3-inch & larger	M & H Valve Company	4067
3-inch & larger	Mueller	, 2361
3-inch & larger	U.S. Pipe	250
3-inch & larger	American – RD (Kennedy Valve)	D 100
3-inch to 12-inch	United Water Products	2010

#### **AS-303: TAPPING VALVE**

Note: All valves shall open by turning to the left.

<u>DESCRIPTION:</u> Tapping Valve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	N/A
3-inch & larger	AVK (S/S Stem Only)	25/30081
3-inch & larger	Clow Valve	F-6114
3-inch & larger	Kennedy Valve Company	8950
3-inch & larger	M & H Valve	4751
3-inch & larger	Mueller	T-2360, 2361
3-inch & larger	U.S. Pipe	5860
3-inch & larger	Mueller – Aqua Grip	A-2361-76
3-inch & larger	American – RD (Kennedy Valve)	N/A

**<u>DESCRIPTION:</u>** Insert-A-Valve: See Section 430 of the JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4" thru 8"	ROMAC	310 Sleeve w/361 valve
10" thru 12"	ROMAC	311 Sleeve w/358 valve
4" thru 12"	Hydrastop	Insta-Valve
14"	Submittal and JEA Approval	Special Case



#### **AS-304: PLUG VALVE**

Note: Flange joint shown as example only. (For additional joints, see specifications.)

DESCRIPTION: Plug Valve. See Section 430 of the current JEA Standards for specifications and requirements. Actuator may be required to achieve 150 P.S.I. drip tight shut-off in both directions. Contact valve manufacturer for requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	Clow Valve /Kennedy	N/A
3-inch & larger	Dezurik	N/A
3-inch & larger	TYCO/Keystone	Eccentric Valve
3-inch & larger	Milliken Valve or Mueller Water Products	600 N (MJ)
3-inch & larger	Milliken Valve/Mueller Water Products	601 N (FLG)
3-inch & larger	Henry Pratt Co	N/A
3-inch & larger	Val-Matic	N/A
3-inch & larger	Golden Anderson	N/A
3-inch & larger	Homestead	N/A
3-inch & larger	VSI Waterworks	Series PVII/PVIF

**AS-305: CHECK VALVE** 

**<u>DESCRIPTION</u>**: Check Valve. See Section 430 of the current JEA Standards for specifications and requirements. Only external swing checks approved; internal check valves must be submitted through standards exception process.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	50SC-LW
3-inch & larger	Clow Valve/Kennedy	106LW
3-inch & larger	M & H Valve	159-02
3-inch & larger	Mueller/Henry Pratt/Milliken	8001
3-inch & larger	NIBCO	F938-31-BL&W
3-inch & larger	Matco-Norca	
3-inch & larger	Golden Anderson	
3-inch & larger	United	
3-inch & larger	VSI Waterworks	Series CVIX
3-inch & larger	Pratt	

**AS-306: AIR VALVE** 

<u>DESCRIPTION:</u> Air Valve. See Section 430 of the current JEA Standards for specifications and requirements. It should be noted that, per the specification, valves may require back wash feature, stainless steel body or other requirements. Size and capacity of air valve to be determined by the Engineer.

SIZE	MANUFACTURER	MODEL #
Standard Body	A.R.I. USA	D-26 NS / D-025L ST
Standard Body	H-TEC USA	Series 986/988
Standard Body	International Valve	Vent-Tech SWG
Short Body	Vent-O-Mat	Series RGX II
Short Body	A.R.I. USA	D-025-ST
Short Body	H-TEC USA	Series 989

#### **AS-307: INSERTION VALVE**

**DESCRIPTION:** See Chapter IV.4. - Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4" thru 8"	ROMAC	310 Sleeve w/ 361 valve
10" thru 12"	ROMAC	311 Sleeve w/ 358 valve
4"-12"	Hydra-Stop	Insta-Valve
14" & larger	Submittal and JEA Approval	Special Case



## PIPE ACCESSORIES

#### **AS-401: FULL CIRCLE 2" TAPPING SADDLE FOR ARVS**

DESCRIPTION: Full Circle 2" Tapping Sleeve 316 Stainless Steel for ARVs. See Chapter V.3. - Section 430 and Chapter III - Section 351 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3" to 48"	Ford Meter Box, Co	FAST-Q or FTSS-Q series
4" to 24"	JCM Industries, Inc.	6438 Series

#### AS-402: RESTRAINTS FOR PVC OR D.I. PIPE

<u>DESCRIPTION:</u> Restraints for PVC or D.I. Pipe. See Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	EBAA Iron	1100 (Ductile Pipe Only)
3-inch & larger	EBAA Iron	2000 PV, 2000 SV (PVC Pipe Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1400 (Ductile Pipe Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1500 (PVC Pipe Only)
3-inch to10-inch	Sigma (Russell Pipe)	One-Lok SLCE – (PVC pipe only)
12-inch & larger	Sigma (Russell Pipe)	One-Lok SLCE – (PVC pipe only)
3-inch & larger	Sigma (Russell Pipe)	One-Lok SLDE – (Ductile Pipe Only)
3-inch & larger	Star Pipe	Stargrip 3000 (Ductile Pipe Only)
3-inch & larger	Star Pipe	Stargrip 4000 (PVC Pipe)
3-inch & larger	Tyler Union	TUFGrip (Ductile-TLD/PVC-TLP Pipe)
3-inch & larger	SIP	EZPVC/EZVCU (PVC) EZD (DIP)

#### AS-403: PVC OR D.I. BELL RESTRAINING DEVICE

DESCRIPTION: Bell Restraining Devices. See Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	EBAA Iron	1500 Series (PVC/Ductile)
3-inch & larger	EBAA Iron	1600 Series (PVC/Ductile)
3-inch & larger	EBAA Iron	2500 Series (PVC Only)
3-inch & larger	EBAA Iron	2800 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1300 Series (PVC/Ductile)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1350 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1360 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1390 Series (PVC/Ductile)
3-inch & larger	JCM Industries	610 Series (PVC/Ductile)
3-inch & larger	JCM Industries	621 Series (PVC/Ductile)
3-inch & larger	Romac	Grip Ring (PVC/Ductile)
3-inch & larger	Star Pipe Products, Inc.	ALLGRIP 3600 (PVC/Ductile)
3-inch & larger	Star Pipe Products, Inc.	1000, 1100 (PVC/Ductile), 1200 (PVC Only) Series
3-inch & larger	Star Pipe Products, Inc.	Stargrip 3100 (Ductile Only), 4100 (PVC Only)
3-inch & larger	Tyler Union	3000 (PVC Only)
3-inch & larger	Sigma (Russell Pipe)	PWP(PVC/Ductile)
3-inch & larger	SIP	PTPVC (PVC Only)

#### **AS-404: ACCESSORY PACK**

<u>DESCRIPTION:</u> Accessory Pack. See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	American Cast Iron Pipe Company	N/A
3-inch & larger	Clow Valve	N/A
3-inch & larger	Tyler Union	N/A
3-inch & larger	U.S. Pipe and Foundry	N/A
3-inch & larger	Sigma	N/A
3-inch & larger	Star Pipe Products	N/A
3-inch & larger	SIP	N/A

#### **AS-405: MECHANICAL JOINT FASTENER**

DESCRIPTION: Mechanical Joint Fasteners. See Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
	Tie Lugs	
	All Thread Rods	
	Eye Bolts	
	Nuts & Washers	

#### **AS-406: FLANGE ADAPTER**

**DESCRIPTION**: Flange Adapters. See Section 429 of the current JEA Standards for specifications and requirements. The use of flange adapters shall be limited to areas specifically approved by JEA on a project-byproject basis.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	EBAA	Series 1000 DIP only
3-inch & larger	EBAA Iron	Series 2100 PVC or DI
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	200 C & S 400 C & S 900 C & S
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	UFA-200 DIP UFA-900 PVC
3-inch & larger	Star Pipe	Series 200G Series 400G

**<u>DESCRIPTION</u>**: Flanged Couple Adapters. See Section 429 of the current JEA Standards for specifications and requirements. A restrained ductile iron flanged coupling adapter (flanged X MJ) with special interior coating may be utilized to transition between different pipe materials (PVC to S/S).

SIZE	MANUFACTURER	MODEL #
	Romac PVC-RFCA	

#### **AS-407: CASING SPACER**

DESCRIPTION: Casing Spacers. See Sections 428 & Chapter IV.3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
Varies	Cascade Waterworks Mfg.	CCS
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	S/S Type
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	PVC Coated Steel
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	Ranger II
Varies	Raci Spacers	High Density Polyethylene
Varies	BWM Company	N/A
Varies	Advanced Products & Systems	SSI, SI, CI
Varies	CCI Pipeline Systems	CSC, CSS

#### **AS-408: PIPE COUPLING**

DESCRIPTION: Cast Coupling. See Chapter IV.2. - Section 428 of the current JEA Standards for specifications and requirements, including coating requirements.

SIZE	MANUFACTURER	MODEL#
4-inch & larger	Cascade Waterworks Mfg.	CDC, CRC, CRFA
4-inch & larger	Dressler Inc./GE	153
4-inch & larger	Ford Meter Box	FC2A, FC2N
4-inch & larger	JCM	210
4-inch & larger	PowerSeal	3501, 3501B, 3506, 3521
4-inch & larger	Romac	501
4-inch & larger	Smith-Blair	441
4-inch & larger	TPS, Hymax	2000
4-inch & larger	Mueller	MAXIFIT
4-inch & larger	Mueller Co	N/A
4-inch & larger	FERNCO	1000
4-inch & larger	Gripper Gasket LLC	Maxadaptor

#### **AS-409: FULL CIRCLE REPAIR CLAMP**

<u>DESCRIPTION:</u> Full Circle Repair Clamp (stainless steel). See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
All Sizes	Ford Meter Box, Co	"F" or "FS" Series
All Sizes	Dresser Inc./GE	360
All Sizes	JCM Industries	101 or 131
All Sizes	JCM Industries	102 or 132
All Sizes	Powerseal	3121 or 3122
All Sizes	Romac	"SS" or "CL" Series
All Sizes	Smith Blair	Series 226 or 256
All Sizes	Smith Blair	Series 228 or 263
All Sizes	TPS, EZ-MAX	Model 4000
All Sizes	Mueller Co.	500, 510, 540, 550



## **MANHOLES**

#### **AS-501: MANHOLE AND ACCESSORIES**

DESCRIPTION: Manhole and Accessories. See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#	
Precast Manhole			
Varies	Old Castle	N/A	
Varies	Del Zotto Precast	N/A	
Varies	Rinker Materials (previously Forterra)	N/A	
Varies	Select Precast	N/A	
Varies	American Precast	N/A	
Poly-Concrete			
Varies	Armorock	N/A	
Varies	USCP (Steel Reinforced)	N/A	
Manhole General Coating			
12 mils thick	Con-Seal	CS-55	
12 mils thick	PRO-Tec Coatings, Inc.	EW1-Aquapoxy	
Fiberglass			
Varies	L. F. Manufacturing Inc		
Varies	Containment Solutions Inc (Flowlite) Fiberglass Manhole	N/A	
Varies	Associated Fiberglass Enterprises	N/A	
Manhole Boots – with double-banded 316 SS Clamps			
Varies	Kor-N-Seal	I EX Series	
Varies	PSX Nylo Drive		
Varies	PSX Direct Drive		

#### **AS-502: PROTECTIVE COATING**

<u>DESCRIPTION:</u> Water Wastewater Protective Coating. See Section 447 of the current JEA Standards for specifications and requirements.

COMPANY NAME	CONTACTS	PHONE	EMAIL
The Sherwin-Williams Company	Josh Hinson	904-591-3137	swrep4538@sherwin.com
Corrocoat Usa, Inc.	Josh Tankersley	904-472-0768	Josht@corrocoat.com
PPG Protective & Marine Coatings	Jim Hartley	904-626-6382	jim.hartley@ppg.com
Tnemec (Capital Only)			

#### **AS-503: MANHOLE ADJUSTMENT RING**

<u>DESCRIPTION:</u> Manhole (adjustment rings) Collars. See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
Varies	Old Castle	
Varies	Lad Tech, HDPE Rings	
Varies	EJ, Steel Adjustment Ring	
Varies	EJ, infra-riser	
Varies	Cretex Pro-Ring, EPP Adjustment Ring	

#### **AS-504: MANHOLE FRAME AND COVER**

DESCRIPTION: Manhole Frame and Cover (with rubber "T" Gaskets). See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
32-inch	U.S. Foundry	USF-655
32-inch	East Jordan Iron Works	N/A

#### **AS-505: MANHOLE MONITOR**

**DESCRIPTION:** Manhole Monitor. See Section 427 of the current JEA Standard for manhole specifications and requirements.

TYPE	MANUFACTURER	MODEL#
Continuous	ADS	

#### **AS-506: MANHOLE JOINT SEALANT**

DESCRIPTION: Manhole Joint Sealant. See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#	
Manhole Joint Sealant			
1-inch	Con-Seal	CS102, 202	
1-1/2 inch	Ram-Nek/Henry Company	Ram-Nek	
	NPC Bidco /Trelleborg	C-56	
1-inch	Evergrip	990	
1-inch	Crete Stik Butyl Sealant		
Exterior Joint Sealant Tape			
0.1 inch X 8 inch W (minimum) Con Seal		CS-300, CS-212	
6 inch W (minimum)	EZ-WRAP Plastic Backed	Varies based on width	
9 inch W (minimum)	Rub-R-Nek/ Henry Company	N/A	
18 inch W (minimum)	Wrapid Seal (CCI Pipeline systems)	N/A	

## **PUMP STATIONS**

## **AS-601: ALUMINUM HATCH (FRAME AND COVER)**

DESCRIPTION: Aluminum Hatch Frame and Cover. See Section 433 of the current JEA Standard for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
Varies	US Fabrication/US Foundry	
Varies	Halliday Products, Inc.	

#### **AS-602: CONCRETE LINER**

DESCRIPTION: Concrete Liner. See Section 446 of the current JEA Standards for specifications and requirements.

MANUFACTURER	MODEL #
Associated Fiberglass Enterprises	Hard Shell Liner (*****)
Concrete Conservation, Inc.	Spectra-Shield (***)
L. F. Manufacturing, Inc.	Hard Shell Liner (*****)
LarFarge/ Kerneos Inc. Calcium Aluminates	SEWPERCOAT (**)
GML Coatings, LLC.	Green Monster (***)
Derakane	8084 Resin (*)
Armorock	Rehabilitation Insert (*****)
Sprayroq	Spraywall™ (****)
Quadex®	GEOKRETE® GEOPOLYMER MORTAR (**)
Quadex®	Structure Guard® 100% Solids Epoxy (***)
Warren Environmental	301-14 High Performance Epoxy (****)

NOTES: (\*) Der

(\*) Denotes Surface Primer

(\*\*) Denotes Cementitious or Polymer Modified Cementitious Coating

(\*\*\*) Denotes Epoxy, Polyurea or Polyurethane Corrosion Inhibiting Coating

(\*\*\*\*) Denotes Epoxy, Polyurea or Polyurethane Structural Coating

(\*\*\*\*\*) Denotes Fiberglass or Polymer Concrete Liner Material

#### **AS-603: WASTEWATER PUMP**

<u>DESCRIPTION:</u> Wastewater Pump. See Section 433 of the current JEA Standards for specifications and requirements.

MANUFACTURER		POINT OF CONTACT	CONTACT NUMBER	
SUBMERSIBL	E WASTEW	ATER PUMPS		
	Low Speed	High Speed		
Flygt	YES	YES	David Williams	(239) 825-8384
Myers	YES	YES	Scott Strong – Custom Pump	(904) 858-9605
WILO-EMU,	YES	NO	PSI Technologies	(904) 588-2132
KSB	YES	YES	Barney's Pump	(904) 260-0669
Hydromatic	YES	NO	Barney's Pump	(904) 260-0669
Shinmaywa	YES	NO	David Lee	(904) 228-7602
Sulzer	YES	YES	Rex Smith – Hydra Service	(850) 630-0117
DRY-PIT WAS	STEWATER F	PUMPS		
WILO-EMU			PSI Technologies	(904) 588-2132
Flow Serve (MSX			Carter & Ver Planck	(813) 287-0709
KSB		Barney's Pump	(904) 260-0669	
Flygt			David Williams	(239) 825 8384
FLOODED SU	ICTION SOLI	DS HANDLIN	G PUMPS	
Fairbanks Nijh	uis (fka Fairb	anks Morse)	Barney's Pumps, Inc.	(904) 260-0669
Worthington			Carter & Ver Planck	(813) 287-0709
Allis Chalmers			David Williams (239) 825-8384	
LOW PRESSU	JRE SYSTEN	1 (LPS)	,	1
Myers MW50			Scott Strong – Custom Pump	(904) 858-9605
Champion Pumps CPWH 5V & 5A		V & 5A	Mike Biletzskov (912) 266-654	
Barmesa Pumps 2BSE511AU		ΑU	Tyler Self - Custom Pump	(904) 858-9605

#### AS-604: ELECTRICAL, CONTROL PANEL, VFD & SCADA

**DESCRIPTION**: Pump Station Electrical and Control Panel including (RTU) and Variable Frequency Drives (VFD). See Section 433 of the current JEA Standards for specifications and requirements.

\*For approved MCC manufacturers refer to the wastewater treatment plant section\*

COMPANY NAME	CONTACT	PHONE	EMAIL
ECS*	Ralph Sinn	(904)367-5000	ralph@ecs31.com
EG Controls, Inc.*	Thelma Ewell	(904)292-0110	EGSales@egcontrols.com
Suncoast*	Brendan Dinkelmeyer	(904)693-3318	Bdinkelmeyer@suncoastcontrols.biz
Dynamic Motor Controls, Inc*	Brian Dail	(904)693-3318	bdail@dynamicmotorcontrols.com
Sun State System, Inc.*	Tony Rhodes	(904)269-2544	trhodes@sunstatesystems.com
Information Technologies Group (ITG) * **	Anthony Gatehouse	(904)598-4843	agatehouse@itgtec.com
DSI Innovations LLC*.**	Sean Patterson	(904)895-5980	spatterson@dsiinnovations.com
Tesco Controls**	Richard Ercolini	(225)910-4573	rercolini@tescocontrols.com
AWC Inc**	Sam Hope	(904)610-1097	sam.hope@awc-inc.com
MR Systems***	Kyle Hady	(470)303-6455	Kyle.hady@inframark.com

#### NOTES:

<sup>\*\*\*</sup> Approved Second Tier SCADA integrators

VFD		SCADA	DEMARCATION BOX ENCLOSURE
Siemens Danfoss ABB Schneider Toshiba	G120X Aqua Drive ACQ580 Altivar Process ATV630 VF-AS3	Siemens	Schaefer's Electrical Enclosures Orange Park Machine Universal Enclosure Systems

<sup>\*</sup> Approved electrical control panel manufacturers

<sup>\*\*</sup> Approved SCADA integrators

**AS-605: TRANSFER SWITCH** 

**DESCRIPTION**: Manual Transfer Switch: See Section 433 and 435 of the current JEA Standards for specifications and requirements. Automatic Transfer Switch: See Facilities Standard Division 26 36 23 – Automatic **Transfer Switches** 

Manual Transfer Switch Manufacturer	Model/Series
Cutler Hammer	JTD364SSMCQC – 200 AMP JTD365SSMCQC – 400 AMP
ESL Power Systems	SSDX-200-C-200-C-240-311-SS - 200 AMP @ 240V SSDX-200-C-200-C-480-311-SS - 200 AMP @ 480V SSDX-400-C-400-C-240-311-SS - 400 A @ 240V SSDX-400-C-400-C-480-311-SS - 400 A @ 480V

Automatic Transfer Switch Manufacturer	Model/Series
ASCO	300/7000
Russelectric	RTS-3

#### **AS-606: ENGINE-DRIVEN EMERGENCY PUMP**

<u>DESCRIPTION:</u> Emergency Pump Engines: See Section 470 of the current JEA Standards for specifications and requirements.

PUMP MANUFACTURER	CONTACTS	PHONE	EMAIL
Thompson Pump	Brian Lee	(386) 212-6999	blee@thompsonpump.com
Holland Pump	Eugene Lant	(321) 297-6372	eugene@hollandpump.com
Godwin Pump	Lee Hilbert	(904) 349-5503	lee.hilbert@xyleminc.com

ENGINE MANUFACTURER	4" PUMP/SET	6" PUMP/SET	8" PUMP/SET	10" PUMP/SET	12" PUMP/SET
John Deere	N/A	4045T280- SP2	4045T285-SP2	6068H285-SP2	6090H485-SP1
Caterpillar (C18 Tier3)*	2.2T-SP	C4.4T-SP	C4.4E-TA-SP	C6.65E-SP	C9-SP
Mitsubishi	S4Q2-VS/14A	N/A	N/A	N/A	N/A
Cummins	QSF2.8 (49)	QSF2.8 (65)	QSB4.5	QSB4.5 OR QSB6.7	QSB6.7 OR QSBSL9
Izuzu	4LE2T	4LE2X	N/A	N/A	N/A
Yanmar	3TNV88F- EPMT	N/A	N/A	N/A	N/A

<sup>\*</sup>Optional for greater than 12" pump/set

#### **AS-607: COMMUNICATIONS RADIO**

DESCRIPTION: Refer to Section 433 Submersible Wastewater Pumping Stations III.4.7 and Section 435 Booster Wastewater Pumping Stations III.4.5 for radio selection and antenna height requirement instructions.

MANUFACTURER	MODEL #
GE MDS	*Transnet 900
GE MDS	*SD9
GE MDS	*Transnext
MDS	**Orbit

<sup>\*</sup>A radio survey must be completed prior to radio selection. Contact the radio survey contractor below to arrange radio survey.

<sup>\*\*</sup>Orbit Radio for future applications or special cases as instructed or approved by JEA

*CURRENT RADIO SURVEY CONTRACTOR	PHONE #
Advantage Contracting Group	904-219-3556



## **VACUUM SYSTEM**

**AS-701: VACUUM SEWER VALVE** 

DESCRIPTION: Vacuum sewer pod including valve and controller.

VACUUM MANUFACTURER	CONTACTS	PHONE	EMAIL
Flovac	Michael Pringle	(386) 319- 0350	MPringle@flovac.com
Airvac	Becky Murphy; Aqseptence Group, Inc.	(574) 208- 5904	

## **LOCATE WIRE**

**AS-801: LOCATE WIRE** 

Description: Locate wiring for direct bury.

SIZE	MANUFACTURER	MODEL#
12-Gauge	Copper Head Industries	Soloshot-1230GHS500
12-Gauge	Pro Line Safety Products Co.	Pro-Trace 744120532

#### **AS-802: DIRECT BURY LUG**

<u>DESCRIPTION:</u> Direct bury lug is for use with tracer lines, solid copper or steel copper. Lug is made of high conductivity aluminum and plated with tin.

SIZE	MANUFACTURER	MODEL#
	DRYCONN	90120-DB Lug Yellow – 5 pc bag

#### **AS-803: LOCATE WIRE TESTING EQUIPMENT**

DESCRIPTION: Cable/Fault Locator – Precisely locates sheath or ground faults on both long and short cable sections.

SIZE	MANUFACTURER	MODEL#
	3M Dynatel	2273
	Metrotech	9800XT
	Ditch Witch	950 r/t

## **MISC MATERIALS**

**AS-901: ADMIXTURES** 

SIZE	MANUFACTURER	MODEL#
	Hercules Power Company of Wilmington, Delaware	
	Dewey and Almy Chemical Company, Cambridge Mass	
	Master Builders Company, Cleveland Ohio	
	L. Sonneborn Sons, Inc. 80 Eighth Avenue, New York, NY 10011	

#### **AS-902: METALWORK FINISH**

MANUFACTURER	CONTACTS	PHONE	EMAIL
Alumilite			



# WASTEWATER TREATMENT PLANT APPROVED MATERIALS

## **PROTECTIVE COATING**

**WWT-101: PROTECTIVE COATING** 

<u>DESCRIPTION:</u> Water Wastewater Protective Coating. See Section 447 of the current JEA Standards for specifications and requirements.

COMPANY NAME	CONTACTS	PHONE	EMAIL
The Sherwin-Williams Company	Josh Hinson	904-591-3137	swrep4538@sherwin.com
Corrocoat Usa, Inc.	Josh Tankersley	904-472-0768	Josht@corrocoat.com
Carboline			
PPG Protective & Marine Coatings	Jim Hartley	904-626-6382	jim.hartley@ppg.com



# **ELECTRICAL, CONTROL PANEL, VFD & SCADA**

#### WWT-201: ELECTRICAL CONTROL PANEL AND MCC

#### **DESCRIPTION:**

COMPANY NAME	CONTACT	PHONE	EMAIL
ECS	Ralph Sinn	(904)367-5000	ralph@ecs31.com
EG Controls, Inc.	Lucie Navratilova	(904)292-0110	EGSales@egcontrols.com
Suncoast	Mark Owens	(904)693-3318	mowens@suncoastcontrols.biz
Dynamic Motor Controls, Inc*	Brian Dail	(904)693-3318	bdail@dynamicmotorcontrols.co m
DSI Innovations LLC.	Sean Patterson	(904)895-5980	spatterson@dsiinnovations.com
Information Technologies Group (ITG)	James Ruiz	(904)425-4760	jruiz@itgtec.com

* ABB		MCC	Draw out breakers required	* Eaton * Schneider Electric * Siemens * ABB
-------	--	-----	----------------------------	--

#### **DESCRIPTION: Approved Tier One Integrators**

COMPANY NAME	CONTACT	PHONE	EMAIL
Information Technologies Group (ITG)	Anthony Gatehouse	(904) 598-4843	agatehouse@itgtec.com
DSI Innovations LLC.	Sean Patterson	(904)895-5980	spatterson@dsiinnovations.com
Tesco Controls	Richard Ercolini	(916) 395-8800	rercolini@tescocontrols.com
AWC Inc	Sam Hope	(904) 610-1097	sam.hope@awc-inc.com
MR Systems, an Inframark Company	Kyle Hady	(678) 982-7227	kyle.hady@inframark.com

SCADA SYSTEM	CONTACT	PHONE	EMAIL
Siemens			

#### **WWT-203: VARIABLE FREQUENCY DRIVES**

#### DESCRIPTION:

COMPANY I	NAME AND MODEL	CONTACT	PHONE	EMAIL
ABB	ACQ580	Sean Connaway	(904)325-4940	Sean.connaway@us.abb.com
Danfoss	Aqua Drive	David Lee	(904)228-7602	dlee@powerandpumps.com
Siemens	G120X	Samuel Hope	(904)610-1097	Samuel.hope@awc-inc.com
Schneider	Altivar Process ATV630	John Tice	(321)695-8198	John.tice@graybar.com
Toshiba	VF-AS3	David Lee	(904)228-7602	dlee@powerandpumps.com

#### **SCREENS**

**WWT-301: WWTP SCREENS** 

**<u>DESCRIPTION:</u>** Mechanisms to retain debris contained in flow streams in order to protect equipment or processes

located downstream.

**Contact Water Wastewater Systems Standards for procurement instructions** 

## **UV SYSTEMS**

#### **WWT-401: UV DISINFECTION EQUIPMENT**

<u>DESCRIPTION:</u> Technology capable of providing effective WWTP effluent disinfection while reducing safety and environmental toxicity issues.

SIZE	MANUFACTURER	MODEL #
	Trojan Technologies Inc.	N/A

## **ODOR CONTROL**

**WWT-402: ODOR CONTROL** 

**<u>DESCRIPTION:</u>** Equipment designed to remove odor-causing compounds eliminating nuisance odors.

**Contact Water Wastewater Systems Standards for procurement instructions** 

#### **GATES**

**WWT-501: SLUICE/SLIDE GATES** 

<u>DESCRIPTION:</u> Sluice/Slide gates are used to control the flow of fluid through openings under seating or unseating head.

SIZE	MANUFACTURER	MODEL #
	Ashbrook Simon-Hartley Coplastix	N/A
	R. W. Gate Company	N/A
	Plasti-Fab	N/A

STAINLESS STEEL GATES: STAINLESS STEEL GATES LARGER THAN 24 INCHES ARE LIMITED TO WRF AERATION BASINS AND DOWN STREAM LOCATIONS ONLY. ALL OTHER LOCATIONS MUST NOT EXCEED A MAXIMUM OF 24 INCHES.

## **AIR SCRUBBERS**

**WWT-601: PLANT AIR SYSTEM** 

**DESCRIPTION:** Plant air systems remove corrosive gases, toxic vapors and odors.

SIZE	MANUFACTURER	MODEL #
	Purafil	N/A
	Pure Air	N/A

## **WWT-602: AIR FILTRATION CARBON**

**<u>DESCRIPTION:</u>** Carbon media for handling odor and corrosive gases.

SIZE	MANUFACTURER	MODEL #
	MeadWestvaco	N/A
	Heyward Florida Incorporated	N/A

## **TANKS**

### WWT-701: FLAT ALUMINUM TANK COVERS

<u>DESCRIPTION:</u> Provides the strength, durability, odor control and protection for municipal and industrial water and wastewater applications.

#### WWT-702: GLASS FUSED/STEEL TANKS

<u>DESCRIPTION:</u> This system is a storage tank made of sectional steel panels with glass molecularly bound (fused) to the steel surface. This provides a very durable, but flexible surface with excellent corrosion

resistance, resulting in a tank, which can provide long life in a wide variety of applications.

#### **WWT-703: PRESTRESS STORAGE TANKS**

<u>DESCRIPTION:</u> Tanks are designed and built to AWWA and ACI standards and are made of low maintenance materials: concrete, stainless steel and fiberglass.

### **WWT-704: FUEL TANKS**

**<u>DESCRIPTION:</u>** Protected aboveground tank for flammable and combustible liquids.

SIZE	MANUFACTURER	MODEL #
	ConVault	N/A
	Phoenix	N/A
	JRS	

### WWT-705: LINERS FOR CORROSION PROTECTION

**<u>DESCRIPTION:</u>** Protects wastewater infrastructure from corrosion.

SIZE	MANUFACTURER	MODEL #
	Spectra Shield	N/A



## **EFFLUENT FILTERS**

**WWT-801: CLOTH DISK FILTERS** 

**DESCRIPTION:** Fixed filter disk used in removing solids from liquids. Structure allows for high efficient filtration, low

backwash volume and is a reusable element.

## **CENTRIFUGES**

**WWT-901: CENTRIFUGES** 

 $\underline{\textbf{DESCRIPTION:}} \quad \textbf{Used for sludge dewatering needs. The centrifuge can remove the water content from sludge by}$ 

rotating it at a high speed, so sludge can be disposed of in a cost-efficient manner.



## **AERATION DIFFUSERS**

**WWT-1001: FINE BUBBLE DIFFUSERS** 

<u>DESCRIPTION:</u> Systems disperse the diffused gas volume to transfer an equivalent amount of oxygen as a coarse bubble system.

## **VALVE ACTUATORS**

**WWT-1101: ACTUATOR** 

**<u>DESCRIPTION:</u>** Allows for a valve to be automated.

SIZE	MANUFACTURER	MODEL #
	Rotork	N/A
	EIM	N/A
	Auma	N/A
	Limitorque	N/A
	Morin	N/A

## **CHEMICAL FEED SKIDS**

## WWT-1201: CHEMICAL METERING FEED PUMP SKID

**<u>DESCRIPTION:</u>** Designed to feed one or more chemicals into the system.

SIZE	MANUFACTURER	MODEL #
	Carl Eric Johnson	N/A
	Guardian Equipment	N/A
	Barrett Supply	N/A

## **FLOW METERS**

## **WWT-1301: MAGNETIC FLOW METERS**

**DESCRIPTION:** Inline instrument with no moving parts designed to measure the flow of a liquid through a pipe.

SIZE	MANUFACTURER	MODEL #
	Krohne	Enviromag
	Endress and Hauser	Promag W 500

## WWT-1302: ULTRASONIC FLOW METERS

<u>DESCRIPTION:</u> Instrument attached to the outside of a pipe with no moving parts designed to measure the flow of a liquid through a pipe.

SIZE	MANUFACTURER	MODEL #
	Flexim Americas	F721

## WWT-1303: SLUDGE/BIOSOLIDS DENSITY METER

**DESCRIPTION:** Sludge Density Meter

SIZE	MANUFACTURER	MODEL #
	Valmet	TS-Model 4G

## **PUMPS**

### **WWT-1401: CHEMICAL METERING PUMPS**

<u>DESCRIPTION:</u> Pump designed to precisely pump and measure the flow of a liquid such as sodium hypochlorite, sodium hydroxide or other liquid chemicals.

SIZE	MANUFACTURER	MODEL #
	Alldoes/Grundfus	N/A

## WWT-1402: RECYCLE/EFFLUENT PUMPS

SIZE	MANUFACTURER	MODEL #
	Flygt	N/A
	KSB	

### **WWT-1403: GRINDER PUMPS**

SIZE	MANUFACTURER	MODEL #
	JWC	N/A
	Moyno	
	Franklin Miller	

### WWT-1404: REUSE VERTICAL TURBINE PUMPS

**<u>DESCRIPTION:</u>** Centrifugal pumps specially designed to move water from an underground well or reservoir.

SIZE	MANUFACTURER	MODEL #
	Flowserve	N/A
	Goulds	
	Peerless	
	Aurora	

### WWT-1405: SELF-PRIMING RAW SEWAGE PUMPS

<u>DESCRIPTION:</u> Designed with a large reservoir surrounding the pump casing which allows the pump to retain enough water internally to not need additional manual priming.

SIZE	MANUFACTURER	MODEL #
	Gorman Rupp	N/A

## **WWT-1406: PROGRESSIVE CAVITY PUMPS**

<u>DESCRIPTION:</u> A positive displacement pump that transfers fluid by means of the progress, through the pump, of a sequence of small, fixed shape, discrete cavities, as its rotor is turned.

SIZE	MANUFACTURER	MODEL #
	Moyno	N/A
	Seepex	

## **WWT-1407: VACUUM PUMP**

SIZE	MANUFACTURER	MODEL #
	Nash_Elmo	N/A
	Busch USA	N/A

## **WWT-1408: SLUDGE PUMP**

SIZE	MANUFACTURER	MODEL #
	GERBER/GPI	DISCFLO

## **VALVES**

**WWT-1501: PLUG VALVES** 

SIZE	MANUFACTURER	MODEL #
	Crispin K-Flow Valve	Series 800
	Kennedy Full Port	N/A

## **WWT-1502: CHECK VALVES**

**DESCRIPTION:** Swing check valves only

SIZE	MANUFACTURER	MODEL #
3-inch & larger	Crispin	SWC Series
3-inch & larger	Kennedy	N/A
3-inch & larger	Clow	N/A
3-inch & larger	VSI Waterworks	Series CVIX

## WWT-1503: BALL VALVES

SIZE	MANUFACTURER	MODEL #
	Flo-Tite	N/A
	Hankscraft Runxin Ceramic Core	N/A

## **VALVE POSITION MONITOR**

## **WWT-1601: ROTARY POSITION MONITOR**

SIZE	MANUFACTURER	MODEL #
	Westlock	AccuTrak 9358/9044

## **CONVEYOR**

**WWT-1701: CONVEYOR SYSTEM** 

**DESCRIPTION:** 



## **INSTRUMENTATION**

#### **GENERAL**

SCOPE OF INSTRUMENTATION DOCUMENT:

Approved Manufacturers and list of Standard instrumentation does not include specialized instrumentation and/or accessories required for the approved items below. Specialized instrumentation/accessories are site specific and shall be added to the approved instrument as needed.



## **ANALYZERS**

TYPE	MANUFACTURER	MODEL #
Nitrate/Nitrite Analyzers	Hach	Analyzer 557
Ammonia Analyzers	Hach	Analyzer 517
Chlorine Analyzer	Hach	Hach CL17
Chlorine Analyzer	Wallace & Tiernan	Depolox
Phosphate Analyzer	Hach	Hach Phosphax
Chlorine Analyzer (colorimetric)	Hach	CL17 series (total or free)
Chlorine Analyzer (amperametric)	Hach	CL10 series (total or free)
Phosphate Analyzer Sampler	Hach	PHOSPHAX SC
Turbidity/TSS Analyzer	Solitax	TSS Sensor
Turbidity/TSS Analyzer	Hach	Highline sc SS wiper w/sc 200
Spectrophotometer	Hach	DR 6000

## **CONTROLLERS**

TYPE	MANUFACTURER	MODEL #
Controller	Hach	200
Controller	Hach	1000
Controller	Hach	4500

## **PROBES**

TYPE	MANUFACTURER	MODEL #
Ammonia Probe	Hach	Hach NH4D Ammonia Sensor
DO Probes	Hach	LDO Probe
pH Probes	Hach	pHD sc, Differential pH Digital Sensor
pH Probes	Rosemount	Solucomp II Analyzer
Sludge Level Probe	Hach	Sonatax sc Probe

## **SAMPLERS**

TYPE	MANUFACTURER	MODEL #	
Refrigerated Sampler	ISCO	6712FR	
Refrigerated Sampler	ISCO	5800	
Refrigerated Sampler	Sigma		
Refrigerated Sampler	Emerald Coast Manufacturing	The Wave	
Sample Conditioning Filter System	Hach	Filtra	
Ammonia Analyzer Sampler	Hach	AMTAX SC	
Samplers	Hach	AS950 series	



## **SENSORS**

TYPE	MANUFACTURER	MODEL#	
TSS Sensor	Cerlic	ITX Suspended Solids	
TSS Sensor	Hach	Hach	
MLSS Sensor	Hach	Hach Solitax Solids Analyzer	
Turbidity Sensor	Hach	Hach Solitax Turbidity/TSS	
Nitrate/Nitrite Sensor	Hach	NITRATAX Plus SC	
Ammonia Sensor	Hach	AISE sc Ammonium probe with RFID Technology	
Dissolved Oxygen Sensor/Probe	Hach	LDO Model 2	
Differential pH Sensor	Hach	pHD SC	
UV Absorb/Trans Sensor	Hach	UVAS Plus SC Suspended Solids/Turbidity Sensor Hach	
Suspended Solids/Turbidity Sensor	Hach	SOLITAX SC	
Conductivity Sensor	Hach	3700 Inductive Conductivity Sensor	
ORP Sensor	Hach	ORP Differential Sensor	
Suspended Solids Sensor	Cerlic	LC sensor	
UV Transmittance	Hach	UVAS sc sensor	
pH Sensor	Rosemount	Solucomp II Analyzer	
Pressure	Red Valve	series 48	

### **TRANSMITTERS**

TYPE	MANUFACTURER	MODEL #
Pressure Transmitter - Air	Rosemount	
Temperature Gauge - Air	Rosemount	
Level Transmitters	Milltronics	Hydro Ranger
Level Transmitters	GP:50 Automation Products Group (APG) VEGA VEGA	GP:50 w/cage PT500 w/cage VEGAWELL 52 VEGAPULS 31
Pressure Transmitter	Rosemount	
Temperature Transmitter	Rosemount	
Force Main Pressure Transducer	Automation Products Group (APG)	PT500A
Potable Water Pressure Transducer	Alia	APT8000
	Kobold	PAS
	KROHNE	Optibar PC 5060 C
	Rosemount	3051
	UE	One Series 1XTX00
	Siemens	SITRANS P320



# WATER TREATMENT PLANT APPROVED MATERIALS

## **PROTECTIVE COATINGS**

**WT-101: PROTECTIVE COATING** 

**DESCRIPTION: NSF Compliant Coatings** 

COMPANY NAME	CONTACTS	PHONE	EMAIL	APPROVED MATERIALS
The Sherwin-Williams Company	Josh Hinson	904-591-3137	swrep4538@sherwin.c om	*Dura-Plate 2300 *Dura-Plate UHS *Dura-Plate UHS Primer *Steel Seam FT910 *Loxon XP(smooth) *GP3830 Resuprime MVT Primer GP3741 Novo-Flo Epoxy
Tnemec Co.				*Series 218 *Series 217 *Series N140 *Series 22 *Series 156 Enviro-Crete *Series 201 Epoxoprime *Series 282 Tneme-Glaze



## OIL

WT-201: OIL

COMPANY NAME	CONTACTS	PHONE	EMAIL	APPROVED MATERIALS
Lubrication Engineers, Inc.				Monolec Turbine Oil

## **SLEEVE BEARINGS AND MECHANICAL SEALS**

WT-301: SLEEVE BEARINGS

COMPANY NAME	CONTACTS	PHONE	EMAIL	APPROVED MATERIALS
Vesco Plastics				Vesconite HiLube



### WT-302: MECHANICAL SEALS

EQUIPMENT	TYPE	MANUFACTURERS/MOD EL
Mechanical Seals	Cartridge or Bellows Type	*The John Crane Company *Chesterton



## **PUMPS**

**WT-401: PUMPS** 

PUMP TYPE	TYPES or ADD-ONS	MANUFACTURERS
Well Pump	Discharge head motor and column package	*Flowserve Corporation * Goulds Water Technology * Peerless Pumps * National Pump Company * American-Marsh Pumps * Aurora Pumps * Boesch VTP Pumps
High Service Pumps	Horizontal, Split Case, Centrifugal	* Goulds Water Technology  * Aurora Pumps  * Peerless Pumps  * American-Marsh Pumps  * Flowserve Corporation  *Boesch VTP Pumps
Sump Pumps	Cast Iron Body	* Flgyt * Hydromatic
Sodium Hypochlorite Metering Pumps		* Grundfos Pumps Corp * SMART Digital DDA with E-Box for Profibus Connectivity
Sodium Hypochlorite Pump Skid System		*Class Engineering Inc *Guardian Equipment Inc *Blue Planet Environmental Systems, Inc.



## **ELECTRICAL-ELECTRONICS-INSTRUMENTATION**

### WT-501: ELECTRICAL EQUIPMENT

#### **DESCRIPTION:**

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
MCC	Draw out breakers required	* Eaton * Schneider Electric * Siemens * ABB
VFD		* Siemens G120X  * Danfoss Aqua Drive  * ABB ACQ580  * Schneider Altivar Process ATV630  * Toshiba VF-AS3
Power Monitoring Equipment – Remote Applications		* Siemens PAC3200
Power Monitoring Equipment – Local Applications		* Siemens PAC4200 as provided by Switchgear manufacturer
Power Generators		JEA Contract Supplier
Automatic Transfer Switch		* ASCO 7000 Series * Russelectric RTS-3
Switchgear		JEA Contract Supplier
Soft Starters		* Eaton S811+ * Siemens 3rw55

WT-502: INSTRUMENTATION EQUIPMENT

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
Manual Pressure Gauge	Raw Water Pump	* Ashcroft XLL Performance Plus! (4.5")
Electronic Pressure Transmitter	Raw Water Pump	* Rosemount 3051 TG2A
Pump Check Valve Limit Switch	Raw Water Pump	* Provided by valve manufacturer
Conductivity Element and Transmitter	Raw Water Pump	* Rosemount Model 228 * Sensor and Model 1056 * Transmitter, Endress Hauser Memosens CLS82D and Liquiline CM442 Transmitter
Flow Element and Transmitter	Raw Water Pump	* Endress Hauser W500, ABB WaterMaster
Level Element and Transmitter	Raw Water Pump	* Probe: PMC MTM 3213 Controller: Endress Hauser RIA46
Level Element and Transmitter	Ground Storage Tank/Ultrasonic	* Probe: Siemens SITRANS Probe LU (7ML52212DA14) * Controller: Siemens HydroRanger 200 * Radar: Magnetrol R-82
Level Element and Transmitter	Ground Storage Tank/Hydrostatic Pressure	* Rosemount 3051C
Level Element and Switch Electrodes	Ground Storage Tank	* B/W Controls, Inc. * Charles F. Warrick Co.
Junction Boxes	Ground Storage Tank	316 SST, NEMA 4X
Free Chlorine Residual Analyzer and Transmitter #1	High Service Pump Room	* Endress Hauser Liquiline CM444
Free Chlorine Residual Analyzer and Transmitter #2	High Service Pump Room	* Wallace & Tiernan Model DEPOLOX 400M
Pressure Gauge-Vacuum Gauge	High Service Pump Room	* Ashcroft XLL Performance Plus! (4.5")
Pump Check Valve Limit Switch	High Service Pump Room	* Provided by valve manufacturer

Level Float	High Service Pump Room	3
		manufacturer



### WT-503: ELECTRONIC EQUIPMENT

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
Exhaust Fans, MAU, AHU	Hypochlorite Storage Tank	* Siemens
Level Element and Transmitter	Hypochlorite Storage Tank	* Mercold EDAW-N1E1-02T1 with Marquest Scientific Tuff Guard
Horn, Indoor/Outdoor	Hypochlorite Storage Tank	* Federal Signal Corp Model 50GC with Universal Tone Module (UTM)
Optical Leak Detection	Hypochlorite Storage Tank	As supplied by tank manufacturer
PLC – Water Plant	Electrical Room	* Siemens S7-400
PLC	Raw Water Pump	* Siemens S7 Series 300
PLC – As needed and approved by JEA	Electrical Room	* Siemens S7-1200 * Siemens S7-1500
PLC – Remote Wells	Electrical Room	* Siemens S7-300
UPS	Electrical Room	* Orion 2000KVA w/ relay card
Power Meter	Electrical Room	* Siemens PAC3200 w/ Profibus expansion model
Panel	Steel and FRP panel enclosures	* Hoffman * Schaffer * Rittal
HMI	Outdoor local panel display	* Siemens SIPLUS TP700 Comfort Outdoor HMI
HMI	Indoor local panel display	* Siemens Simatic HMI, TP 1200 Comfort
HMI Software	Version to be verified with JEA	* Siemens WinCC SCADA (TIA portal)
Profibus Connector with LEDs		* VIPA 972 Series

Communication Interface Units		* CIU ISO 150 for Profibus DP
Profibus Multirepeater		* VIPA 920 Series
DIN-rail power supplies for 1-phase systems		* Puls CP10.241 Series
Converters		* Puls PISA 11 Series
Ethernet Switch		* N-Tron 106FX2
Surge Protection		* Citel
Surge Protection	Surge protection for 24v 4- 20 mA signals	* PR Electronics Universal Transmitter Model 4114 with model 4501 display



## **STORAGE TANKS**

**WT-601: STORAGE TANKS** 

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
Ground Storage Tank	Accessories	Contact Water Wastewater Systems Standards for procurement instructions
Polyethylene Chemical Storage Tank		* Poly Processing Co * Assmann Corp. * Snyder Industries

## **FANS**

### WT-701: FANS AND INTAKE HOOD

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
Ground Storage Tank	Fans and Intake Hood	* Aerovent (supplied by Markair, Inc)



## **FLOW METERS**

### WT-801: FLOW METERS AND RELATED EQUIPMENT

EQUIPMENT	TYPES or ADD-ONS	MANUFACTURERS/MODEL
Flow Element Venturi Tube Insert or Electromagnetic Flowmeter		*Endress Hauser W500 *Krohne Waterflux 3300 with IFC 300
Pressure Differential Transmitter	Electronic	*Rosemount Model 3051C
Pressure Gauge		*Ashcroft CLL Performance First (4.5")
Wallmount Enclosure and Back Panel	4X Polyester PJW Series, FRP	*Hammond Manufacturing
Flow Element and Transmitter		*Flexim Fluxus F721



## **VALVES**

### WT-901: AIR RELEASE/VACUUM VALVES

TYPE	SIZE	PROCESS LOCATION	MANUFACTURER S/MODEL
Air Release Valve	1" and larger	High Service Pump Station	*Val-Matic *Crispin
Air/Vacuum Valve	1" and smaller	Raw Water Well Pump	*Val-Matic "SuperValve"
Air/Vacuum Valve	2" and larger	Raw Water Well Pump	*Val-Matic
Angle Pattern Hose Valve	1"-3"	Chemical Building Portable Water System	*Powell "Fig 1254" *Walworth "Fig 8907F"
Angel Type Hose Valve	3/4"	Raw Water Well Pump Sample Tap	*Milwaukee "504" *Stockham "B- 216" *Walworth "Fig 3059"
Back Pressure Valve	1" and smaller	Plant Service Water	*Cash Valve 13690
Back Pressure Valve	1" and smaller	Sodium Hypochlorite Metering Pump Discharge	*Griffco
Back Pressure Valve	3" and smaller	Sodium Hypochlorite Injection	*Plast-O-Matic



### WT-902: BALL VALVES

TYPE	SIZE	PROCESS LOCATION	MANUFACTURER S/MODEL
Ball valve	2" and smaller	Hose Station/Potable Water System	*Conbraco Ind. "Apollo 70-100 Series" *Powell "Fig 42101" *Stockham "S- 216"
Ball Valve	2" and smaller	Raw Water Well Pump Pitometer/Water Heater	*Conbraco Ind Apollo 70-100 Series" *Powell "Fig 42101" *Stockham "S- 216"
Ball Valve	2" and smaller	Chlorine Residuel and pH analyzer	*ASAHI True Union
Ball Valve	3" and smaller	Sodium Hypochlorite Systems	*ASAHI True Union
Ball Valve	3" and smaller	Raw Water Well Pump/High Service Pump Station/Finished Water Venturi/Flowmeter Vault	*Conbraco Ind "Apollo 76F Series"
Ball Check Valve	3" and smaller	Chlorine Injection Vault	*ASAHI True Union



### WT-903: BUTTERFLY VALVES

TYPE	SIZE	PROCESS LOCATION	MANUFACTURER S/MODEL
Butterfly Valve	6" and larger	Raw Water Well/High Service Pump Station	*GA Series 800 *Val-Matic 2000 Series
Butterfly Valve	6" and larger	Raw Water Well/High Service Pump	*GA Series 800, worm gear with handwheel *Val-Matic 2000 Series with handwheel

### WT-904: CHECK VALVES

DESCRIPTION: External check valves only

TYPE	SIZE	PROCESS LOCATION	MANUFACTURERS/ MODEL
Check Valve	4" and smaller	Sodium Hypochlorite Line	*ASAHI True Union
Check Valve	3" and larger	Sanitary Lift Station	*Milwaukee F-2974 *Stockham G-931 VSI Waterworks CVIX
Check Valve	4"-24"	High Service Pump Raw Water Well	*Val-Matic, Surge- buster *GA 200-D
Check Valve	As required by line size	Ground Storage Tank	*Plast-O-Matic "Series CK" *Series VB Vacuum Breakers *Red Valve

WT-905: GATE VALVES

TYPE	SIZE	PROCESS LOCATION	MANUFACTURER S/MODEL
Gate Valve	3" and smaller	Backflow Preventer Assembly	
Gate Valve	4"-24"	Ground Storage Tank Potable Water Lines Finished Water Flow Meter High Service Pump Fire Hydrant Shut Off Valve Overflow Discharge Lines	*American Flow Control "2500 Series"  *AVK (S/S Stem)  "Series 45"  *Clow Valve "F- 6100"  *Kennedy "8571"  *Mueller "A2360, A2361"  *M&H "4067"  *US Pipe "250"  *United Water Products "2010" American-RD "D100"

### WT-906: PRESSURE REGULATING VALVES

Pressure Reducing Valve	2 ½" and smaller	Chlorine Residual and pH analyzer	*DanFoss Flomatic C150E
Pressure Reducing Valve	2" and smaller	Chemical Building	*DanFoss Flowmatic C101
Pressure Reducing Valve	2″-16″	WTP Discharge	*Bermad "720" *Watts-F115 DanFoss *Flomatic C401
Pressure-Reducing Valve	2" and smaller	Chlorine Residual and pH Analyzer	
Pressure Relief Valve	1" and smaller	Sodium Hypochlorite Metering Pump	
Pressure Regulating Valve	1" and smaller	Sodium Hypochlorite Metering Pump Discharge	*Plast-O-Matic
Reduced Pressure Backflow Preventer	4" and larger	Chemical Building Potable Water System	*DanFoss Flowmatic RPZ



### WT-907: MISC. VALVE TYPES

TYPE	SIZE	PROCESS LOCATION	MANUFACTURER S/MODEL
Globe Valve	3" and smaller	Chemical Building	*Milwaukee "502" *Stockham "B-16" *Walworth "Fig 3058"
Plug Valve	3"-12"	Sanitary Lift Station	*APCO, Series 500
Fire Hydrant	5 ¼ Main Valve, 6" Bottom Connection	Yard Piping	*American MK-73 *Clow Valve F- 2545 *Kennedy K81A *Mueller A-421 *US Pipe Met 250/M94 *Waterous WB-77



## **MISCELLANEOUS**

WT-1001: MISC MATERIALS

EQUIPMENT	TYPE	MANUFACTURERS/MODEL
Chemical Tubing/Hose		*Pacific Echo Spiralite Spa- Flex
Chemical Injection Assembly		*Hydro Instruments
Fiberglass Grating		*Fibergrate *Strongwell
Asset Bar Code Stickers Used in ALL W/WW applications	AT-3089P-B HTC Clde: 48.10.00.00 Adder: +3M 468MP Adhesive	MyAssetTag www.myassettag.com Alisha Parke alisha@smartsign.com