

WASTEWATER APPROVED MATERIALS

APPROVED DESCRIPTION: PLATE NUMBER		PAGE
AS-100	PIPE	
AS – 101	NOT USED	XI 2
AS – 102	PVC Pressure (DR18) Pipe	XI 3
	PVC Gravity Pipe (SDR26)	
	PVC Pipe (SCH 40 & SCH 80)	
AS-200	<u>FITTINGS</u>	
AS – 201	Ductile Iron Fittings	XI 6
AS – 202	NOT USED	XI 7
AS – 203	Stainless Steel Tapping Sleeve	XI 8
AS – 204	PVC Solvent Weld Fitting	XI 9
AS – 205	PVC Gravity Fitting (SDR26)	XI 10
	PVC Pressure Fitting	
AS-300	VALVES	
	Valve Box and Cover	XI - 12
	Gate Valve	
	Tapping Valve	
	Plug Valve	
	Check Valve	
	Air Valve	
AS-400	COUPLINGS, CLAMPS, RESTRAINERS	
	Full Circle 2" Tapping Saddle for ARV	XI - 18
AS – 402	Restraints for PVC or D.I. Pipe	XI - 19
	PVC/D.I. Bell Restraining Device	
AS – 404	Accessory Pack	XI - 21
	Mechanical Joint Fastener	
	Flange Adapter	
	Casing Spacer	
	Cast Coupling.	
	Full Circle Repair Clamp	
AS-500	MANHOLES	
	Manhole and Accessories	VI 27
	Protective Coating	
	Manhole Adjustment Ring	
	Manhole Frame and Cover	XI 30
<u>AS-600</u>	PUMP STATIONS	
	Aluminum Hatch (Frame and Cover)	
	Concrete Liner	
	Wastewater Pump	
	Electrical and Control Panel & VFD	
AS – 605	Emergency Pump Engine	XI 35





AS-101 NOT USED



AS-102 PVC PRESSURE (DR18) PIPE



DESCRIPTION: DR18 PVC Pipe. See Chapter IV. 2. - Section 428 & Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4-inch – 60	Diamond Plastics	N/A
4-inch – 48	JM Eagle	N/A
4-inch – 30	National Pipe & Plastics	N/A
4-inch – 36	North American Pipe Co. (NAPCO)	N/A
4-inch – 48	lpex	N/A
4-inch – 48	National Pipe & Plastics	N/A
4-inch – 12	Sanderson Pipe Corportation	N/A

DESCRIPTION: DR16 Pipe. See Chapter III. 1. - Section 350 of the current JEA Standards for specifications and requirements. See Chapter VI. 1. - Section 701 for Reclaimed Water specifications and requirements.

opositionis and regularities.		
SIZE	MANUFACTURER	MODEL #
16-inch	Diamond Plastics	N/A
16-inch	JM Eagle	N/A
16-inch	National Pipe & Plastics/National PVC)	N/A
16-inch	North American Pipe Co. (NAPCO)	N/A
16-inch	lpex	N/A



AS-103 PVC GRAVITY PIPE




DESCRIPTION: PVC SDR 26: See Chapter IV. 2. - Section 428 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
6-inch & larger	Charlotte Pipe	N/A
6-inch & larger	Diamond Plastics Corp	N/A
6-inch & larger	JM Eagle	N/A
6-inch & larger	National Pipe & Plastics	N/A
6-inch & larger	North American Pipe Co. (NAPCO)	N/A
6-inch & larger	Sanderson Pipe Co.	N/A
6-inch & larger	HAWK Plastics Corporation	SDR-26



AS-104PVC PIPE (SCH 40 & SCH 80)




DESCRIPTION: PVC SCH 40 or 80 Pipe. See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & smaller	JM Eagle	
3-inch & smaller	National Pipe & Plastics	
3-inch & smaller	North American Pipe Co. (NAPCO)	
3-inch & smaller	Sanderson Pipe Company	
3-inch & smaller	Accord Industries	
3-inch & smaller	Charlotte Pipe & Foundry	



AS-201 DUCTILE IRON FITTINGS



Note: Mechanical joint, 90-

degree bend & fittings, shown as example only (for additional joints, see specifications).

DESCRIPTION: Ductile Iron Fitting, epoxy-lined. See Sections 428 & Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	Tyler Union	N/A
3-inch & larger	Star Pipe Products	N/A
3-inch & larger	Sigma Corporation (Russell Pipe)	N/A
3-inch & larger	SIP Industries	N/A
3-inch & larger	US Pipe	N/A



AS-202 NOT USED



AS-203 STAINLESS STEEL TAPPING SLEEVE




Note: Must be all stainless steel, no dissimilar metals allowed.

DESCRIPTION: Stainless Steel Tapping Sleeve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4-inch & larger	Cascade Waterworks Mfg.	CST-EX
4-inch & larger	Dresser Inc./GE	630
4-inch & larger	Ford Meter Box Company	FAST Series, FTSS
4-inch & larger	JCM Industries, Inc.	432, 439, 452, (taps 14-inch and larger)
4-inch & larger	Power Seal	3490, 3490MJ (8-inch and smaller)
4-inch & larger	Romac Industries, Inc.	SST
4-inch & larger	Smith-Blair	N/A
4-inch & larger	Mueller	H304



AS-204 PVC SOLVENT WELD FITTING



DESCRIPTION: Schedule 40 and 80 Solvent Weld Fittings. See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & smaller	lpex	
3-inch & smaller	LASCO Fittings, Inc.	
3-inch & smaller	Nibco	
3-inch & smaller	Georg Fischer Sloane (GF Piping Systems)	
3-inch & smaller	Spears	
3-inch & smaller	Charlotte Pipe & Foundry	



AS-205PVC GRAVITY FITTING (SDR26)



DESCRIPTION: PVC Gravity Fitting (SDR26). See Chapter IV. 2. - Section 428 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
6-inch & larger	GPK Products, Inc	
6-inch & larger	Harco Inc.	
6-inch & larger	Multi Fittings	
6-inch & larger	Tigre-ADS USA	
6-inch & larger	Plastic Trends (Royal Building Projects)	



AS-206 PVC PRESSURE FITTING




DESCRIPTION: For 12 inch and smaller (Pressure Fittings) - PVC C900, DR18 Injection Molded, Push On Joint Fittings. See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements. For 14 inch and larger (pressure Fittings) - PVC C905 Fabricated Fittings (no Tee Fitting). See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
4-inch – 12-inch	Harco Inc.	N/A
4-inch – 12-inch	Multi-Fittings	N/A
4-inch & larger	IPEX	N/A
14-inch & larger	Galaxy Plastics	N/A
14-inch & larger	Plastic Trends (Royal Building Projects)	N/A



AS-301 VALVE BOX AND COVER



DESCRIPTION: Valve Box and Cover. See Section 430 of the current JEA Standards for specifications and requirements.

and re-dimension		
SIZE	MANUFACTURER	MODEL #
N/A	Tyler Union	461-S, Heavy Duty
N/A	Sigma (Russell Pipe)	VB-26, Heavy Duty
N/A	U.S. Foundry	7500, Heavy Duty
N/A	East Jordon Iron Works	461S, Heavy Duty
N/A	Star Pipe Products	VB 461 SHD, Heavy Duty



AS-302 GATE VALVE



Note: All valves shall open by turning to the left.


Mechanical joint shown as example only. See specifications for additional joints.

<u>DESCRIPTION:</u> Resilient Seat Gate Valve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	M.Jt. MODEL #
3-inch & larger	AVK (S/S Stem Only)	Series 45
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	2500 Series
3-inch & larger	Clow Valve	F-6100
3-inch & larger	Kennedy Valve Company	8571
3-inch & larger	M & H Valve Company	4067
3-inch & larger	Mueller	A2360, 2361
3-inch & larger	U.S. Pipe	250
3-inch & larger	American – RD (Kennedy Valve)	D 100
3-inch to 12-inch	United Water Products	2010



AS-303 TAPPING VALVE



Note: All valves shall open by turning to the left.

DESCRIPTION: Tapping Valve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	N/A
3-inch & larger	AVK (S/S Stem Only)	25/30081
3-inch & larger	Clow Valve	F-6114
3-inch & larger	Kennedy Valve Company	8950
3-inch & larger	M & H Valve	4751
3-inch & larger	Mueller	T-2360, 2361
3-inch & larger	U.S. Pipe	5860
3-inch & larger	Mueller – Aqua Grip	A-2361-76
3-inch & larger	American – RD (Kennedy Valve)	N/A

<u>DESCRIPTION:</u> Insert-A-Valve: See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
4-inch thru 8-inch	ROMAC	310 Sleeve w/361 valve
10" thru 12"	ROMAC	311 Sleeve w/358 valve
14-inch & larger	Submittal and JEA Approval	Special Case



AS-304 PLUG VALVE




<u>Note:</u> Flange joint shown as example only. (For additional joints, see specifications.)

<u>DESCRIPTION:</u> Plug Valve. See Section 430 of the current JEA Standards for specifications and requirements. Actuator may be required to achieve 150 P.S.I. drip tight shut-off in both directions. Contact valve manufacturer for requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	Clow Valve /Kennedy	N/A
3-inch & larger	Dezurik	N/A
3-inch & larger	Dezurik	N/A
3-inch & larger	TYCO/Keystone	Eccentric Valve
3-inch & larger	Milliken Valve or Mueller Water Products	600 N (MJ)
3-inch & larger	Milliken Valve/Mueller Water Products	601 N (FLG)
3-inch & larger	Henry Pratt Co	N/A
3-inch & larger	Val-Matic	N/A



AS-305 CHECK VALVE



DESCRIPTION: Check Valve. See Section 430 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	American Flow Control (American Cast Iron Pipe Company)	50SC-LW
3-inch & larger	Clow Valve/Kennedy	106LW
3-inch & larger	M & H Valve	159-02
3-inch & larger	Mueller/CNNE(Charles Finch)/Milliken	8001
3-inch & larger	NIBCO	F938-31-BL&W
3-inch & larger	Matco-Norca	



AS-306 AIR VALVE



<u>DESCRIPTION:</u> Air Valve. See Section 430 of the current JEA Standards for specifications and requirements. It should be noted that, per the specification, valves may require back wash feature, stainless steel body or nylon plastic body and other requirements.

SIZE	MANUFACTURER	MODEL#
	AIR RELEASE VALVE	
Varies	A.R.I. USA	D-025-P (*)
	AIR COMBINATION VALVE (RELEASE & VACUUM)	
Varies	Vent-O-Mat	Series RGX (*)
Varies	A.R.I. USA	D-020, D-025 (*)
Varies	H-TEC USA	316TI (*)

Notes: (*) Denotes Stainless Steel Body.



AS-401 FULL CIRCLE 2" TAPPING SADDLE FOR ARVS



DESCRIPTION: Full Circle 2" Tapping Saddle Stainless Steel (Banded) for ARVs. See Chapter V. 3. - Section 430 and Chapter III-Section 351 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
2" to 3"	Ford Meter Box, Co	FS313 Series
4" to 36"	Ford Meter Box, Co	FS323-FS343 Series
2" to 16"	Smith Blair	372 Series
2" to 24"	Romac	305/306 Series



AS-402 RESTRAINTS FOR PVC OR D.I. PIPE




DESCRIPTION: Restraints for PVC or D.I. Pipe. See Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	EBAA Iron	1100 (Ductile Pipe Only)
3-inch & larger	EBAA Iron	2000 PV, 2000 SV (PVC Pipe Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1400 (Ductile Pipe Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1500 (PVC Pipe Only)
3-inch to10-inch	Sigma (Russell Pipe)	One-Lok SLCE – (PVC pipe only)
12-inch & larger	Sigma (Russell Pipe)	One-Lok SLCE – (PVC pipe only)
3-inch & larger	Sigma (Russell Pipe)	One-Lok SLDE – (Ductile Pipe Only)
3-inch & larger	Star Pipe	Stargrip 3000 (Ductile Pipe Only)
3-inch & larger	Star Pipe	Stargrip 4000 (PVC Pipe)
3-inch & larger	Tyler Union	TUFGrip (Ductile-TLD/PVC-TLP Pipe)



AS-403

PVC OR D.I. BELL RESTRAINING DEVICE



DESCRIPTION: Bell Restraining Devices. See Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
3-inch & larger	EBAA Iron	1500 Series (PVC/Ductile)
3-inch & larger	EBAA Iron	1600 Series (PVC/Ductile)
3-inch & larger	EBAA Iron	2500 Series (PVC Only)
3-inch & larger	EBAA Iron	2800 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1300 Series (PVC/Ductile)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1350 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1360 Series (PVC Only)
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	1390 Series (PVC/Ductile)
3-inch & larger	JCM Industries	610 Series (PVC/Ductile)
3-inch & larger	JCM Industries	621 Series (PVC/Ductile)
3-inch & larger	Romac	Grip Ring (PVC/Ductile)
3-inch & larger	Star Pipe Products, Inc.	ALLGRIP 3600 (PVC/Ductile)
3-inch & larger	Star Pipe Products, Inc.	1000, 1100 (PVC/Ductile), 1200 (PVC Only) Series
3-inch & larger	Star Pipe Products, Inc.	Stargrip 3100 (Ductile Only), 4100 (PVC Only)
3-inch & larger	Tyler Union	3000 (PVC Only)
3-inch & larger	Sigma (Russell Pipe)	PWP(PVC/Ductile)



AS-404 ACCESSORY PACK




DESCRIPTION: Accessory Pack. See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	American Cast Iron Pipe Company	N/A
3-inch & larger	Clow Valve	N/A
3-inch & larger	Tyler Union	N/A
3-inch & larger	U.S. Pipe and Foundry	N/A
3-inch & larger	Sigma	N/A
3-inch & larger	Star Pipe Products	N/A



AS-405 MECHANICAL JOINT FASTENER




<u>DESCRIPTION:</u> Mechanical Joint Fasteners. See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
	Tie Lugs	
	See Specifications	
	All Thread Rods	
	See Specifications	
	Eye Bolts	
	See Specifications	
	Nuts & Washers	
	See Specifications	



AS-406 FLANGE ADAPTER



<u>DESCRIPTION:</u> Flange Adapters. See Section 429 of the current JEA Standards for specifications and requirements. The use of flange adapters shall be limited to areas specifically approved by JEA on a project-by-project basis.

SIZE	MANUFACTURER	MODEL #
3-inch & larger	EBAA	Series 1000 DIP only
3-inch & larger	EBAA Iron	Series 2100 PVC or DI
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	200 C & S 400 C & S 900 C & S
3-inch & larger	The Ford Meter Box Co, Inc (Uniflange)	UFA-200 DIP UFA-900 PVC
3-inch & larger	Star Pipe	Series 200G Series 400G



AS-407 CASING SPACER



<u>DESCRIPTION:</u> Casing Spacers. See Sections 428 & Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
Varies	Cascade Waterworks Mfg.	CCS
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	S/S Type
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	PVC Coated Steel
Varies	Pipeline Seal & Insulator, Co (EnPro Industries, Inc.)	Ranger II
Varies	Raci Spacers	High Density Polyethylene
Varies	BWM Company	N/A
Varies	Advanced Products & Systems	SSI, SI, CI
Varies	CCI Pipeline Systems	CSC, CSS



AS-408 PIPE COUPLING




Note: O.D. Ranges may vary. Refer to manufacturer's specifications.

<u>DESCRIPTION:</u> Cast Coupling. See Chapter IV. 2. - Section 428 of the current JEA Standards for specifications and requirements, including coating requirements.

SIZE	MANUFACTURER	MODEL #
4-inch & larger	Cascade Waterworks Mfg.	CDC, CRC, CRFA
4-inch & larger	Dressler Inc./GE	153
4-inch & larger	Ford Meter Box	FC2A, FC2N
4-inch & larger	JCM	210
4-inch & larger	PowerSeal	3501, 3501B, 3506, 3521
4-inch & larger	Romac	501
4-inch & larger	Smith-Blair	441
4-inch & larger	TPS, Hymax	2000
4-inch & larger	Mueller	MAXIFIT
4-inch & larger	Mueller Co	N/A
4-inch & larger	FERNCO	1000



AS-409 FULL CIRCLE REPAIR CLAMP




<u>DESCRIPTION:</u> Full Circle Repair Clamp (stainless steel). See Chapter IV. 3. - Section 429 of the current JEA Standards for specifications and requirements.

SIZE MANUFACTURER		MODEL #	
All Sizes	Ford Meter Box, Co	"F" or "FS" Series	
All Sizes	Dresser Inc./GE	360	
All Sizes	JCM Industries	101 or 131	
All Sizes	JCM Industries	102 or 132	
All Sizes	Powerseal	3121 or 3122	
All Sizes	Romac	"SS" or "CL" Series	
All Sizes	Smith Blair	Series 226 or 256	
All Sizes	Smith Blair	Series 228 or 263	
All Sizes	TPS, EZ-MAX	Model 4000	
All Sizes	Mueller Co.	500, 510, 540, 550	



AS-501 MANHOLE AND ACCESSORIES




DESCRIPTION: Manhole and Accessories. See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MODEL#			
Manhole and Accessories				
Varies	Standard Precast N/A			
Varies	Forterra	N/A		
Varies	Del Zotto Precast	N/A		
	Manhole Joint Sealant			
1-inch	Con-Seal	CS102, 202		
1-1/2 inch Ram-Nek/Henry Company		Ram-Nek		
	NPC Bidco /Trelleborg	C-56		
1-inch	Evergrip	990		
	Exterior Joint Sealant Tape			
0.1 inch X 8 inch W (minimum)	Con Seal	CS-300, CS-212		
9 inch W (minimum)	Rub-R-Nek/ Henry Company	N/A		
6 inch W (minimum) Wrapid Seal (CCI Pipeline systems)		N/A		
	Manhole General Coating			
12 mils thick	Con-Seal	CS-55		
12 mils thick	PRO-Tec Coatings, Inc. EW1-Aquapoxy			



AS-502 PROTECTIVE COATING




<u>DESCRIPTION:</u> Water Wastewater Protective Coating. See Section 447 of the current JEA Standards for specifications and requirements.

COMPANY NAME	CONTACTS	PHONE	EMAIL
The Sherwin-Williams Company	Josh Hinson	904-591-3137	swrep4538@sherwin.com
Corrocoat Usa, Inc.	Josh Tankersley	904-472-0768	Josht@corrocoat.com
PPG Protective & Marine Coatings	Jim Hartley	904-626-6382	jim.hartley@ppg.com
Carboline	Eric Foreman	904-576-0800	eforeman@carboline.com



AS-503 MANHOLE ADJUSTMENT RING




DESCRIPTION: Manhole (adjustment rings) Collars. See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
Varies	Standard Precast	
Varies	Forterra	
Varies	Lad Tech, HDPE Rings	
Varies	EJ, Steel Adjustment Ring	
Varies	EJ, infra-riser	



AS-504 MANHOLE FRAME AND COVER




DESCRIPTION: Manhole Frame and Cover (with rubber "T" Gaskets). See Section 427 of the current JEA Standards for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
32-inch	U.S. Foundry	USF-655
32-inch	East Jordan Iron Works	N/A



AS-601 ALUMINUM HATCH (FRAME AND COVER)




DESCRIPTION: Aluminum Hatch Frame and Cover. See Section 433 of the current JEA Standard for specifications and requirements.

SIZE	MANUFACTURER	MODEL#
Varies	U.S. Foundry	
Varies	Halliday Products, Inc.	



AS-602 CONCRETE LINER



<u>DESCRIPTION:</u> Concrete Liner. See Section 446 of the current JEA Standards for specifications and requirements.


MANUFACTURER	MODEL#
Associated Fiberglass Enterprises	Hard Shell Liner (***)
Concrete Conservation, Inc.	Spectra-Shield (*)
L. F. Manufacturing, Inc.	Hard Shell Liner (***)
LarFarge/ Kerneos Inc. Calcium Aluminates	SEWPERCOAT (**)
GML Coatings, LLC.	Green Monster (*)

NOTES:

- (*) Denotes Polyurethane, HDPE or Fiberglass Liner Material
- (**) Denotes Cementitious Liner Material
- (***) Denotes Hard Shell Liner Material



AS-603 WASTEWATER PUMP




<u>DESCRIPTION:</u> Wastewater Pump. See Section 433 of the current JEA Standards for specifications and requirements. It is intended that JEA approved material list shall be considered acceptable, unless new technology exist or if it is in the best interest of JEA to revise the approved material list.

SUBMERSIBLE WASTEWATER PUMPS				
Manufacturer/Representative	Telephone Number			
Flygt rep David Williams	(239) 825-8384			
EMU, rep by KAMAN Industrial Tech.	(904) 626-5189			
KSB, rep by Custom Pump	(904) 858-9605			
Hydromatic, rep by Barneys Pump (40hp and less)	(904) 260-0669			
DRY-PIT WASTEWATER PUMPS				
EMU, rep by KAMAN Industrial Tech.	(904) 626-5189			
Flow Serve (MSX), rep by Carter & Ver Planck	(813) 287-0709			
KSB, rep by Custom Pump	(904) 858-9605			
Flygt, rep David Williams	(239) 825 8384			
FLOODED SUCTION SOLIDS HANDLING PUMPS				
Fairbanks Morse, rep by Sanders Company, Inc	(772)-220-2900			
Worthington, rep by Carter & Ver Planck	(813) 287-0709			
Allis Chalmers, rep David Williams	(239) 825-8384			



AS-604

ELECTRICAL, CONTROL PANEL, VFD & SCADA



<u>DESCRIPTION:</u> Pump Station Electrical and Control Panel including (RTU). See Section 433 of the current JEA Standards for specifications and requirements.

can one of a community of the community				
COMPANY NAME	CONTACTS	PHONE	EMAIL	
ECS	Ralph Sinn	(904)367-5000	ralph@ecs31.com	
EG Controls, Inc.	Sonia McKenzie	(904)292-0110	smcenizie@egcontrols.com	
Suncoast	Mark Owens	(904)693-3318	mowens@suncoastcontrols.biz	
Sun State System, Inc.	Tony Rhodes	(904)269-2544	trhodes@sunstatesystems.com	
Infamation Technologies	Dale R. Young	(904)425-4760	dyoung@infamation.com	
Group, (ITG)				

<u>DESCRIPTION</u>: Variable Frequency Drives (VFD). See section 433 of the current JEA standard for specifications and requirements. It is intended that this JEA approved material will be considered acceptable, unless new technology exist or if it is in the best interest of JEA to revise the approved material list.


VFD	SCADA
Cutler Hammer/Eaton	SIEMENS
Yaskawa P7	

Approved By: CDR January 1, 2018 Revised By: KGL



AS-605

Emergency Pump Engine



<u>DESCRIPTION:</u> Emergency Pump Engines, See Section 470 of the current JEA Standards for specifications and requirements.

PUMP MANUFACTURER	CONTACTS	PHONE	EMAIL
Thompson Pump	Brian Lee	(386) 212-6999	blee@thompsonpump.com
Holland Pump	Eugene Lant	(321) 297-6372	eugene@hollandpump.com
Godwin Pump	Chris Ocampo	(904) 338-4099	christopher.ocampo@xyleminc.com

ENGINE MANUFACTURER	4" PUMP/SET	6" PUMP/SET	8" PUMP/SET	10" PUMP/SET	12" PUMP/SET
John Deere	4024T281-SP1	4045T280-SP2	4045T285-SP2	6068H285-SP2	6090H485-SP1
Caterpillar (C18 Tier3)*	2.2T-SP	C4.4T-SP	C4.4E-TA-SP	C6.65E-SP	C9-SP
Mitsubishi	S4Q2-VS/14A	N/A	N/A	N/A	N/A

Alternative engine manufacturer with approval by JEA

^{*}Optional for greater than 12" pump/set