*Current Date

Water and Wastewater Master Material Catalog Page: 1 of: 357

ABRASIVES

ABRPA

Item Description: PAD, ABRASIVE HAND, ULTRA FINE, 6" X 9" GRAY, 20-PADS PER BOX SILICON CARBIDE

NORTON UNITED ABRASIVES, INC. WEILER CORPORATION

95390 77448 51434

Item Description: PAD, SCOURING, NYLON, 6" WIDE X 9" LONG, TYPE #96, GREEN, (20 PADS P/BOX)

010 3M ACS INDUSTRIES BRITE STAR

SCOTCH - BRIGHT SO96 496

ABRSS

Item Description: SCREENCLOTH, OPEN MESH SANDING, 1 1/2" X 25 YARD ROLL, 120 GRIT

FASTENAL RELIANCE FASTENERS INC.

0200345 305011

Item Description: SCREENCLOTH, OPEN MESH SANDING, 1 1/2" X 10 YARD ROLL, 180 GRIT, J.C. WHITLAM MFG.CO.

002 RELIANCE FASTENERS INC. WHITLAM

305012 OM10

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 4", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. ** SHIP BOXED IN

000 KIT FORM.**

Item Description: PACK ACCESSORY, 6", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN

019 KIT FORM.**

of: 357

*Current Date Water and Wastewater Master Material Catalog Page: 2

PUD-MECHANICAL JOINT ACC.

ACCMJ

Item Description: PACK ACCESSORY, 8", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. ** SHIP BOXED IN

027 KIT FORM.**

Item Description: PACK ACCESSORY, 10", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN

035 KIT FORM.**

Item Description: PACK ACCESSORY, 12", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. ** SHIP BOXED IN

043 KIT FORM.**

Item Description: PACK ACCESSORY, 3", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN

051 KIT FORM.**

Item Description: PACK ACCESSORY, 14", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS AND NUTS. **SHIP BOXED IN

074 KIT FORM.**

Item Description: PACK ACCESSORY, 16", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4-1/2") & NUTS.

096 **SHIP BOXED IN KIT FORM.**

Water and Wastewater Master Material Catalog Page: 3 of: 357

PUD-MECHANICAL JOINT ACC.

ACCMJ

*Current Date

Item Description: PACK ACCESSORY, 18", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") & NUTS.

100 **SHIP BOXED IN KIT.**

Item Description: PACK ACCESSORY, 20", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 4 -1/2") AND

NUTS. **SHIP BOXED IN KIT FORM. **

Item Description: PACK ACCESSORY, 24", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (3/4" X 5") & NUTS.

123 **SHIP BOXED IN KIT FORM.**

Item Description: PACK ACCESSORY, 36", DUCTILE IRON, MJ, INCLUDES: GASKET, GLAND, BOLTS (1" X 5- 1/2") &

NUTS.**SHIP BOXED IN KIT FORM**

ADHESIVES & COMPOUNDS

ADCCL

Item Description: CLEANER, HAND WATERLESS, 160Z BOTTLE, TRUE GRIT UNITED 58 REMOVES GROUND-IN SOILS COMPLETELY

010 WHILE CONDITIONING THE SKIN WITH LANOLIN **** NO SUBSTITUTES ****

UNITED LABORATORIES

55812

JEA MAR-13-24 02:15:04 XXJINVWCATL

*Current Date

Water and Wastewater Master Material Catalog Page: 4 of: 357

ADHESIVES & COMPOUNDS

ADCCL

Item Description: ADHESIVE, M-1, 28 OZ. FOR MANHOLE GRADE FLAT PRO RINGS AND ANGLE RINGS

018 CHEMLINK

C098050

ADCMI

Item Description: SEALANT, DUCT SEAL, 5-POUND BAG, ** ISSUED IN 5 POUND INCREMENTS/BAGS**, ** PRICED BY THE

005 POUND **.

> ANDERSON ARNCO INC. DUCKSEAL

DSC-5 S 50 1-6 10DSG5

INTER-CHEMICAL JOHN MANVILLE ITT/WEAVER

PERMAGUM DX5 DUX-SEAL

ADCSE

Item Description: SEALANT, SILICONE, BUILDING AND GLAZING, SEALANT COLOR IS CLEAR, 10 TO 11 OZ. CARTRIDGE, 12 PER

140 BOX, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

DEVCON DOW CORNING

17150 732

AUTO TRANSFER SWITCH

ATSER

Item Description: SWITCH, ATS UNIT, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 240V/60HZ

001 ASCO

J7ADTSA30400F5XS, 18B, 18G,

31Z, 42NZ3, 44G, 73CC1,

NL1169

MAR-13-24 02:15:04

*Current Date

Water and Wasterstein Market M

Water and Wastewater Master Material Catalog Page: 5 of: 357

AUTO TRANSFER SWITCH

ATSER

Item Description: SWITCH, ATS UNIT, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ

002 **ASCO**

J7ADTSA30400N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1, NL1169

Item Description: SWITCH, ATS UNITS, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ 30600.

003 **ASCO**

J7ADTSA30600N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1

Item Description: SWITCH, ATS UNIT, 7000 SERIES, AUTOMATIC DELAYED TRANSITION TRANSFER SWITCH, 480V/60HZ, 3100.

004 ASCO

H7ADTSA31000N5XS, 18B, 18G, 31Z, 42NZ3, 44G, 73CC1, NL1169

*Current Date

Water and Wastewater Master Material Catalog Page: 6

of: 357

PUD-BUILDING MATERIAL

BDMAA

Item Description: BRICK, COMMON - #2 SOLID RED BRICK, ASTEM-32, SM AND MS GRADE, PRE-STACKED & BANDED FOR

125 FORKLIFT UNLOADING 2-1/4" X 3-1/2" X 7-3/4", SOLID BRICK ONLY, NO CORED BRICK ALLOWED

BORAL

#2 SOLID/RED

Item Description: CEMENT, 94 LB. BAG (PORTLAND CEMENT)

137

Item Description: HARDENER, CONCRETE, PORTLAND CEMENT QUICK SOLUTION, 5 GALLON PAIL, ANTI-HYDRO OR MAKE SET

233

Item Description: CONCRETE MIX, 60 POUND BAG, COMPRESSIVE STRENGHT OF 4,000 PSI (28 DAY).

241 QUIKRETE

1101

Item Description: LIME, HYDRATED, 50 POUND BAG

250

Item Description: ROD, CONNECTOR - 3/4", (COUPLER) ZINC PLATED.

262

Item Description: CORD-SASH, #8, 1/4" - 100 FT HANK, JUBILEE BRAIDED, SYNTHETIC CORD, MAGNOLIA

274

*Current Date

Water and Wastewater Master Material Catalog Page: 7 of: 357

PUD-BUILDING MATERIAL

BDMAA

Item Description: PLUG, HYDRAULIC CEMENT MATERIAL FOR STOP- PING WATER INFILTRATION IN MANHOLES OR MASONRY

636 CHEMMASTERS

PROSELECT

CHEMPLUG "F" PSHYD5GALFAS

BDMCC

Item Description: INACTIVE - LUMBER, PINE - #2, 2" X 4" X 12'.

295

Item Description: INACTIVE - NAIL, COMMON - 16D. SCOTTY'S OR EQUAL

517

Item Description: RECTORSEAL, PIPE JOINT COMPOUND, (1-PINT CAN)

731

BDMDD

Item Description: SEALANT, 3M , MARINE ADH , COLOR WHITE , 100Z TUBE #5200 ****** NO SUBSTITUTES ******

²⁶⁰ **3M**

5200 - 051135-06500

Item Description: INACTIVE***SAME AS BDMAA188***SEALENT, RUBBER, BUTYL-FLEX RUBBER LAP SEALANT, TO BE USED TO

SEAL HDPE MANHOLE RISER RINGS, 10.1 OZ. CAULK TUBE, MEETS ASTM C-1085. MADE BY DAP **** NO

SUB. ****

DAP

18182

*Current Date

Water and Wastewater Master Material Catalog Page: 8 of: 357

PUD-BUILDING MATERIAL

BDMEE

Item Description: STAKE-WOOD, 1" X 2" X 24" #2 PINE, BANDED, 50/PER BUNDLE SINGLE POINT, DOUBLE CUT. **** 1 EACH

= BUNDLE OF 50 STAKES. ****

Item Description: STAKE, WOOD - 1" X 2" X 36", 1 EACH = BUNDLE OF 25

128 PINE CASTLE, INC.

SEE DESCRIPTION

Item Description: ROD, STEEL, ALL THREADED, 5/8" X 12', PLAIN FINISH, B7. * 10-12 FT. LENGTHS ONLY *

448

Item Description: ROD, STEEL, ALL THREADED, 3/4-10 X 12', PLAIN FINISH ***** 12-FT. LENGTHS ONLY PLEASE******,

**** 1 EACH = 12 FOOT PIECE ****

BDMFF

Item Description: TAPE, ALUMINUM FOIL, DUCT TAPE, 7.4 MILS THICK OVERALL WITH 2-MIL DEAD SOFT ALUM- INUM FOIL,

071 PERMANENT HIGH TACK ADHESIVE, 2" WIDTH. 50 FT ROLL.

W W GRAINGER

2W500

Item Description: TAPE, SURVEYING ORANGE FLUORESCENT 1 3/16" X 50 YDS, TAFFETA GRADE

134 PRESCO

TFOG

*Current Date

Water and Wastewater Master Material Catalog Page: 9 of: 357

PUD-BELTS

BELAA

Item Description: BELT, V - 4L560, 1/2" TOP WIDTH X 5/16" THICK X 56" OUTSIDE LENGTH, INDUSTRIAL DUTY, FHP. DEMCO

OR EQUAL (ALL BELTS MUST BE MATCHED)

DEMCO INC.

4T₁560

PUD-BACKFLOW PREVENTERS

BFPAA

Item Description: PREVENTER BACKFLOW, REDUCED PRESSURE TYPE 1", TWO INDEPENDENT CHECK VALVES WITH INTERMEDIATE

020 RELIEF VALVE, BRONZE FULL PORT BALL VALVE SHUT-OFFS TO BE RESILIENT SEATED, 1/4 TURN BALL

VALVES.

WATTS REGULATOR

LF909-QT

Item Description: PREVENTER BACKFLOW 1" DUAL CHECK.

030

Item Description: PREVENTER BACKFLOW 2", REDUCED PRESSURE TYPE WITH BALL VALVE, BALL VALVE TO BE RESILIENT

050 SEATING IN KEEPING WITH CITY OF JACKSONVILLE SPECIFICATIONS.

WILKINS

975-XL2

Item Description: PREVENTER BACKFLOW 6", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

070 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLESS STEEL, SEALS AND RINGS FDA APPROVED

WILKINS

375AOSY

*Current Date Water and Wastewater Master Material Catalog Page: 10 of: 357

PUD-BACKFLOW PREVENTERS

BFPAA

Item Description: PREVENTER BACKFLOW 8", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

075 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLES STEEL, SEALS AND RINGS

WILKINS

375AOSY

Item Description: PREVENTER BACKFLOW 10", REDUCED PRESSURE TYPE, FLANGED ENDS WITH GATE VALVES, DUCTILE IRON ASTM

080 A 536 GRADE COATING, FDA APPROVED ELECTROSTATIC EPOXY FINISH, FASTENERS AND SPRINGS 300

STAINLES STEEL, SEALS AND RINGS

WILKINS

375AOSY

BOLTS

BOLEY

Item Description: BOLT, EYE, 3/4"- 10 X 4 1/2", OFFSET, 316 SS

030

Item Description: BOLT, 3/4"-10 X 2 1/2", HEX HEAD CAP, 316 SS, NC 50/100 PER BOX/BAG

040

*Current Date

Water and Wastewater Master Material Catalog Page: 11 of: 357

CONDUIT

CDUNL

Item Description: LOCKNUT, CONDUIT, 1", STEEL

022 THOMAS AND BETTS

143

Item Description: LOCKNUT, CONDUIT, 3/4", STEEL

026 THOMAS AND BETTS

142

PUD-CHLORINE

CHLEE

Item Description: REAGENT, POWDER PILLOW - DPD FREE CHLORINE REAGENT FOR 10 ML SAMPLE, POWDER PILLOWS (PP), 100

265 PILLOWS PER PACKAGE.

HACH COMPANY

21055-69

CHLGG

Item Description: KIT, TEST, FREE CHLORINE, 100 TESTS PER KIT, COLOR DISC TYPE, 0-3.5 TEST RANGE, KIT TO INCLUDE:

003 TEST TUBES, 100- 5 ML DPD PAKS, COLOR WHEEL/TEST TUBE HOLDER AND CASE. ***** NO SUBSTITUTE

HACH COMPANY

2231-02

Item Description: REAGENT, POWDER PILLOW - DPD FREE CHLORINE REAGENT FOR 5 ML SAMPLE, POWDER PILLOWS (PP), 100

026 PILLOW PER PACKAGE. *NO SUBSTITUTE*

HACH COMPANY

14077-99

*Current Date

Water and Wastewater Master Material Catalog Page: 12 of: 357

PUD-CHLORINE

CHLGG

Item Description: KIT, ICE MAKER - KIT TO BE USED FOR TAPPING 3/8" - 1-3/8" COPPER TUBING, KIT INCLUDES 25 FT. OF

FDA APPROVED 1/4" O.D NON-TOXIC POLYETHYLENE TUBING (120 PSI MIN), SELF-TAPPING SADDLE VALVE

W/RUBBER WASHER AND COMPRESSION SLEEVE, TWO BRASS INS

JOHNSTONE SUPPLY PROFLO

PT25 PFXIMK25PA

B-80516

CHEMICALS

CHMDE

Item Description: BIG JIM DEODORIZER / SANITIZER, 55 GALLON DRUMS. ****1 EACH = 55 GALLON DRUM. ****

060

PUD-CHAIN & ATTACHMENTS

CHNAA

Item Description: INACTIVE ONCE DEPLETED-FLIGHTS, FIBERGLASS-SIGMAFIBERGLASS W/(2)FILLER BLOCKS, DIMENSIONS TO

280 BE:5-1/2' LENGTH X 7-1/2"WIDTHX2-1/2"HEIGHT.FLIGHTS TO BE SUPPLIED W/STAINLESS STEEL HARDWARE

SETS(8 BOLTS, WASHERS AND NUTS).PRE-DRILLED ONLY.ENVIREX

ENVIREX INC.

H420935-2

Item Description: FLIGHTS, FIBERGLASS - SIGMA FIBERGLASS WITH (2) FILLER BLOCKS, APPROXIMATE DIMENSION TO BE 18'

LENGTH X 7-1/2" WIDTH X 2-1/2" HEIGHT. FLIGHTS TO BE SUPPLIED WITH STAINLESS STEEL HARDWARE

SETS (8 BOLTS, WASHERS AND NUTS). PRE-DRILLED FLIGHTS

ENVIREX INC.

H420935-1

*Current Date

Water and Wastewater Master Material Catalog Page: 13 of: 357

PUD-CHAIN & ATTACHMENTS

CHNAA

Item Description: SPROCKET, SPLIT - POLYMERIC, 19 TOOTH, NCS 720S, SPROCKET WITH BEARING SLEEVE, SLEEVE FOR 1-

590 15/16" SHAFT, SLEEVE TO BE INCLUDED WITH SPROKET. ***NO SUBSTITUTE***

ENVIREX INC.

603-81163-92 & 603-31144-1

Item Description: SPROCKET, POLYMERIC, 25 TOOTH, 2-7/16" BORE W/KEYWAY, PITCH DISPLACEMENT TO BE 24.09, TO BE

USED WITH NCS720S CHAIN (CROSS COLLECTOR TANKS). ENVIREX ONLY **** NO SUBSTITUTE *****

ENVIREX INC.

603-81162-81

Item Description: SPROCKET, FOR NCS 720S CHAIN, 25 TOOTH, 24.09 PD, 4-15/16" BORE W/KEYWAY, SPLIT POLY BAND CLAMP

630 HEAD, POLYURETHANE CONSTRUCTION. *** ENVIREX ONLY *** ***NO SUBSTITUTE ALLOWED ***

ENVIREX INC.

603-81162-86

PUD-CLAMPS

CLPAA

Item Description: CLAMP, STELLAR, 4", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 2"

010 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, 6", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3-1/2" BOLTS

020 AND NUTS, NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED.

JEA

Water and Wastewater Master Material Catalog Page: 14 of: 357

XXJINVWCATL

PUD-CLAMPS

CLPAA

Item Description: CLAMP, STELLAR, 8", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3

030 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 10", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 3"

040 BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 12", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-

050 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 14", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 4-

060 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

Item Description: CLAMP, STELLAR, 16", CLAMP MUST HAVE TWO BOLT HOLES ON EACH END. CLAMPS TO BE SUPPLIED WITH 5-

070 1/2" BOLTS AND NUTS. NOTE: CLAMPS ARE TO BE ASSEMBLED OR PACKAGED

CLPBB

Item Description: CLAMP, BELL JOINT LEAK, 4"

010 SMITH-BLAIR INC.

274-0480-000

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog

Page: 15 of: 357

PUD-CLAMPS

CLPBB

Item Description: CLAMP, BELL JOINT LEAK, 6"

020 SMITH-BLAIR INC.

274-00000690-000

Item Description: CLAMP, BELL JOINT LEAK, 8"

030 SMITH-BLAIR INC.

274-00000905-000

Item Description: CLAMP, BELL JOINT LEAK, 10"

040 SMITH-BLAIR INC.

274-00001110-000

Item Description: CLAMP, BELL JOINT LEAK, 12"

050 SMITH-BLAIR INC.

274-00001320-000

Item Description: CLAMP, BELL JOINT LEAK, 14"

960 **SMITH BLAIR**

274-00001530-000

Item Description: CLAMP, BELL JOINT LEAK, 16"

070 MUELLER SMITH-BLAIR INC.

H770 274-00001740-000

Item Description: CLAMP, BELL JOINT LEAK, 20"

080 **SMITH-BLAIR INC.**

274-00002160-000

Item Description: CLAMP, BELL JOINT LEAK, 24"

990 SMITH-BLAIR INC.

274-2580-000

*Current Date

Water and Wastewater Master Material Catalog Page: 16 of: 357

PUD-CLAMPS

CLPBB

Item Description: CLAMP, BELL JOINT LEAK, 36"

smith-blair inc.

274-3796-000

Item Description: CLAMP, FULL CIRCLE, 1/2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES,

218 STAINLESS STEEL BAND, DUCTILE LUGS. .84 O.D. X 6" LENGTH.

JCM SMITH-BLAIR INC.

111-0084-6 244-00008406-000

Item Description: CLAMP, FULL CIRCLE, 3/4" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES,

239 STAINLESS STEEL BAND, DUCTILE LU GS. 1.05 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0105-6 244-00010506-000

Item Description: CLAMP, FULL CIRCLE, 1" - FULL CIRCUMFERENCE, GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

257 STEEL BAND, DUCTILE LUGS, 1.32 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0132-6 244-00013206-000

Item Description: CLAMP, FULL CIRCLE, 1-1/4" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

270 STEEL BAND, DUCTILE LUGS. 1.66 O.D. X 6" LENGTH , OR EQUAL

JCM SMITH-BLAIR INC.

111-0166-6 244-00016606-000

Item Description: CLAMP, FULL CIRCLE, 1-1/2" - FULL CIRCUMFERENCE GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

294 STEEL BAND, DUCTILE LUGS. 1.90 O.D. X 6" LENGTH.

JCM SMITH-BLAIR INC.

111-0190-6 244-00019006-000

*Current Date

Water and Wastewater Master Material Catalog Page: 17 of: 357

PUD-CLAMPS

CLPBB

Item Description: CLAMP, FULL CIRCLE, 2" - FULL CIRCUMFERENCE BUNA GASKET WITH RECESSED ARMOUR PLATES, STAINLESS

313 STEEL BAND, DUCTILE LUGS. 2.38 O.D. X 6" LENGTH, OR EQUAL

JCM SMITH-BLAIR INC.

111-0238-6 244-00023806-000

CLPCC

Item Description: CLAMP, FULL CIRCLE, 2.35-2.63 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

100 FORDFLEX SMITH-BLAIR INC.

F1-263-7.5 226-023807-000

Item Description: CLAMP, FULL CIRCLE, 2.70-3.00 X 7-1/2", (NOTE: ALL 7-/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-300-7.5 226-027507-000

Item Description: CLAMP, FULL CIRCLE, 2.97-3.25 X 7-1/2" SMITH-BLAIR, FORDLEX, OR EQUAL (NOTE: ALL 7-1/2" CLAMPS

300 MUST HAVE 3 BOLTS MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-325-7.5 226-03007-000

Item Description: CLAMP, FULL CIRCLE, 3.46-3.70 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

400 FORDFLEX SMITH-BLAIR INC.

F1-370-7.5 226-035007-000

Item Description: CLAMP, FULL CIRCLE, 3.73-4.00 X 7-1/2", NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM

500 FORDFLEX SMITH-BLAIR INC.

F1-400-7.5 226-037507-000

Item Description: CLAMP, FULL CIRCLE, 3.96-4.25 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

600 FORDFLEX SMITH-BLAIR INC.

F1-425-7.5 226-040007-000

*Current Date

Water and Wastewater Master Material Catalog Page: 18 of: 357

PUD-CLAMPS

CLPCC

Item Description: CLAMP, FULL CIRCLE, 4.45-4.73 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

700 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-473-7.5 MODEL 3121 4A X 8 226-045007-000

Item Description: CLAMP, FULL CIRCLE, 4.74-5.14 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM)

800 FORDFLEX SMITH-BLAIR INC.

F1-514-7.5 226-048007-000

Item Description: CLAMP , FULL CIRCLE REPAIR, 4.74 - 5.14 X 15", FOR WATER AND SEWER LINES OF PVC, DI AND CI

850 PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE RUBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15"

CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS & NUTS)

FORDFLEX SMITH-BLAIR INC.

F151415 226-048015-000

Item Description: CLAMP, FULL CIRCLE, 4.95-5.35 X 7-1/2" NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS MINIMUM

900 FORDFLEX SMITH-BLAIR INC.

F1-535-7.5 226-050007-000

Item Description: CLAMP , FULL CIRCLE REPAIR, 6.84 - 7.24 X 15", FOR WATER AND SEWER LINES OF PVC, DI AND CI

950 PIPE, TO BE MADE OF STAINLESS STEEL AND HAVE RUBBER GASKET GLUED TO THE INSIDE, (NOTE: ALL 15"

CLAMPS MUST HAVE MINIMUM OF 4 BOLTS, WASHERS & NUTS)

FORDFLEX SMITH-BLAIR INC.

F172415 226-069015-000

Item Description: CLAMP, FULL CIRCLE, MUST COVER 44.50 (OD) RANGE X 30" WIDE.

960 JCM

102

*Current Date

Water and Wastewater Master Material Catalog Page: 19 of: 357

PUD-CLAMPS

CLPDD

Item Description: CLAMP, FULL CIRCLE, 5.22-5.62 (O.D.) X 7-1/2". (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

000 MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-562 X 7.5 226-052507-000

Item Description: CLAMP, FULL CIRCLE, 5.95-6.35 (O.D.) X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

100 MINIMUM)

FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-635 X 7.5 MODEL 3121 6A X 8 226-060007-000

Item Description: CLAMP FULL CIRCLE 6" O.D. 6.56-6.96 X 7-1/2" (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3 BOLTS

200 MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-696-7.5 226-066307-000

F1-696-75

Item Description: CLAMP, REPAIR FULL CIRCLE 6" O.D. 6.84- 7.24 X 7-1/2", (NOTE: ALL 7-1/2" CLAMPS MUST HAVE 3

300 BOLTS MINIMUM)

FORDFLEX SMITH-BLAIR INC.

F1-724-7.5 226-069007-000

Item Description: CLAMP, FULL CIRCLE, 7.05-7.45 X 12.5",

400 FORDFLEX SMITH-BLAIR INC.

F1-745-12.5 226-071012-000

Item Description: CLAMP, FULL CIRCLE, 7.45-7.85 (O.D.) X 12.5"

FORD FORD FORDFLEX SMITH-BLAIR INC.

FS1-785-12 F1-785 X 12.5 226-074512-000

*Current Date Water and Wastewater Master Material Catalog Page: 20 of: 357

PUD-CLAMPS

CLPDD

Item Description: CLAMP, FULL CIRCLE, 8.54-8.94 (O.D.) X 12.5"

700 FORDFLEX POWERSEAL CORP.

SMITH-BLAIR INC. F1-894-12.5 3121 8B x 12 226-086312-000

Item Description: CLAMP, FULL CIRCLE, 8.99-9.39 X 12.5",

800 FORDFLEX SMITH-BLAIR INC.

F1-939-12.5 226-090512-000

Item Description: CLAMP, FULL CIRCLE, 9.27-9.67 (O.D.) X 12.5"

900 FORDFLEX SMITH-BLAIR INC.

> F1-967-12.5 226-094012-000

CLPEE

Item Description: CLAMP, FULL CIRCLE, 9.70-10.10 (O.D.) X 12.5

000 FORDFLEX SMITH-BLAIR INC.

F1-1010-12.5 226-100012-000

Item Description: CLAMP, FULL CIRCLE, 10.30-10.70 (O.D.) X 12.5

075 SMITH BLAIR

FORDFLEX

226001030120005

Item Description: CLAMP, FULL CIRCLE, 10.64-11.04 (O.D.) X 12.5.

100

F1-1104-12.5 3121 10B X 12 226-107512-000

POWERSEAL CORP.

SMITH-BLAIR INC.

Item Description: CLAMP, FULL CIRCLE, 11.04-11.44 (O.D.) X 12.5

200 FORDFLEX SMITH-BLAIR INC.

> F1-1144-12.5 226-111012-000

*Current Date Water and Wastewater Master Material Catalog Page: 21 of: 357

PUD-CLAMPS

CLPEE

Item Description: CLAMP, FULL CIRCLE, 11.75-12.15 (O.D.) X 12.5

400 FORDFLEX SMITH-BLAIR INC.

F1-1215-12.5 226-117512-000

Item Description: CLAMP, FULL CIRCLE, 12.00 -12.40 (O.D.) X 12.5.

500 FORDFLEX SMITH-BLAIR INC.

F1-1240-12.5 226-120012-000

Item Description: CLAMP, FULL CIRCLE, 12.62-13.02 (O.D.) X 12.5".

FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-1302-12.5 3121 12B X 12 226-127512-000

Item Description: CLAMP, FULL CIRCLE, 13.14-13.50 (O.D.) X 12.5"

700 FORDFLEX POWERSEAL CORP. SMITH-BLAIR INC.

F1-1350-12.5 3121 12C X 12 226-132012-000

Item Description: CLAMP, FULL CIRCLE, 13.40-13.80 (O.D) X 12.5".

FORDFLEX SMITH-BLAIR INC.

F1-1380-12.5 226-134012-000

Item Description: CLAMP, FULL CIRCLE, 13.65-14.45 (O.D.) X 20".

FORDFLEX SMITH-BLAIR INC.

F2-1445-20 227-136520-000

Item Description: CLAMP, FULL CIRCLE, 15.07-15.82 (O.D.) X 20".

900 FORDFLEX SMITH-BLAIR INC.

F2-1582-20 228-20150720-000

Item Description: CLAMP, FULL CIRCLE, 15.92-17.12 (O.D.) X 15", ALL STAINLESS STEEL, MULTI- BAND CONSTRUCTION.

950 FORD SMITH-BLAIR INC.

FS3 263-00159215-000

*Current Date

Water and Wastewater Master Material Catalog Page: 22 of: 357

PUD-CLAMPS

CLPFF

Item Description: CLAMP, FULL CIRCLE, 17.15-17.90 (O.D.) X 20"

FORDFLEX SMITH-BLAIR INC.

F2-1790-20 228-171520-000

Item Description: CLAMP, FULL CIRCLE, 19.23-19.98 (O.D.) X 20"

100 FORDFLEX SMITH-BLAIR INC.

F2-1998-20 228-20192320-000

Item Description: CLAMP, FULL CIRCLE, 21.52-22.27 (O.D.) X 30".

200 FORDFLEX SMITH-BLAIR INC.

F2-2227-30 228-20215230-000

Item Description: CLAMP, FULL CIRCLE - 25.70-26.80 (O.D.) X 30" (MINIMUM), TRIPLE BAND CLAMP.

FORDFLEX JCM SMITH-BLAIR INC.

F3-2680-30 102-2580-30 228-257030-000

Item Description: CLAMP, FULL CIRCLE - 27.65-28.75 (O.D.) X 30" (MINIMUM), TRIPLE BAND CLAMP. CLAMP MUST HAVE

453 MINIMUM O.D. RANGE SPECIFIED.

FORD SMITH-BLAIR INC.

F3-2875-30 228-30276530-000

Item Description: CLAMP, FULL CIRCLE, 31.70-32.80 (O.D) X 30", ALL STAINLESS STEEL, INCLUDING S/S NUTS AND BOLTS.

500 **FORD**

F3-3290-30

Item Description: CLAMP, FULL CIRCLE, 37.90-39.25 (O.D.) X 30", ALL STAINLESS STEEL

FORD JCM SMITH BLAIR

F4-3925-30 102-3830-30 267-00383030-065

*Current Date

Water and Wastewater Master Material Catalog Page: 23 of: 357

PUD-CLAMPS

CLPGG

JCM SMITH-BLAIR INC.

110-0084-3 245-00008403-000

Item Description: CLAMP, REPAIR, HANDI-BAND, 1/2" X 6".

020 JCM SMITH-BLAIR INC.

110-0084-6 245-00008406-000

030 JCM SMITH-BLAIR INC.

110-0105-3 245-00010503-000

Item Description: CLAMP, REPAIR, HANDI-BAND 3/4" X 6" ******* NO SUBSTITUTE ********

040 JCM SMITH-BLAIR INC.

110-0105-6 245-00010506-000

Item Description: CLAMP, REPAIR, HANDI-BAND, 1" X 3". ********* NO SUBSTITUTE ***********

050 JCM SMITH-BLAIR INC.

110-0132-3 245-00013203-000

O60 JCM SMITH-BLAIR INC.

110-0132-6 245-00013206-000

JCM SMITH-BLAIR INC.

110-0166-3 245-00016603-000

080 JCM SMITH-BLAIR INC.

110-0190-3 245-00019003-000

*Current Date Water and Wastewater Master Material Catalog Page: 24 of: 357

PUD-CLAMPS

CLPGG

090 JCM SMITH-BLAIR INC.

110-0190-6 245-00019006-000

Item Description: CLAMP, HANDI-BAND, 2" X 3". ********* NO SUBSTITUTE ***********

100 JCM SMITH-BLAIR INC.

110-0238-3 245-00023803-000

Item Description: CLAMP, HANDI-BAND, 2" X 6". ********* NO SUBSTITUTE **********

JCM SMITH-BLAIR INC.

110-0238-6 245-00023806-000

CLPHH

Item Description: CLAMP, HOSE (WORM GEAR), #1, 7/32" - 5/8" ALL STAINLESS STEEL.

010 **DIXON**

MAH-4

Item Description: CLAMP, HOSE (WORM GEAR),#6, 3/8" - 7/8", ALL STAINLESS STEEL.

020 **DIXON**

HSS-6

Item Description: CLAMP, HOSE (WORM GEAR), #8, 7/16" - 1", ALL STAINLESS STEEL.

030 **DIXON**

HSS-8

Item Description: CLAMP, HOSE (WORM GEAR),#10, 9/16" - 1-1/16, ALL STAINELESS STEEL.

040 **DIXON**

HSS-10

*Current Date Water and Wastewater Master Material Catalog Page: 25 of: 357

PUD-CLAMPS

CLPHH

Item Description: CLAMP, HOSE (WORM GEAR), #16, 11/16"- 1-1/2", ALL STAINLESS STEEL.

050 **DIXON**

HSS-16

Item Description: CLAMP, HOSE (WORM GEAR, #32, 1-9/16" - 2-1/2" ALL STAINLESS STEEL.

080 **DIXON**

HSS-32

Item Description: CLAMP, HOSE (WORM GEAR), #36, 1-13/16" - 2-3/4", ALL STAINLESS STEEL.

090 **DIXON**

HSS-36

Item Description: CLAMP, HOSE (WORM GEAR), #96, 3-5/8" - 6-1/2", ALL STAINLESS STEEL.

120 **DIXON**

HSS-96

Item Description: CLAMP, HOSE (WORM GEAR), #104, 4-1/8" - 7", ALL STAINLESS STEEL.

130 **DIXON**

HSS-104

Item Description: CLAMP, HOSE (WORM GEAR), #128, 5-5/8" - 8-1/2", ALL STAINLESS STEEL.

140 **DIXON**

HSS-128

Item Description: CLAMP, HOSE (WORM GEAR), #188, 9-3/8" - 12-1/4", ALL STAINLESS STEEL.

142 **DIXON**

HSS-188

*Current Date

Water and Wastewater Master Material Catalog Page: 26 of: 357

PUD-CLAMPS

CLPHH

Item Description: CLAMP, HOSE, 7" INSIDE DIAMETER ALL CLAMPS TO BE "K-CLAMPS" ALL CLAMPS MUST BE HEAVY DUTY,

148 STAINLESS STEEL.

FAST-LOK

KS-28

CLPJJ

Item Description: CLAMP, SERVICE, 1.61-1.92 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00019209-000

Item Description: CLAMP, SERVICE, 2.35-2.56 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED

FORD SMITH-BLAIR INC.

F202 (2.35-2.50) 313-00025607-000

Item Description: CLAMP, SERVICE, 2.38 X 3/4, BRONZE, COPPER TO COPPER THREAD, MUELLER, CLOW, OR EQUAL.

800 CLOW FORD MUELLER

3401 S70-203 H-13420

Item Description: CLAMP, SERVICE, 2.35-2.56 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

900 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202-250-CC4-I 34132A1CC 313-025609-000

F202 (3.80-4.25)

*Current Date

Water and Wastewater Master Material Catalog Page: 27 of: 357

PUD-CLAMPS

CLPKK

Item Description: CLAMP, SERVICE, 2.38 X 1", BRONZE, COPPER TO COPPER THREAD.

000

FORD MUELLER

S70-204 H-13420

Item Description: CLAMP, SERVICE, 2.44-2.91 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

029107-000

Item Description: CLAMP, SERVICE, 2.44-2.91 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00029109-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED, SMITH-BLAIR OR EQUAL

SMITH-BLAIR INC.

13-035407-000

Item Description: CLAMP, SERVICE, 2.97-3.54 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

500 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00035409-000

Item Description: CLAMP, SERVICE, 3.74 - 4.55 X 1-1/2",NPT

650 SMITH-BLAIR INC.

315-000-45512-000

*Current Date

Water and Wastewater Master Material Catalog Page: 28 of: 357

PUD-CLAMPS

CLPKK

Item Description: CLAMP, SERVICE, 3.74-4.55 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00045507-000

Item Description: CLAMP, SERVICE, 3.74-4.13 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

900 MINIMUM O.D. RANGE NOTED

FORD SMITH-BLAIR INC.

F202 (3.80-4.25) 313-041309-000

CLPLL

Item Description: CLAMP, SERVICE, 4.50 X 1", BRONZE, COPPER TO COPPER THREAD. MUELLER, CLOW, FORD, OR EQUAL.

000 CLOW FORD MUELLER

3401 S70-404 H-13428

Item Description: CLAMP, SERVICE, 4.74 - 5.14 (OD) X 2", NPT, SERVICE CLAMP MUST HAVE MINIMUM OD RANGE NOTED.

075 DOUBLE BALE.

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 3/4", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED

FORD POWER SEAL SMITH BLAIR

F202 (4.74-5.26) 3413-4B x 3/CC 313-00051407-000

Item Description: CLAMP, SERVICE, 4.74-5.63 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP.

F202 (4.74-5.26) 34134B1CC

*Current Date

Water and Wastewater Master Material Catalog Page: 29 of: 357

PUD-CLAMPS

CLPLL

Item Description: SADDLE, C900 PIPE, 4"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

250 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 4.74 - 5.26.

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED

FORD POWER SEAL SMITH-BLAIR INC.

F202 (4.74-5.26) 3413-4C x 1½CC 313-00051413-000

Item Description: CLAMP, SERVICE, 4.74-5.14 (O.D.) X 2", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

400 MINIMUM O.D. RANGE NOTED

POWER SEAL SMITH-BLAIR INC.

3413-4C x 2CC 313-00051415-000

Item Description: CLAMP, SERVICE, 5.94 - 6.69 X 2", NPT

475

Item Description: CLAMP, SERVICE, 5.94 - 6.70 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

700 MINIMUM O.D. RANGE NOTED

FORD SMITH-BLAIR INC.

F202 (5.94-6.69) 313-66309

CLPMM

Item Description: T3, WIDE RANGE SERVICE SADDLE, 4"x1" US (4.53 - 5.13) CC

005 **TPS**

T3SS-0513-1011-EX

*Current Date

Water and Wastewater Master Material Catalog Page: 30 of: 357

PUD-CLAMPS

CLPMM

Item Description: T3, WIDE RANGE SERVICE SADDLE, 4"x2" US (4.53 - 5.13) CC

010 **TPS**

T3SS-0513-2011-EX

Item Description: T3, WIDE RANGE SERVICE SADDLE 4"x1" OS (4.74 - 5.61) CC

015 **TPS**

T3SS-0561-1011-EX

Item Description: T3, WIDE RANGE SERVICE SADDLE 4"x2" OS (4.74-5.61) CC

⁰²⁰ **TPS**

T3SS-0561-2011-EX

Item Description: T3, WIDE RANGE SERVICE SADDLE, 2"x1" US (2.10 - 2.40) CC

025 **TPS**

T3SS-0240-1011-EX

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 2", IPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D. RANGE

050 NOTED

Item Description: PARTIAL SURPLUS - CLAMP, SERVICE, 6.84-7.60 (O.D.) X 3/4", COPPER TO COPPER THREAD, CLAMP

100 SERVICE MUST HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-076007-000

Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" X 1" US (6.55 - 7.42) CC

110 TPS

T3SS-0742-1011EX

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 31 of: 357

PUD-CLAMPS

T3SS-0944-2011EX

```
CLPMM
```

Item Description: WIDE RANGE SERVICE SADDLE, 6" X 1" US (6.56 - 6.96) CC 111 FORD METER BOX COMPANY F1-696-75-CC4 Item Description: T3, WIDE RANGE SERVICE SADDLE, 6' X 1" OS (6.84 - 7.65) CC 115 TPS T3SS-0765-1011EX Item Description: WIDE RANGE SERVICE SADDLE, 6' X 1" OS (7.05 - 7.45) CC 116 FORD METER BOX COMPANY F1-745-75-CC4 Item Description: WIDE RANGE SERVICE SADDLE, 6" x 2" US (6.56 - 6.96) CC 120 FORD METER BOX COMPANY F1-696-75-CC7 Item Description: WIDE RANGE SERVICE SADDLE, 6" x 2" OS (7.05 - 7.45) CC 125 FORD METER BOX COMPANY F1-745-75-CC7 Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" x 2" US (6.55-7.42) CC 150 TPS T3SS-0742-2011EX Item Description: T3, WIDE RANGE SERVICE SADDLE, 6" x 2" OS (6.84 - 7.65) CC 151 TPS T3SS-0765-2011EX Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 2" US (8.54 - 9.44) CC 152 TPS

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 32 of: 357

PUD-CLAMPS

```
CLPMM
```

```
Item Description: T3, WIDE RANE SERVICE SADDLE, 8" x 2" OS (8.98-9.84) CC
153
      TPS
      T3SS-0984-2011EX
Item Description: T3, WIDE RANGE SERVICE SADDLES, 10" x 2" US (10.64 - 11.46) CC
154
      TPS
      T3SS-1146-2011EX
Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 2" OS (11.34 - 12.16) CC
155
      TPS
      T3SS-1216-2011EX
Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 2" US (12.62 - 13.56) CC
156
      TPS
      T3SS-1356-2011EX
Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 2" OS (13.65 - 14.42) CC
157
      TPS
      PT# T3SS-1442-2011EX
Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 2" US (17.25 - 18.18) CC
158
      TPS
      T3SS-1818-2011EX
Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 2" OS (18.42 - 19.23) CC
159
      TPS
      T3SS-1923-2011EX
```

*Current Date Water and Wastewater Master Material Catalog Page: 33 of: 357

PUD-CLAMPS

CLPMM

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202 (6.84-7.60) 34136B1CC 313-076009-000

Item Description: SADDLE, C900 PIPE, 6"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

250 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 6.84-7.60.

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 6.84 - 7.60 (O.D.) X 2", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HABE THE

400 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202 (6.84-7.60) 34136B2CC 313-076015-000

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2", SS, NPT, SERVICE CLAMP MUST HAVE THE MINIMUM O.D.

475 RANGE NOTED

Item Description: CLAMP, SERVICE, 7.79 - 8.72 (O.D.) X 1", COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

575 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00087209-000

Item Description: 316SS T3 SERVICE SDL, 4"X 2", 4.45-5.13"" X 7.5"W 2.00 - NPT OUTLET

600 **TPS**

T3SS-0513-2021EX-316

MAR-13-24 02:15:04 **JEA***Current Date

Water and Wastewater Master Material Catalog Page: 34 of: 357

PUD-CLAMPS

CLPMM

TPS

T3SS-0620-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 6"X2", 6.55-7.42" X 7.5"W 2.0 - NPT OUTLET

603 **TPS**

T3SS-0742-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 6"X2", 6.84-7.65" X 7.5"W 2.0 - NPT OUTLET

604 **TPS**

T3SS-0765-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 8"X2", 8.54-9.44" X 7.5"W 2.0 - NPT OUTLET

605 **TPS**

T3SS-0944-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 8"X2", 8.98-9.84" X 7.5"W 2.0 - NPT OUTLET

606 **TPS**

T3SS-0984-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 10"X2", 10.64-11.46" X 7.5"W 2.0 - NPT OUTLET

607 **TPS**

TPS T3SS-1146-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 12"X2", 11.34-12.16" X 7.5"W 2.0 - NPT OUTLET

608 **TPS**

T3SS-1216-2021EX-316

*Current Date Water and Wastewater Master Material Catalog Page: 35 of: 357

PUD-CLAMPS

CLPMM

Item Description: 316SS T3 SERVICE SDL, 12"X2", 12.62-13.56" X 7.5"W 2.0 - NPT OUTLET

609 **TPS**

T3SS-1356-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 14"X2", 13.65-14.42" X 7.5"W 2.0 - NPT OUTLET

610 **TPS**

T3SS-1442-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 16"x2", 15.22-16.16" X 7.5"W 2.0 - NPT OUTLET

611 **TPS**

T3SS-1616-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 16"X2", 16.18-16.92" X 7.5"W 2.0 - NPT OUTLET

612 **TPS**

T3SS-1692-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 16"X2", 17.25-18.18" X 7.5"W 2.0 - NPT OUTLET

613 **TPS**

T3SS-2104-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 18"X2", 18.42-19.23" X 7.5" W 2.0-NPT OUTLET

614 **TPS**

T3SS-1923-2021EX-316

Item Description: 316SS T3 SERVICE SDL, 18"X2", 19.32-21.04" X 7.5"W 2.0 - NPT OUTLET

615 **TPS**

T3SS-1818-2021EX-316

*Current Date

Water and Wastewater Master Material Catalog Page: 36 of: 357

PUD-CLAMPS

CLPMM

Item Description: 20" x 2" IP 316 SS SADDLE. (21.10-22.80 OD).

616 **TPS**

20" x 2" IP 316 SS SADDLE.

(21.10-22.80 OD)

Item Description: 24" x 2" IP 316 SS SADDLE. (25.60-27.30 OD)

617 **TPS**

24" x 2" IP 316 SS SADDLE.

(25.60-27.30 OD)

Item Description: CLAMP, SERVICE, 8.63 X 1", COPPER TO COPPER THREAD, BRONZE

700 **FORD**

MUELLER

S70-804

H-13433

CLPNN

Item Description: INACTIVE - CLAMP, SERVICE, 8.54- 10.10 O.D. X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST

000 HAVE THE MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-101007-000

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

100 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F202 (4.74-5.26) 34138B1CC 313-00101009-000

Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 1" US (8.54 - 9.44) CC

110 **TPS**

T3SS-0944-1011EX

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 37 of: 357

PUD-CLAMPS

CLPNN

Item Description: WIDE RANGE SERVICE SADDLE, 8" x 1" US (8.99 - 9.39) CC

111 FORD METER BOX COMPANY

F1-939-75-CC4

Item Description: T3, WIDE RANGE SERVICE SADDLE, 8" x 1" US (8.98 - 9.84) CC

¹¹⁵ TPS

T3SS-0984-1011EX

Item Description: WIDE RANGE SERVICE SADDLE, 8" X 1" OS (9.27 - 9.67) CC

116 FORD METER BOX COMPANY

F1-967-75-CC4

Item Description: WIDE RANGE SERVICE SADDLE, 8" x 2" US (8.99 - 9.39) CC

120 FORD METER BOX COMPANY

F1-939-75-CC7

Item Description: WIDE RANE SERVICE SADDLE, 8" x 2" OS (9.27 - 9.67) CC

125 FORD METER BOX COMPANY

F1-967-75-CC7

Item Description: SADDLE, C900 PIPE, 8"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 8.99-9.79. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: CLAMP, SERVICE, 8.54-10.10 (OD) X 1-1/2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00101013-000

*Current Date

Water and Wastewater Master Material Catalog Page: 38 of: 357

PUD-CLAMPS

CLPNN

Item Description: CLAMP, SERVICE, 8.54 - 10.10 (O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

300 MINIMUM O.D. RANGE NOTED

POWERSEAL CORP. SMITH-BLAIR INC.

34138B2CC 313-101015-000

Item Description: CLAMP, SERVICE, 10.64 - 12.12 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

MINIMUM O.D. RANGE NOTED

POWERSEAL CORP. SMITH-BLAIR INC.

341310B1CC 313-121209-000

Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 1" US (10.64 - 11.46) CC

640 **TPS**

T3SS-1146-1011EX

Item Description: WIDE RANGE SERVICE SADDLE, 10" x 1" US (11.04 - 11.44) CC

641 FORD METER BOX COMPANY

F1-1144-75-CC4

Item Description: T3, WIDE RANGE SERVICE SADDLE, 10" x 1" US (11.34 - 12.16) CC

645 **TPS**

T3SS-1216-1011EX

Item Description: SADDLE, C900 PIPE, 10"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 11.10-12.12. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: WIDE RANGE SERVICE SADDLES, 10" x 2" US (11.04 - 11.44) CC

660 FORD METER BOX COMPANY

F1-1144-75-CC7

*Current Date

Water and Wastewater Master Material Catalog Page: 39 of: 357

PUD-CLAMPS

CLPNN

Item Description: WIDE RANGE SERVICE SADDLE, 10" x 2" OS (11.75 - 12.15) CC

665 FORD METER BOX COMPANY

F1-1215-75-CC7

Item Description: CLAMP, SERVICE, 10.64 - 12.12(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

800 MINIMUM O.D. RANGE NOTED

SMITH-BLAIR INC.

313-00121215-000

Item Description: INACTIVE - CLAMP, SERVICE, 12.62-14.32 (O D) X 3/4" COPPER TO COPPER THREAD, SERVICE CLAMP MUST

900 HAVE THE MINIMUM O.D. RANGE.

SMITH-BLAIR INC.

313-143207-000

CLPPP

Item Description: CLAMP, SERVICE, 12.62 - 14.32 (O D) X 1" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

000 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F2021438CC4 341312B1CC 313-143209-000

Item Description: WIDE RANGE SERVICE SADDLE, 12" X 1" OS (11.75 - 12.15) CC

010 FORD METER BOX COMPANY

F1-1215-75-CC4

Item Description: WIDE RANGE SERVICE SADDLE, 16" X 1" US (17.15 - 17.90) CC

011 FORD METER BOX COMPANY

F2-1790-15-CC4 DOUBLE BAND

*Current Date

Water and Wastewater Master Material Catalog Page: 40 of: 357

nater and haptomater national datalog

PUD-CLAMPS

CLPPP

Item Description: WIDE RANGE SERVICE SADDLE, 16" X 1" OS (18.00 - 19.20) CC

012 FORD METER BOX COMPANY

F2-1921-15-CC4 DOUBLE BAND

Item Description: SADDLE, C900 PIPE, 12"X1"CC THREADS, EPDM GASKET, DUCTILE IRON BODY W/ FUSION EPOXY, STAINLESS

O50 STEEL (SS) 304 DOUBLE WIDE BAND, SS THREADED BOLTS. MIN. O.D. RANGE 13.20-14.38. **ORDER BY

DESCRIPTION**

ORDER BY DESCRIPTION

N/A

Item Description: T3, WIDE RANGE SERVICE SADLES, 12" x 1" US (12.62 - 13.56) CC

110 TPS

T3SS-1356-1011EX

Item Description: WIDE RANGE SERVICE SADLES, 12" x 1" US (13.10 - 13.50) CC

111 FORD METER BOX COMPANY

F1-1350-15-CC4

Item Description: T3, WIDE RANGE SERVICE SADDLE, 12" x 1" OS (13.65 - 14.42) CC

115 **TPS**

T3SS-1442-1011EX

Item Description: WIDE RANGE SERVICE SADDLE, 12" x 1" OS (14.00 - 14.40) CC

116 FORD METER BOX COMPANY

F1-1440-15-CC4

Item Description: WIDE RANGE SERVICE SADDLE, 12" x 2" US (11.75 - 12.15) CC

120 FORD METER BOX COMPANY

F1-1350-15-CC7

*Current Date

Water and Wastewater Master Material Catalog Page: 41 of: 357

PUD-CLAMPS

CLPPP

Item Description: WIDE RANGE SERVICE SADDLE, 12" x 2" OS (14.00 -14.40) CC

125 FORD METER BOX COMPANY

F1-1440-15-CC7

Item Description: CLAMP, SERVICE, 12.62 - 14.32(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

200 MINIMUM O.D. RANGE NOTED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

F2021438CC7 341312B2CC 313-143215-000

Item Description: CLAMP, SERVICE, 14.73 - 15.65(O.D.) X 2" COPPER TO COPPER THREAD, SERVICE CLAMP MUST HAVE THE

400 MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-156515-000

CLPOO

Item Description: INACTIVE - CLAMP, SERVICE, 17.40-18.88 (O.D.) X 3/4", COPPER TO COPPER THREAD, DOUBLE STRAP,

001 STRAPS CARBON STEEL (ELECTRO- GALVANZIED) WITH DI-CHROMATE SEAL, NUTS/ WASHERS DI-CHROMATE

SEALED

SMITH-BLAIR INC.

313-188807-000

Item Description: CLAMP, SERVICE, 17.40-18.88 (O.D.) X 1", COPPER TO COPPER THREAD, DOUBLE STRAP CARBON STEEL

012 (ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL, NUTS/WASHERS DI-CHROMATE SEALED

FORD POWERSEAL CORP. SMITH-BLAIR INC.

FC2021840CC4 341316A1CC 313-188809-000

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 1" US (17.28 - 18.18) CC

020 **TPS**

T3SS-1818-1011EX

*Current Date Water and Wastewater Master Material Catalog Page: 42 of: 357

PUD-CLAMPS

CLPOO

Item Description: T3, WIDE RANGE, SERVICE SADDLE, 16" x 1" OS (18.42 - 19.23) CC

025 **TPS**

T3SS-1923-1011EX

Item Description: WIDE RANGE, SERVICE SADDLE, 16" x 2" US (17.15 -17.90) CC

030 FORD METER BOX COMPANY

F2-1790-15-CC7

Item Description: WIDE RANGE, SERVICE SADDLE, 16" x 2" OS (18.46-19.21) CC

031 FORD METER BOX COMPANY

F2-1921-15-CC7

Item Description: CLAMP, SERVICE 17.40-18.88 (O.D.) X 2", COPPER TO COPPER THREAD, DOUBLE STRAP STRAPS-CARBON

034 STEEL (ELECTRO-GALVANIZED) WITH DI-CHROMATE SEAL, NUTS/WASHERS DI-CHROMATE SEALED

SMITH-BLAIR INC.

313-00188815-000

Item Description: CLAMP, SERVICE 21.35 - 22.10 (O.D.) X 1" COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS

045 (CARBON STEEL MUST HAVE ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221009-000

Item Description: CLAMP, SERVICE, 21.35 - 22.10 (O.D.) X 2", COPPER TO COPPER THREAD, LARGE PIPE O.D. STRAPS

056 (CARBON STEEL WITH ELECTRO- GALVANIZING), NUTS- CARBON STEEL, WASHERS TO BE HEMISPHERICAL

SMITH-BLAIR INC.

366-00221015-000

*Current Date

Water and Wastewater Master Material Catalog Page: 43 of: 357

PUD-CLAMPS

CLPOO

Item Description: CLAMP, SERVICE, 17.40-18.88 (O.D.) X 2", NPT, DOUBLE STRAP, STRAPS-CARBON STEEL (ELECTRO

078 GALVANIZED) WITH DI-CHROMATE SEAL, NUTS AND WASHERS DI-CHROMATE SEALED, SADDLE MUST HAVE

MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

313-00188814-000

Item Description: CLAMP, SERVICE, 25.55-26.32 (O.D.) X 2" NPT, TRIPLE STRAP, STRAPS AND NUTS TO BE CARBON STEEL,

089 DUCTILE IRON BODY, SADDLE MUST HAVE MINIMUM O.D. RANGE NOTED.

SMITH-BLAIR INC.

366-00263214-000

Item Description: CLAMP , SERVICE 14.73 TO 15.65 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS , STRAP-

115 CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

Item Description: CLAMP , SERVICE 25. 75 TO 25. 85 O.D. RANGE X 1" COPPER TO COPPER THREAD , DOUBLE STRAPS ,

126 STRAP-CARBON STEEL. (ELECTRO-GALVANIZED) WITH DI-CHROME SEAL , NUTS/WASHERS DI-CHROME.

FORD JCM SMITH-BLAIR INC.

FC202 (25.60-26.50) 406-2650-09CC 317-00258009

Item Description: CLAMP, SERVICE 4" X 2" IPT, O.D. 4.74"-5.26" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

136 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (4.74-5.26) 317-00051414-000

Item Description: CLAMP, SERVICE 6" X 2" IPT, O.D. 6.84"-7.60" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

146 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (6.84-7.60) 317-00076014-000

*Current Date

Water and Wastewater Master Material Catalog Page: 44 of: 357

PUD-CLAMPS

CLPOO

Item Description: CLAMP, SERVICE 8" X 2" IPT, O.D. 8.99"-9.79" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

156 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (8.99-9.79) 317-00101014-000

Item Description: CLAMP, SERVICE 10" X 2" IPT, O.D. 10.75"-11.10" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

166 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (10.75-11.10) 317-00121214-000

Item Description: CLAMP, SERVICE 12" X 2" IPT, O.D. 12.75"-13.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

176 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (12.75-13.20) 317-00143214-000

Item Description: CLAMP, SERVICE 16" X 2" IPT, O.D. 17.40"-18.40" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

186 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (17.40-18.40) 317-00178014-000

Item Description: CLAMP, SERVICE 20" X 2" IPT, O.D. 21.20"-22.20" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

196 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (21.20-22.20) 317-00216014-000

Item Description: CLAMP, SERVICE 24" X 2" IPT, O.D. 25.60"-26.50" DOUBLE BOLT STAINLESS STEEL BAND, MUST HAVE

206 MINIMUM O.D. RANGE NOTED

FORD SMITH BLAIR

FC202 (25.60-26.50) 317-00258014-000

*Current Date

Water and Wastewater Master Material Catalog Page: 45 of: 357

PUD-CLAMPS

CLPOO

Item Description: CLAMP , SERVICE 12.62 TO 14.32 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

215 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00143214-000

Item Description: CLAMP , SERVICE 14.73 TO 15. 65 O.D. RANGE X 2" NPT.DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

317-00156514-000

Item Description: CLAMP , SERVICE 19.50 TO 20.50 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

219 MINIMUM O.D. RANGE NOTED.

FORD

FC202 (19.50-20.50)

Item Description: CLAMP , SERVICE 21.35 TO 22.10 O.D. RANGE X 2" NPT, DOUBLE STAINLESS STEEL STRAPS , MUST HAVE

222 MINIMUM O.D. RANGE NOTED.

FORD SMITH BLAIR

FC202 (21.20-22.20) 317-00216014-000

Item Description: CLAMP , SERVICE 31.75 TO 32.50 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS MUST HAVE

233 MINIMUM O.D. RANGE NOTED

SMITH BLAIR

366-00325014-000

Item Description: CLAMP , SERVICE 37.71 TO 38.46 O.D. RANGE X 2" NPT, TRIPLE ELECTRO-GALVANIZED STRAPS , MUST HAVE

239 MINIMUM O.D. RANGE NOTED.

SMITH BLAIR

366-00384614-000

*Current Date

Water and Wastewater Master Material Catalog Page: 46 of: 357

PUD-CLAMPS

CLPRR

Item Description: CLAMP, 12X15 SS REP CLMP 13.10-13.50 WITH 1" CC OUTLET

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD F1-1350-15-CC4

JCM MUELLER
OBD OBD

Item Description: CLAMP, 16X15 SS REP CLMP 17.50-17.90 WITH 1" CC OUTLET

200 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD F2-1790-15-CC4

JCM MUELLER
OBD OBD

CLEANING SUPPLIES

CLSBB

Item Description: BUCKET-GALVANIZED, 14 QT EXTRA/HEAVY DUTY

300 DOVER

14

Item Description: CAN GARBAGE-GALVANIZED 20 GALLON, WITH/ LID, PRE-GALVANIZED *****NO SUBSTITUTE*****

500 **WITT** WCD20CL

Item Description: CLEANER, AUTOMOTIVE - VEHICLE WASHING SOLUTION ONE GALLON CONTAINERS (4 GAL PER CASE) ***** NO

686 SUBSTITUTE****

UNITED LABORATORIES INC.

*Current Date

Water and Wastewater Master Material Catalog Page: 47 of: 357

CLEANING SUPPLIES

CLSCC

Item Description: CLEANER-HAND-WATERLESS, 4-1/2 LB. CAN

000 GO-JO INDUSTRIES, INC.

1115

Item Description: DISINFECTANT, 80% PINE OIL, 1 GALLON CONTAINERS PER CASE, (CONTAINERS MUST BE LABELED)

800 AERO PINE OIL VERSAPRO

609541SA 80-10-10 CB5188

CLSEE

Item Description: SOAP-HAND WITH BORAX, POWDERED, HEAVY-DUTY, 5 LB. PACKAGE (10 PER CASE)

⁵⁰⁰ **BORAXO**

2303

Item Description: ANT KILLER, POWDER, 6 OZ. PLASTIC SQUEEZE BOTTLE, (6 BOTTLES PER BOX), ***NO SUBSTITUTE***

853 SHARE CORP

06040103

CLSGG

Item Description: DEGREASER, SANITARY SEWER, ULTRA HIGH-TEMP SOLVENT, GRANULAR, 50-55 LB. CONTAINERS.

220 ABC COMPOUNDING UNITED LABORATORIES INC.

706250SA F023

Item Description: DEGREASER, FLOATING, FOR LIFT STATION MAINTENANCE, ******* 6 GAL TO A PAIL******

*Current Date

Water and Wastewater Master Material Catalog Page: 48 of: 357

CLEANING SUPPLIES

CLSHH

Item Description: ABSORBENT, SAFETY 1ST., 40 LB. PAIL *PRO-CHEM ONLY

109

PRO-CHEM

SAFTY 1ST

CONNECTORS

CNNTL

Item Description: CONNECTOR, FORK TERMINAL, VINYL-INSULA TION SUPPORT, BARREL TYPE, BRAZED SEAM, TIN PLATED

F53 BRASS, WIRE SIZE 16-14 AWG, STUD #6, ***PACKAGE OF 100 EACH***

THOMAS AND BETTS

14RB-6F

Item Description: CONNECTOR, RING TERMINAL, NON-INSULATED, BARREL TYPE, BRAZED SEAM, TIN PLATED BRASS, WIRE SIZE

R29 9-8-7 AWG, STUD 1/4" ***PACKAGE OF 25 EACH***NO SUBSTITUTE***

THOMAS AND BETTS

D8-14-SK

CNNWC

Item Description: CONNECTOR, BUTT TYPE SPLICE, VINYL EXPANDED INSULATION, BARREL TYPE, BRAZED SEAM, TIN PLATED

003 BRASS, WIRE SIZE 12-10 AWG***PACKAGE OF 100 EACH***

BURNDY CORP. LAWSON PRODUCTS THOMAS AND BETTS

SP10 P39545 2RC10X

Item Description: CONNECTOR, WIRE NUT, "Y" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 22-12 AWG ***PACKAGE

OF 100 EACH***NO SUBSTITUTE**

3M IDEAL LAWSON PRODUCTS

054007-20041 30-451 P35026

Water and Wastewater Master Material Catalog Page: 49 of: 357

CONNECTORS

CNNWC

*Current Date

Item Description: CONNECTOR, WIRE NUT, "B" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 12-6 AWG ***PACKAGE

OF 100 EACH***NO SUBSTITUTE**

3M IDEAL LAWSON PRODUCTS

054007-43150 30-454 P35382

Item Description: CONNECTOR, WIRE NUT, "R" ELECTRICAL SPRING CONNECTOR, SCOTCHLOK WIRE SIZE 14-10 AWG ***PACKAGE

220 OF 100 EACH***

3M IDEAL LAWSON PRODUCTS

R-BOX 30-452 P35117

*Current Date

Water and Wastewater Master Material Catalog Page: 50 of: 357

ELECTRICAL PARTS, COMMON

ELEBT

Item Description: BATTERY, 1.5 V, SIZE C, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

048 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

PC1400 EN93 DRY0080

MN1400

RAYOVAC

RAYOVALC

Item Description: BATTERY, 1.5 V, "AA", EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

O65 DURACELL ENERGIZER EVEREADY BATTERY

PC-1500 EN-91 EN-91

MN1500

INTERSTATE BATTERIES RAYOVAC

DRY0070 AL-AA

Item Description: BATTERY, 1.5 V, "D", ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

O68 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

PC1300 EN95 DRY0085

RAYOVAC

RAYOVALD

Item Description: BATTERY, 6 V, LANTERN, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

076 DURACELL EVEREADY BATTERY

MN908 EN-529

Item Description: BATTERY, 9 V, ALKALINE, EXPIRATION DATE MUST APPEAR ON EACH INDIVIDUAL ITEM

O78 DURACELL EVEREADY BATTERY INTERSTATE BATTERIES

PC1604 EN22 DRY0196

MN1604

*Current Date

Water and Wastewater Master Material Catalog Page: 51 of: 357

ELECTRICAL COMPONENTS

ELMAB

Item Description: BATTERY, SIZE C, NICKEL-CADMIUM, RECHARGEABLE. EVERYEADY, RAY-O-VAC, EXPIRATION DATE MUST

APPEAR ON EACH INDIVIDUAL ITEM

EVEREADY BATTERY

NH35BP-2

ELMAE

Item Description: CLEANER, CONTACT, AEROSOL 15 OZ., NON-FLAMMABLE, CRC CHEMICAL #02140, PRECISION ELECTRONIC

CLEANING SOLVENT ** NO SUBSTITUTE - NON-FLAMMABLE ONLY **

CRC CHEMICALS, USA

02140

Item Description: CLEANER, ELECTRIC MOTOR AND EQUIPMENT CLEANER, NON-FLAMMABLE, 20 OZ CAN ** NO SUBSTITUTE *****

447 CRC CHEMICALS, USA

02018

Item Description: COIL, STARTER, 115VOLTS-60HZ. 95 VOLTS- 50HZ, GENERAL ELECTRIC #15D21GZ, FOR SIZE 0 AND NEW

460 STARTER

GENERAL ELECTRIC CO.

15D21GZ

ELMAF

Item Description: RELAY, GENERAL PURPOSE, OCTAGONAL BASE, 8-PIN, DPDT, 120 VAC, 10 AMPS, CLEAR POLYCARBONATE DUST COVER, SILVER-CADIUM OXIDE CONTACTS --- POTTER & BRUMFIEL #KRPA11AG

POTTER AND BRUMFIELD

KRPA11AG

*Current Date

Water and Wastewater Master Material Catalog Page: 52 of: 357

ELECTRICAL COMPONENTS

ELMAG

Item Description: CONDUIT PIPE, ELECTRICAL 1/2", METAL, THINWALL EMT (10 FT. LENGTHS)

660

ELMAK

Item Description: KIT, CONTACT, AUXILIARY, 1-N.O. FOR SIZE 0 THRU 7, CUTLER-HAMMER #C320KA1

560 **CUTLER-HAMMER**

C320KGS20

ELMBA

Item Description: KIT CONTACT, UNIT, AUXILIARY, FOR 200 LINE MAGNETIC CONTACTORS & STARTERS, ADDER BLOCKS, 1 N.O.

FOR NEMA SIZE 0-5, (2XE) 600V MAX., 250V DC MAX, FOR CR305-308 DEVICES. GENERAL ELECTRIC

#CR305X100D

GENERAL ELECTRIC CO.

CR305X100D

ELMBB

Item Description: CORD-EXTENSION, 25 FT. ORANGE (OSHA APPROVED) FOR INDOOR OR OUTDOOR 14-3 ROUND

260 CAROL CABLE

03328.63.04

Item Description: CORD, EXTENSION, 100' HEAVY DUTY, ORANGE / BLK STRIPE 14 AWG, 13 AMP, SJTW-A JACKET, 3-PRONGED

300 UL LISTED, MEETS OSHA, INDOOR/OUTDOOR MOLDED ON CONNECTORS AND CAPS

CAROL CABLE

03304.63.04

*Current Date

Water and Wastewater Master Material Catalog Page: 53 of: 357

ELECTRICAL COMPONENTS

ELMBC

Item Description: MONITOR, PHASE PLUG-IN MOUNTING, OCTAGON 8 PIN CONFIGURATION, AUTO RESET, 190-270 VAC., 50/60

090 HZ. DIVERSIFIED #SLA-230-ASA --OR-- SYRELEC #PWRU-220 **** NO SUBSTITUTES ****

DIVERSIFIED ELECTRONICS SYRACUSE ELECTRONICS

SLA-230-ASA PWRU-220

ELMBE

Item Description: FUSE, KTK- 1.0, 600 VOLT, 1 AMPERE, NON-TIME-DELAY, 13/32" X 1-1/2", FAST ACTING, LIMITRON.

140 BUSS OR EQUAL

BUSS FUSES

KTK-1.0

Item Description: FUSE, KTK- 5.0, 600 VOLT, 5 AMPERE, 13/32" X 1-1/2", NON-TIME-DELAY, FAST ACTING, HIGH

180 INTERRUPTING CAPACITY

BUSS FUSES GOULD

KTK-5.0 1R1100KA

Item Description: FUSE, KTK 6.0, 600 VOLT, 6 AMPERE, 13/32" X 1-1/2", NON-TIME-DELAY, FAST ACTING. BUSS, SHAWMUT

900 #A6Y6, OR EQUAL

BUSS FUSES CHASE SHAWMUT CO.

KTK-6.0 A6Y6

ELMBG

Item Description: HEATER PACK , STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER #H2010B-3 **NO SUBSTITUTE**

723 CUTLER-HAMMER

H2010B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER # H2011B-3 **NO SUBSTITUTE**

726 **CUTLER-HAMMER**

H2011B-3

*Current Date

Water and Wastewater Master Material Catalog Page: 54 of: 357

ELECTRICAL COMPONENTS

ELMBG

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER

731 CUTLER-HAMMER

H2013B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 1 STARTER. CUTLER HAMMER # H2014B-3 **NO SUBSTITUTE**

735 **CUTLER-HAMMER**

H2014B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2015B-3 **NO SUBSTITUTE**

741 CUTLER-HAMMER

H2015B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2016B-3 **NO SUBSTITUTE**

744 CUTLER-HAMMER

H2016B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 2 STARTER. CUTLER HAMMER # H2017B-3 **NO SUBSTITUTE**

749 CUTLER-HAMMER

H2017B-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER, CUTLER HAMMER #H2022-3 **NO SUBSTITUTE**

750 **CUTLER-HAMMER**

H2022-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2023-3 **NO SUBSTITUTE**

756 **CUTLER-HAMMER**

H2023-3

Item Description: HEATER PACK, STARTER - FOR SIZE 3 & 4 STARTER. CUTLER HAMMER #H2024-3 **NO SUBSTITUTE**

758 **CUTLER-HAMMER**

H2024-3

*Current Date

Water and Wastewater Master Material Catalog Page: 55 of: 357

ELECTRICAL COMPONENTS

ELMBJ

Item Description: LAMP-60 WATT, 120 VOLT FROSTED 48/PKG, NAED #22114-3 60-A17/52/SS, SYL #17755

260 **SYLVANIA**

54A19TS/8M/SS

Item Description: LAMP-100 WATT, 130 VOLT, IF ROUGH SERVICE, 125/130 VOLT 48/CASE, NAED #20337-2 100 A/RS/VS SYL

280 #12991, 100A19/RS SYL #12991, 100A19/RS

PHILLIPS SYLVANIA

20337-2 100-A/RS/VS 100A/RS/RP130V

Item Description: LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE, A-21 BULB.(GE

LAMP ORDERING CODE #150A21/RS, PRODUCT CODE #13140), (PHILLIPS ORDERING CODE #150A21/RS/VS,

PRODUCT CODE #32272-7)

GENERAL ELECTRIC CO. PHILLIPS SYLVANIA

13140 150A21/RS 32272-7 150A21/RS/VS 15241 150A23/RS 120V

Item Description: LAMP, INCANDESCENT, 150 WATT/120 VOLT, ROUGH SERVICE, INSIDE FROST, MEDIUM BASE PS25 BULB. GE

360 ORDERING CODE #150/RS PRODUCT CODE #19616. PHILLIPS CODE #32272-7

GENERAL ELECTRIC CO. PHILLIPS

19616 150/RS 32272-7

Item Description: LAMP, FLOOD - 120 VOLT, 120 WATT. SYLVANIA #14855, 120PAR/CAP/FL. 15 LAMPS PER CASE

380 **SYLVANIA**

14855 120PAR/CAP/FL

Item Description: LAMP, INCANDESCENT, TUNGSTEN HALOGEN LAMP, 500 W, 120V, T-3 BULB, R.S.C. BASE, CLEAR, CLASS "C",

480 TYPE C-8 FILAMENT. PHILIPS #FCL

PHILLIPS

FCL

*Current Date

Water and Wastewater Master Material Catalog Page: 56 of: 357

ELECTRICAL COMPONENTS

ELMBJ

Item Description: LAMP-FLUORESCENT, COOL WHITE 15/PER CASE 60 WATT, 96", SINGLE PIN PHILLIPS #34189-1,

700 F96T12/CW/SS G.E. NO. F96T12/CW/WM/15 PK, OSRAM #29815 SYL #29476, NAED #34189-1

GENERAL ELECTRIC CO. OSRAM PHILLIPS

F96T12/CW/WM 29815 34189-1 F96T12/CW/SS

SYLVANIA

29476

Item Description: LAMP, FLUORESCENT, BI-PIN, 95WATT, F96T1 2/CW/HO/SS RECESSED CONTACTS. SYLVANIA- 25010-0;

720 PHILLIPS NAED #21010

PHILLIPS SYLVANIA

21010 25010-0

Item Description: LAMP, #259, PANEL, 6.3 VOLT,.25 AMPHERE, WEDGE BASE, TYPE C-2R FILAMENT, 1.06" OVERALL LENGTH.

880 GENERAL ELECTRIC #259 OR EOUAL (10 PER BOX)

GENERAL ELECTRIC CO.

259

ELMBK

Item Description: LOCKOUT, SAFETY, 1-1/2", FOR LOCKING OUT POWER SOURCES SUCH AS SWITCHES AND PANEL DISCONNECT.

760 DOUBLE INTER-LOCKING HASP OF TEMPERED STEEL WITH INTER-LOCKING TABS FOR EXTRA SECURITY. RIVETED

CONSTRUCTION, ZINC PLATED. SIX HOLE LOCKING BODY C

PANDUIT CORP.

PSL-MLDH-X

ELMCA

Item Description: MONITOR, POWER - 3-PHASE, 520 VAC MAX. INPUT, PLUG-IN TYPE, ADJUSTMENT RANGE TO BE 380-480 VAC,

.05 SECOND DROP-OUT TIME, CONTACT RATING TO BE 3 AMPS @ 115V. TIME MARK MODEL #A258-B-480,

TIME MARK CORP.

9800326-03 MOD. A258-B-480

*Current Date

Water and Wastewater Master Material Catalog Page: 57 of: 357

ELECTRICAL COMPONENTS

ELMCB

Item Description: CONNECTOR, WATER TITE, FEMALE, WOODHEAD #15W47, THREE WIRE, 15A, 125 VOLT, GROUNDING BACKWIRED,

780 INSULATED

WOODHEAD

15W47

ELMCF

Item Description: KIT, SPLICING, POWER CABLE, FOR WEATHER EXPOSED OR DIRECT BURIAL LOCATION ON UNSHIELDED

210 SYNTHETIC INSULATED CABLE RATED FOR MAXIMUM OF 5KV KIT ACCOMODATES CONDUCTOR SIZE #10AWG-#2

AWG. CONNECTOR O.D. TO BE 13/32" MAX. CABLE O.D. NOT TO EXCE

Item Description: KIT, SPLICING, POWER CABLE, FOR WEATHER EXPOSED OR DIRECT BURIAL LOCATION ON UNSHIELDED

220 SYNTHETIC INSULATED CABLE RATED TO A MAXIMUM OF 5KV KIT ACCOMDATES CONDUCTOR SIZE #2 AWG MAX.

CONNECTOR O.D TO BE 13/32" MAX. CABLE O.D.NOT TO EXCEED 5/

3M

82-A1

Item Description: KIT, SPLICING, SCOTCHLOK 89D3, MINNESOTA MINING & MFG. CO. #82A3

240 MINNESOTA MINING AND MANUFACTU SCOTCHLOK

82A3 89D3

Item Description: STARTER, SIZE 1, NEMA-GENERAL PURPOSE, 120 VOLT COIL. FREEDOM SERIES. CUTLER-HAMMER #AN16DNOAB

***** NO SUBSTITUTE *****

CUTLER-HAMMER

AN16DNOAB

Item Description: STARTER, SIZE 2, 240 VOLT. FREEDOM SERIES CUTLER-HAMMER #AN16GNOBB ***** NO SUBSTITUTE *****

700 **CUTLER-HAMMER**

AN16GNOBB

*Current Date

Water and Wastewater Master Material Catalog Page: 58 of: 357

ELECTRICAL COMPONENTS

ELMCF

Item Description: STARTER, SIZE 2, CUTLER HAMMER FREEDOM SERIES, ****NO SUBSTITUTE****

720 CUTLER-HAMMER

AN16GNOAB

Item Description: STARTER, SIZE 4, FREEDOM SERIES. CUTLER-HAMMER #AN16NNOA ***** NO SUBSTITUTE *****

780 **CUTLER-HAMMER**

AN16NNOA

Item Description: STARTER, SIZE 3, 120 VOLT COIL, 3 PHASE, WITHOUT CONTROL TRANSFORMER, NO ENCLOSURE, TO BE

790 SUPPLIED WITH OVER-LOAD RELAY. CUTLER HAMMER #AN16KNOA ***** NO SUBSTITUTE *****

CUTLER-HAMMER

AN16KNOA

ELMCJ

Item Description: SWITCH, FLOAT, DIRECT ACTING, SINGLE POLE, DOUBLE THROW W/WEIGHT KIT, 40-FT CABLE, NORMALLY

420 OPEN OR NORMALLY CLOSED TYPE, ***OR APPROVED EOUAL***

ROTO - FLOAT

S40NONC

ELMCK

Item Description: SWITCH, SUMPTROL FLOAT

JOHNSON CONTROLS JOHNSTONE SUPPLY

F59A-1 G21-548

Item Description: SWITCH TOGGLE, DOUBLE POLE, SINGLE THROW, ON-OFF, SCREW TERMINALS, 20 AMP, 277VAC, 1.5 HP, 4

700 TERMINALS MCGILL #0121-0001 (FORMER #0111-0001)

MCGILL ELECTRIC

0121-0001

*Current Date

Water and Wastewater Master Material Catalog Page: 59 of: 357

ELECTRICAL COMPONENTS

ELMCK

Item Description: TERMINAL, EASY DISCONNECT, FEMALE - 14-16 GAUGE WIRE, NYLON INSULATED, FOR .250" X .032 " MALE

900 TAB, FUNNELED WIRE ENTRY. THOMAS & BETTS STA-KON #RB14-250F (100 PER BOX)

THOMAS AND BETTS

RB14-250F STA-KON

ELMCL

Item Description: TIMER, 24 HOUR, MULTI OPERATION, 96 TRIPPERS, STEEL ENCLOSURE WITH GRAY ENAMEL FINISH AND HASP

480 FOR LOCKING, 15 MINUTE MINIMUM SETTING, 24 HOUR MAXIMUM SETTING, UL LISTED, 125 VOLT, 60 HZ.

GRAINGER (DAYTON) #2E026

DAYTON

2E026

ELMCM

Item Description: VALVE, SOLENOID 3/4" - 220 VAC, 11 WATTS, CLASS "F" COIL, ASCO VALVE TYPE PFX FOR USE WITH

720 WATER, FLUID TEMPERA- TURES TO 180 DEGREES, NORMALLY CLOSED OPERATION, OPERATING PRESSURE FROM

0 TO 100 PSI, BRASS BODY, 2-WAY VALVE, ASCO #8210G95 (

ASCO

8210G95

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, GREEN INSULATION, 0.03" HDPE INSULATION THICKNESS,

951 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL. 1 EACH = 1 REEL

(OF 500/FT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT-1230GHS500 PRO-TRACE-744120532

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, BLUE INSULATION, 0.03" HDPE INSULATION THICKNESS,

955 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT-1230BHS500 PROTRACE-744120232

*Current Date

Water and Wastewater Master Material Catalog Page: 60 of: 357

ELECTRICAL COMPONENTS

ELMCM

Item Description: WIRE, TRACE, DIRECT BURY, #12 AWG HS-CCS, PURPLE INSULATION, 0.03" HDPE INSULATION THICKNESS,

957 .141" O.D., MIN. RATED BREAK LOAD 250 LBS., 30 VOLT, 21% IACS, 500 FT. REEL, (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 1230PHS500 PROTRACE 744120832

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, BLUE INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN. RATED

960 BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL. (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845BEHS500 PROTRACE 746440232

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, GREEN INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN.

962 RATED BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL. (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845GEHS500 PROTRACE 746440532

Item Description: WIRE, TRACE, HDD, #8 AWG EHS-CCS, PURPLE INSULATION, 0.045" HDPE INSULATION THICKNESS, MIN.

964 RATED BREAK LOAD 452 LBS., 30 VOLT, 21% IACS, 500 FT. REEL (1 EACH = 1 FOOT)

COPPER HEAD INDUSTRIES PRO-LINE SAFETY PRODUCTS CO.

SOLOSHOT 845PEHS500 PROTRACE 746440832

ELMCN

Item Description: WIRE, ELECTRICAL - 12 AWG, RED. STRAND, TYPE THHN. (500 FT. ROLLS ONLY)

*Current Date

Water and Wastewater Master Material Catalog Page: 61 of: 357

ELECTRICAL COMPONENTS

ELMCP

Item Description: TRANSDUCER, LEVEL, 4-20 MA OUTPUT, 24 VDC SUPPLY, 316 SS BODY, SS DIAPH., CALIBRATION RANGE 0-

576 24 FEET, 100 FT CABLE, CABLE MANUF. SPECTRUM, COND SIZE 18 AWG, 16/30 TC INSUL., .010 POLYE

CABLE 2 COND. WITH 18 AWG DRAIN WIRE, ALUM MYLAR WRAP

GP:50 SIGMA CONTROLS VEGA

311-SZ-Y367 6100MP-015-1-DS-CD-SO-WC100 VEGAWELL 52 US62689525

Item Description: TRANSDUCER, PRESSURE - 1-100 PSIG, 15 - 45 VDC INPUT SIGNAL, 4 - 20 MA OUTPUT SIGNAL, 316 SS

578 BODY, 10 FT OF CABLE, CALIBRATED IN PSIG NOT IN FEET FOR FRESH WATER PRESSURE

AUTOMATION PRODUCTS GROUP, INC

PT-500A-100-PSI-S-L1-E0-P5-

5-N0-B0

Item Description: TOOL, CRIMPING, COPPER, COMPRESSION, BURNDY TYPE "MY" DIELESS HYTOOL. TOOL RANGE SIZE TO BE #8-

643 250. BURNDY TOOL #MY29-3

BURNDY CORP.

MY29-3

*Current Date

Water and Wastewater Master Material Catalog Page: 62 of: 357

PUD-FASTENERS

FASAA

Item Description: PARTIAL SURPLUS - BOLT, EYE 5/8" - OFFSET, NATIONAL COURSE THREAD, 4" LONG, MUST MEET ASTM A-

017 242 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL

MINIMUM.

Item Description: BOLT, EYE 3/4" - OFFSET, NATIONAL COURSE THREAD, 4-1/2" LONG, BOLT MUST MEET ASTM A-242

020 SPECIFICATIONS FOR MATERIALS, HIGH STRENGTH, CORROSION RESISTANT, 839 BLACK ROLLED STEEL

MINIMUM. 50 EACH PER BOX.

Item Description: INACTIVE - BOLT, HEX HEAD - 3/4"-10 X 3", ZINC CHROME, GRADE 5

140

Item Description: INACTIVE - BOLT, HEX HEAD, 3/4" X 3-1/2", ZINC PLATED, BOLT TO BE GRADE 5 ONLY.

145

Item Description: INACTIVE - BOLT, HEX HEAD 3/4" X 4", GRADE 5, ZINC PLATED

150

FASBB

Item Description: BOLT, T HEAD, 1" X 6" WITH HEX NUT. NOTE: BOLTS TO BE MADE OF HIGH STRENGTH, CORROSION

062 RESISTANT ALLLOY. BOLTS MUST BE COMPATIBLE WITH CAST/DUCTILE IRON MECHANICAL JOINT FITTINGS.

(FOR 36" MJ FITTINGS)

*Current Date

Water and Wastewater Master Material Catalog Page: 63 of: 357

PUD-FASTENERS

FASCC

Item Description: LUG, TIE (DUC), DUCTILE - USED WITH TIE RODS TO RESTRAIN MJ FITTINGS, LUGS MUST ACCEPT 3/4"

045 ALL-THREAD ROD. 72,000 LB. TENSILE STRENGTH (MIN.), 50,000 LB. YIELD STRENGTH (MIN.), APPROVED

MANUF. ONLY, *** NO SUBSTITUE***

ASTRAL CORPORATION ROMAC INDUSTRIES

S14 DUCTILE LUG

Item Description: NUT, HEX, 5/8"-11, ZINC PLATED

500

Item Description: NUT, HEX HEAD 3/4", PLAIN, NATIONAL COURSE THREAD (BLACK)

600

Item Description: NUT, HEX HEAD - 3/4"-10, STANDARD GRADE, HEAVY PATTERN, NATIONAL COURSE THREAD (50 OR 100 PER

700 BOX OR BAG)

Item Description: WASHER, FLAT 3/4", ROUND CUT, 1/8" THICK 2" OUTSIDE DIAMETER, USS ZINC PLATED

910

Item Description: WASHER, FLAT, 4" X 4" SQUARE, 1/8" THICK CARBON STEEL WITH 7/8" CENTER HOLE

*Current Date

Water and Wastewater Master Material Catalog Page: 64 of: 357

PUD-FILTERS

FLTAA

Item Description: FILTER, AIR, 10" X 20" X 1" DISPOSABLE TYPE PRECISIONAIRE OR EQUAL

030

Item Description: FILTER, AIR 12" X 24" X 1", DISPOSABLE, HEAVY DUTY POLYESTER FILTER ONLY, HEAVY GRADE FILTER

036 WITH METAL ON BOTH SIDES SEASONAIRE COMMERCIAL GRADE

AMERICAN AIR FILTER

229-319-231

Item Description: FILTER, AIR, 20" X 20" X 1", DISPOSABLE

090 AMERICAN AIR FILTER

700-061

PUD-FITTINGS

FTGAA

Item Description: FLANGE, ADAPTER 3", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

005

Item Description: FLANGE, ADAPTER 8", FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

015

Item Description: FLANGE, FILLER 6" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8

050 EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS.

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 65 of: 357

PUD-FITTINGS

FTGAA

Item Description: FLANGE, FILLER 8" X 2" FOR USE WITH DUCTILE IRON PIPE, TO BE SUPPLIED WITH 2 EACH GASKETS, 8

055 EACH 3/4" X 5 1/2" HEX HEAD STAINLESS STEEL BOLTS, 8 EACH 3/4" STANLESS STEEL HEX NUTS.

Item Description: FLANGE, ADAPTER 3", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET.

070

Item Description: FLANGE, ADAPTER 8", FOR USE WITH PVC, TO BE SUPPLIED WITH GASKET.

075

Item Description: UNIFLANGE, FLANGE, ADAPTER, 3", #200S FOR 3.50 O.D. STEEL PIPE, CLASS 150, TO BE SUPPLIED WITH

100 GASKET.

Item Description: FLANGE, ADAPTER, 4", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH GASKET.

200

Item Description: UNIFLANGE, FLANGE, ADAPTER, 6", FOR USE WITH CAST OR DUCTILE IRON PIPE, TO BE SUPPLIED WITH

300 GASKET

UNIFLANGE

200C OR 400C

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 4", #900C FOR USE WITH CAST IRON O.D. PVC PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 66 of: 357

PUD-FITTINGS

FTGAA

Item Description: INACTIVE - UNIFLANGE, FLANGE, ADAPTER, 6", #900C FOR USE WITH CAST IRON O.D. PVC PIPE

700

FTGAE

Item Description: ADAPTER, PIPE - GALVANIZED, 3/4", MALE HOSE BARB X MALE IRON PIPE THREAD.

010

Item Description: HEX REDUCING BUSHING, BRASS LEAD FREE, 1-1/4" (MALE) x 1" (FEMALE).

020 A.Y. MCDONALD

 $72206 \ 1-1/4 \ x \ 1$

Item Description: ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" FEMALE IRON PIPE THREAD

030 (FIPT), RIGID HEXAGON (FIPT 2") X SWIVEL CONNECTION (FNST - 2-1/2")

DESANNO DIXON FNW VALVE CO.

73 RSF25F20T FNW9301LL

SEALFAST

K35R25NST2NPT

Item Description: ADAPTER, BRASS - 2-1/2" MALE NATIONAL STANDARD THREAD (MNST) X 2" FEMALE IRON PIPE THREAD

040 (FIPT).

FNW MOON POWHATTAN U.F.S.

FNW9305KL 356 15216-2

Item Description: ADAPTER, BRASS - 2-1/2" FEMALE NATIONAL STANDARD THREAD (FNST) X 2" MALE IRON PIPE THREAD

050 (MIPT), SWIVEL CONNECTION (FNST-2-1/2") X RIGID HEXAGON (MIPT-2")

DESANNO DIXON FNW

72 SM25F20T FNW9304LK

*Current Date

Water and Wastewater Master Material Catalog Page: 67 of: 357

PUD-FITTINGS

FTGAE

Item Description: ADAPTER, BULL HEAD SERVICE 2" FIP INLET: (4) FOUR 1" FIP OUTLETS:

A.Y. MCDONALD FORD

74765 2x1 Y11-474-NL

Item Description: WYE, BRASS NL, 1" SINGLE BRANCH W/TWO MULTI-BRANCH- 1", PACK JOINT FOR COPPER OR PLASTIC TUBING

120 (CTS) BOTH ENDS

A.Y. MCDONALD FORD

708YS22 1X1 Y44-244-NL

Item Description: WYE, BRASS NL, 2" SINGLE BRANCH W/TWO MULTI-BRANCH- 1", PACK JOINT FOR COPPER OR PLASTIC TUBING

125 (CTS) BOTH ENDS

FORD

Y44-274-NL

Item Description: BUSHING, NO LEAD BRASS - 1 "CC X 3/4 "CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO REDUCE

200 DOWN SIZE OF THREAD.

A.Y. MCDONALD FORD

747011 1X3/4 BBAA-43-NL

Item Description: BUSHING, BRASS - 1-1/2"CC X 1"CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO REDUCE DOWN

250 SIZE OF THREAD.

A.Y. MCDONALD FORD

747011 1-1/2 X 1 BBAA-64-NL

Item Description: BUSHING, BRASS - 1-1/2"IPT X 1"IPT THREAD, BUSHING TO BE USED TO REDUCE DOWN SIZE OF THREAD.

260 A.Y. MCDONALD FORD METER BOX COMPANY

4422.275 OBD

Item Description: BUSHING, PIPE, NO-LEAD BRASS, 1-1/2" MIPT X 1" FIPT.

265 MERIT BRASS

XNL114-2416

*Current Date

Water and Wastewater Master Material Catalog Page: 68 of: 357

PUD-FITTINGS

FTGAE

Item Description: BUSHING, NO LEAD BRASS - 2 CC X 1-1/2 CC THREAD, BUSHING TO BE USED IN SERVICE SADDLES TO

300 REDUCE DOWN SIZE OF THREAD. FORD OR EQUAL

A.Y. MCDONALD FORD

747011 2X1-1/2 BBAA-76-NL

Item Description: BUSHING, PIPE - BRASS, 1/4"MIPT X 1/8" FIPT.

510

Item Description: BUSHING, PIPE - BRASS, 3/8"MIPT X 1/4" FIPT.

530

Item Description: BUSHING, PIPE - BRASS, 1/2"MIPT X 1/4" FIPT.

540

Item Description: BUSHING, PIPE - BRASS, 1/2"MIPT X 3/8" FIPT

550

Item Description: BUSHING, PIPE - BRASS, 3/4" X 1/4".

560

Item Description: BUSHING, PIPE - BRASS 3/4" X 3/8".

Water and Wastewater Master Material Catalog Page: 69 of: 357

PUD-FITTINGS

FTGAE

Item Description: BUSHING, PIPE-NO LEAD BRASS, 3/4"MIPT X 1/2"FIPT

580 MERIT BRASS

*Current Date

XNL114 3/4"x1/2"

Item Description: BUSHING, PIPE - NO LEAD BRASS 1"MIPT X 1/2"FIPT.

590 MERIT BRASS

XNL114 1"x1/2"

Item Description: BUSHING, PIPE - NO LEAD BRASS 1"MIPT X 3/4"FIPT.

600 MERIT BRASS

XNL114 1"x3/4"

Item Description: BUSHING, PIPE - NO LEAD BRASS, 3" X 2"

602 MERIT BRASS

IBRLFBMK

XNL114-4832

Item Description: BUSHING, PIPE - NO LEAD BRASS, 2" X 1-1/2"

604

MERIT BRASS

XNL114-3224

IBRLFBKJ

Item Description: BUSHING, PIPE - NO LEAD BRASS 1-1/2" X 3/4".

606 MERIT BRASS

XNL114 1-1/2"x3/4"

Item Description: BUSHING, METER-NO LEAD BRASS, 2" (MALE) X 1-1/2" (FEMALE), THREADED MALE SIDE TO HAVE A

610 MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT

ACCEPTABLE ****

A.Y. MCDONALD

FORD

74620BB 1-1/2x1-1/2 BBIM-66-NL

*Current Date

Water and Wastewater Master Material Catalog Page: 70 of: 357

PUD-FITTINGS

FTGAE

Item Description: BUSHING, PIPE - NO LEAD BRASS, 2" X 1"

612 MERIT BRASS

XNL114-3216

Item Description: BUSHING, PIPE - NO LEAD BRASS, 2" X 1-1/4"

614 MERIT BRASS

BUSHING, PIPE - NO LEAD

BRASS, 2" X 1-1/4"

Item Description: BUSHING, METER - NO LEAD BRASS, 2-1/2" (MALE) X 2" (FEMALE), THREADED MALE SIDE TO HAVE A

620 MACHINED SEAT FOR METER INSTALLATION. **** METER BUSHINGS ONLY ---- STANDARD BUSHINGS ARE NOT

ACCEPTABLE ****

A.Y. MCDONALD FORD

74620BB 2x2 BBIM-77-NL

FTGAJ

Item Description: ELL, PIPE - BRASS, 1" FIPT BOTH ENDS, 45 DEGREE

001 MERIT BRASS

XNL102-16

Item Description: ELL, PIPE - BRASS, 1-1/4" FIPT BOTH ENDS, 45 DEGREE

002 MERIT BRASS

XNL102-20

Item Description: ELL, PIPE - BRASS, 1-1/2" FIPT BOTH ENDS, 45 DEGREE.

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 71 of: 357

PUD-FITTINGS

FTGAJ

Item Description: ELL, PIPE - BRASS, 2" FIPT BOTH ENDS, 45 DEGREE.

004 MERIT BRASS

XNL102-32

Item Description: INACTIVE - COUPLING, PIPE - BRASS, 1/4".

020

Item Description: COUPLING BRASS 1/2"

040

Item Description: COUPLING, PIPE - NO LEAD BRASS, 3/4".

050 MERIT BRASS

XNL111 3/4"

Item Description: ELL, PIPE - NO LEAD BRASS, 45 DEGREE, 3/4".

650 MERIT BRASS

XNL102 3/4"

Item Description: ELL, PIPE - BRASS, 90 DEGREE, 1/4".

720

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 3/4".

756 **MERIT BRASS**

XNL101 3/4"

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 1-1/2".

782 MERIT BRASS

XNL101 1-1/2"

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 72 of: 357

PUD-FITTINGS

FTGAJ

Item Description: ELL, PIPE - NO LEAD BRASS, 90 DEGREE, 2".

797 **MERIT BRASS**

XNL101 2"

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 3".

001 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X CLOSE.

086

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE. SCH 40, 1/4" X 2".

095 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 2".

098

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 3".

100

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/4" X 6".

Water and Wastewater Master Material Catalog Page: 73 of: 357

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X CLOSE.

210

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 2".

220

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/8" X 8".

270

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, SCH 40, 1/2" X CLOSE.

300 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X CLOSE.

310

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 3".

320

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 4".

330

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 5".

Water and Wastewater Master Material Catalog Page: 74 of: 357

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 6".

350

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1/2" X 8".

360

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X CLOSE.

410

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 3".

420

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 5".

430

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 6".

440

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 3/4" X 10".

450

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X CLOSE.

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 75 of: 357

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1" X 3".

523

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" CLOSE

525 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 3'

530 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, O-LEAD BRASS, 1-1/4" X 4"

540 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 6"

550 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/4" X 12"

ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X CLOSE.

610

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 3".

Water and Wastewater Master Material Catalog Page: 76 of: 357

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x4"

618 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 4".

620

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x6"

630 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 1-1/2" X 6".

639

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1"x12"

700 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, NO-LEAD BRASS, 1-1/2" X 12"

705 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS 2" X CLOSE.

710

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x CLOSE

715 ORDER BY DESCRIPTION

OBD

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 77 of: 357

PUD-FITTINGS

FTGAL

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 4".

720

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 6".

730

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x 6"

735 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE - NO-LEAD BRASS, 2" X 12".

740

Item Description: NIPPLE, PIPE - STAINLESS 316 GRADE, 2" x 12"

745 ORDER BY DESCRIPTION

OBD

FTGAN

Item Description: PLUG, PIPE - BRASS, 3/8".

530

Item Description: PLUG, PIPE - BRASS, 1/2".

Water and Wastewater Master Material Catalog Page: 78 of: 357

PUD-FITTINGS

FTGAN

Item Description: PLUG, PIPE - BRASS, 3/4".

550

Item Description: PLUG, PIPE, NO-LEAD BRASS, 1"

555 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, PIPE, NO-LEAD BRASS, 1-1/4"

557 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, PIPE - BRASS, 1-1/2".

560

Item Description: PLUG, PIPE, NO-LEAD BRASS, 2"

570 ORDER BY DESCRIPTION

OBD

Item Description: PLUG, 3/4" SOLID BRASS, WITH CC THREADS.

620 **MUELLER** 10033N

Item Description: PLUG, MUELLER - BRASS, 1".

630

Item Description: INACTIVE - PLUG, MUELLER - BRASS, 1-1/2".

Water and Wastewater Master Material Catalog Page: 79 of: 357

PUD-FITTINGS

FTGAN

Item Description: PLUG, MUELLER - BRASS, 2".

660

FTGAP

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/4" X 1/8".

010

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/8".

040

Item Description: INACTIVE - REDUCER, PIPE - NO-LEAD BRASS, 1/2" X 1/4".

050

FTGAR

Item Description: 2" COMPRESSION X COMPRESSION BRASS 90 DEGREE BEND FOR POLY TUBING NO LEAD

001 FORD METER BOX COMPANY

L44-77-NL

Item Description: 2" X 1" CC THREAD BRASS PACK JOINT TEE NO LEAD

002 FORD METER BOX COMPANY

T440-774-NL

Item Description: 2" X 1" BRASS COMPRESSION TEE NO LEAD

903 FORD METER BOX COMPANY

T444-774-NL

*Current Date

Water and Wastewater Master Material Catalog Page: 80 of: 357

PUD-FITTINGS

FTGAR

Item Description: TEE, PIPE - NO-LEAD BRASS, 1/4" X 1/4" X 1/4".

020

Item Description: TEE, PIPE - NO-LEAD BRASS, 3/4" X 3/4" X 3/4".

050

Item Description: TEE, PIPE - NO-LEAD BRASS,1" X 1" X 1" CTS

070 A.Y. MCDONALD

74764-22 1 T444-444

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

FORD

110

Item Description: BEND, DUCTILE IRON, 6", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

120

Item Description: BEND, DUCTILE IRON, 8", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

130

Item Description: BEND, DUCTILE IRON, 10", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 81 of: 357

PUD-FITTINGS

FTGAT

185

190

Item Description: BEND, DUCTILE IRON, 12", 11-1/4 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).
170

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
175

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
180

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 22-1/2 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 82 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 14", 22-1/2 DEGREE, MECHANICAL JOINT, EPOXYLINED TO BE SUPPLIED WITHOUT

260 ACCESSORIES

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

270

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

280

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

285

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT. WITHOUT ACCESSORIES. UNION, TYLER,

290 US PIPE, OR EQUAL

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

295

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES)

Water and Wastewater Master Material Catalog Page: 83 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: INACTIVE - BEND, FLANGED, 4", 45 DEGREE, DUCTILE IRON, SHORT PATTERN.

317 TYLER PIPE

#5-705

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

320

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANCIAL JOINT, WITHOUT ACCESSORIES.

330

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

340

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, WITHOUT ACCESSORIES.

350

Item Description: BEND, DUCTILE IRON, 14", 45 DEGREE, MECHANICAL JOINT, EPOXYLINED, WITHOUT ACCESSORIES

360

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 84 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).
375

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

380

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

390

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

391

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

392

Item Description: BEND, DUCTILE IRON, 3", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

395

Item Description: BEND, DUCTILE IRON, 3", 90 DEGREE, FLANGED.

400 grcm

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 85 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, FLANGED.

415 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

420

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, FLANGED.

425

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

430

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, FLANGED.

435

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 86 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, FLANGED.

445

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).

450

Item Description: BEND, DUCTILE IRON, 14", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

460

Item Description: BEND, DUCTILE IRON, 16", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

470

Item Description: BEND, DUCTILE IRON, 24", 90 DEGREE, MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

490

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

495

Item Description: BEND, DUCTILE IRON, 16", 11-1/4 DEGREE MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

500 WITHOUT ACCESSORIES)

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 87 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

505

Item Description: BEND, DUCTILE IRON, 18", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

510 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, (TO BE SUPPLIED WITHOUT ACCESSORIES).

515

Item Description: BEND, DUCTILE IRON, 20", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

520 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

530 WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

540 WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 88 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 11-1/4 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED

WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 6", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT

ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 8", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT

ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 10", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED,

WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 12", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED 40-MIL EPOXYLINED,

608 WITHOUT ACCESSORIES.

Item Description: BEND, DUCTILE IRON, 16", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED

Water and Wastewater Master Material Catalog Page: 89 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 18", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

WITHOUT ACCESSORIES)

Item Description: BEND, DUCTILE IRON, 20", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 22-1/2 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED

WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 90 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 6", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 632

Item Description: BEND, DUCTILE IRON, 8", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

634

Item Description: BEND, DUCTILE IRON, 10", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

636

Item Description: BEND, DUCTILE IRON, 12", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

638

Item Description: BEND, DUCTILE IRON, 16", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

642

Item Description: BEND, DUCTILE IRON, 18", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

JEA Water and Wastewater Master Material Catalog Page: 91 of: 357

XXJINVWCATL

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 24", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 648 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT 650 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 36", 45 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

655 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 4", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

660

Item Description: BEND, DUCTILE IRON, 6", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

662

Item Description: BEND, DUCTILE IRON, 8", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

664

Item Description: BEND, DUCTILE IRON, 10", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

JEA Water and Wastewater Master Material Catalog Page: 92 of: 357

XXJINVWCATL

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 12", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES.

668

Item Description: BEND, DUCTILE IRON, 16", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT

670 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 18", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT

680 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 20", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT

690 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 24", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT

700 ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 30", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED. (TO BE SUPPLIED WITHOUT

710 ACCESSORIES).

*Current Date

Water and Wastewater Master Material Catalog Page: 93 of: 357

PUD-FITTINGS

FTGAT

Item Description: BEND, DUCTILE IRON, 36", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED.(TO BE SUPPLIED WITHOUT ACCESSORIES).

Item Description: BEND, DUCTILE IRON, 14", 90 DEGREE, MECHANICAL JOINT, 40-MIL EPOXYLINED, WITHOUT ACCESSORIES 772

FTGAV

Item Description: CAP, DUCTILE IRON, 4" MECHANICAL JOINT, WITHOUT ACCESSORIES

001 ORDER BY DESCRIPTION

OBD

Item Description: CAP, DUCTILE IRON, 3" MECHANICAL JOINT, WITHOUT ACCESSORIES

010 ORDER BY DESCRIPTION

OBD

Item Description: CAP, DUCTILE IRON, 6", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

020

Item Description: CAP, DUCTILE IRON, 8", MECHANICAL JOINT. (TO BE SUPPLIED WITHOUT ACCESSORIES).

030

Item Description: CAP, DUCTILE IRON, 10", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).

Water and Wastewater Master Material Catalog Page: 94 of: 357

PUD-FITTINGS

FTGAV

Item Description: CAP, DUCTILE IRON, 12", MECHANICAL JOINT (TO BE SUPPLIED WITHOUT ACCESSORIES).

050

Item Description: CAP, DUCTILE IRON, 16", TAP 2, MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

061

FTGAZ

Item Description: CROSS, DUCTILE IRON, 4" X 4", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.

Item Description: CROSS, DUCTILE IRON, 6" X 6", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.

Item Description: CROSS, DUCTILE IRON, 8" X 6", MECHANICAL JOINT.TO BE SUPPLIED WITHOUT ACCESSORIES.

030

Item Description: CROSS, DUCTILE IRON, 8" X 8", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

040

Item Description: CROSS, DUCTILE IRON, 10" X 8", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 95 of: 357

PUD-FITTINGS

FTGAZ

Item Description: CROSS, DUCTILE IRON, 12" X 6", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

090

Item Description: CROSS, DUCTILE IRON, 12" X 12", MECHANICAL JOINT. TO BE SUPPLIED WITHOUT ACCESSORIES.

120

Item Description: CROSS, DUCTILE IRON,16" X 10", MECHANICAL JOINT.TO BE SUPPLIED W/ 16" ACCESSORIES.

150

Item Description: CROSS, DUCTILE IRON,16" X 12", MECHANICAL JOINT.TO BE SUPPLIED W/ 16" ACCESSORIES.

160

Item Description: CROSS, DUCTILE IRON, 16" X 16", MECHANICAL JOINT. TO BE SUPPLIED WITH ACCESSORIES.

170

Item Description: CROSS, DUCTILE IRON, 20" X 12", MECHANICAL JOINT. TO BE SUPPLIED W/ 20" ACCESSORIES.

180

FTGBB

Item Description: FLANGE, THREADED, REDUCING, 9" FLANGE WIAH A 2" THREADED TAP, 125 LB. CLASS, 8-HOLE,

287 CAST/DUCTILE, MUST MEET ANSI & ASTM. (FLANGE FOR 4" PIPE WITH A 2" THREADED TAP)

SMITH-COOPER INTERNATIONAL

18RT1020090

Water and Wastewater Master Material Catalog Page: 96 of: 357

PUD-FITTINGS

FTGBD

040

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 4", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 6", W/18" DROP, FULL BODY, WITHOUT ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 8", W/12" DROP, FULL BODY, WITHOUT ACCESSORIES.

Item Description: OFFSET, CAST IRON, MECHANICAL JOINT, 8", W/18" DROP, FULL BODY, DUCTILE IRON, WITHOUT
060 ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES.

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 10", W/18"DROP, FULL BODY, WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 97 of: 357

PUD-FITTINGS

FTGBD

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/12"DROP, FULL BODY, WITHOUT ACCESSORIES.

090

Item Description: OFFSET, DUCTILE IRON, MECHANICAL JOINT, 12", W/18"DROP, FULL BODY, WITHOUT ACCESSORIES.

100

FTGBF

Item Description: PLUG, DUCTILE IRON, 3" TAPPED 2", MJ.

007

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" WITHOUT ACCESSORIES.

010

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 4" TAPPED 2", WITHOUT ACCESSORIES.

030

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" WITHOUT ACCESSORIES.

040

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 6" TAPPED 2", WITHOUT ACCESSORIES.

01

Water and Wastewater Master Material Catalog Page: 98 of: 357

XXJINVWCATL

PUD-FITTINGS

FTGBF

*Current Date

Item Description: PLUG, DUCTILE IRON, MECHANCIAL JOINT, 8" WITHOUT ACCESSORIES.

080

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 8" TAPPED 2", WITHOUT ACCESSORIES.

090

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 10", WITHOUT ACCESSORIES.

110

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 10" TAPPED 2", WITHOUT ACCESSORIES.

130

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 12" WITHOUT ACCESSORIES.

140

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 12" TAPPED 2". WITHOUT ACCESSORIES.

160

Item Description: PLUG, DUCTILE IRON, MECHANICAL JOINT, 16" WITHOUT ACCESSORIES.

170

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 20", WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 99 of: 357

PUD-FITTINGS

FTGBF

Item Description: PLUG, CAST IRON, MECHANICAL JOINT, 24", WITHOUT ACCESSORIES.

190

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 4" X 3", WITHOUT ACCESSORIES.

000

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 6" X 4", WITHOUT ACCESSORIES.

010

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 4", WITHOUT ACCESSORIES.

020

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 8" X 6", WITHOUT ACCESSORIES.

030

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 4".WITHOUT ACCESSORIES.

040

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 6", WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 100 of: 357

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 10" X 8", WITHOUT ACCESSORIES.

060

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 4", EXPOXYLINED, WITHOUT ACCESSORIES

070

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", EXPOXYLINED, WITHOUT ACCESSORIES

075

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 6", WITHOUT ACCESSORIES.

080

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", EXPOXYLINED, WITHOUT ACCESSORIES

085

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 8", WITHOUT ACCESSORIES.

090

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", EXPOXYLINED, WITHOUT ACCESSORIES

095

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 12" X 10", WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 101 of: 357

PUD-FITTINGS

FTGBH

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 14" X 12", EXPOXYLINED, WITHOUT ACCESSORIES

105

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 10", WITHOUT ACCESSORIES.

130

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 12", WITHOUT ACCESSORIES.

140

Item Description: REDUCER, DUCTILE IRON, MECHANICAL JOINT, 16" X 14", SHORT BODY, W/OUT ACCESSORIES.

145

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 20" X 12" WITHOUT ACCESSORIES.

160

Item Description: REDUCER, CAST IRON, MECHANICAL JOINT, 24" X 20", WITH ACCESSORIES.

186

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 6" X 3 FOOT.

200

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 6" X 12".

*Current Date

Water and Wastewater Master Material Catalog Page: 102 of: 357

PUD-FITTINGS

FTGBH

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 8" X 3 FOOT.

205

Item Description: SPOOL, DUTILE IRON, FLANGED X FLANGED, 8" X 12".

207

Item Description: SPOOL, DUCTILE IRON, FLANGED X FLANGED, 10" X 3 FOOT.

210

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 3", SHORT PATTERN, WITHOUT ACCESSORIES DOMESTIC ORIGIN

003 CASTINGS ONLY. UNION, TYLER, U.S. PIPE, OR EQUAL.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 4", SHORT PATTERN, WITHOUT ACCESSORIES

010 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 103 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 4", 12 LONG PATTERN, WITHOUT ACCESSORIES.

015 STGM

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, 4", "GROUND DOWN". SHORT PATTERN, STANDARD MJ SLEEVE AND ONE (1)

O21 ACCESSORY PACK TO BE "GROUND DOWN" TO AN ID OF 5.25". THE OTHER END OF SLEEVE WILL REMAIN

STANDARD. ** SHIP ASSEMBLED **

SIGMA STAR TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 4", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

025 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPE

Description

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 6", SHORT PATTERN, WITHOUT ACCESSORIES.

030 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 104 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 6", 12 LONG PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPEDescription

Item Description: SLEEVE, DUCTILE IRON, 6", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ NE (1) ACCESSORY

042 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, 6" DUCTILE IRON, GROUND DOWN, SHORT PATTERN, STANDARD MJ SLEEVE AND (1) ACCESSORY PACK

TO BE "GROUND DOWN" TO AN ID OF 7.40" ONE END OF A STANDARD SLEEVE AND THE OTHER END WILL

REMAIN STANDARD. ** SHIP ASSEMBLED. **

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 8", SHORT PATTERN, WITHOUT ACCESSORIES.

050 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

Water and Wastewater Master Material Catalog Page: 105 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 8", 12 LONG PATTERN, WITHOUT ACCESSORIES

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION Description Description

US PIPEDescription

Item Description: SLEEVE, DUCTILE IRON, 8", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

053 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, 8" DUCTILE IRON, GROUND DOWN, SHORT PATTERN, STANDARD MJ SLEEVE AND (1) ACCESSORY PACK

O55 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 10", 12" LONG PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 10", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

065 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 106 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 12", 12 LONG PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 12", "GROUND DOWN". 12 LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

075 ACCESSORY PACK TO BE "GROUND DOWN" TO AN ID OF 13.70". THE OTHER END OF THE SLEEVE WILL REMAIN

STANDARD. ** SHIP ASSEMBLED**.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 14", 15" LONG PATTERN, WITHOUT ACCESSORIES.

080 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 14", "GROUND DOWN". 15; LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

085 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 107 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 16", 15" LONG PATTERN, WITHOUT ACCESSORIES.

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 16", "GROUND DOWN". 15; LONG PATTERN STANDARD MJ SLEEVE AND ONE (1)

095 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 18", 15" LONG PATTERN, WITHOUT ACCESSORIES.

100 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 18", "GROUND DOWN". STANDARD MJ SLEEVE AND ONE (1) ACCESSORY PACK TO BE

105 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 20", 15" LONG PATTERN, WITHOUT ACCESSORIES.

110 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 108 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, 20", "GROUND DOWN". 15" LONG PATTERN STANDARD MJ SLEEVE AND ONE (1)

120 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, CAST IRON, MECHANICAL JOINT, 24", 15" LONG PATTERN, WITHOUT ACCESSORIES.

130 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, 24", "GROUND DOWN". 15" LONG PATTERN, STANDARD MJ SLEEVE AND ONE (1)

135 ACCESSORY

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 30", 15; LONG PATTERN W/OUT ACCESSORIES.

140 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

*Current Date

Water and Wastewater Master Material Catalog Page: 109 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15" LONG PATTERN EPOXY LINED, WITHOUT ACCESSORIES

145 CTCM

SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: SLEEVE, DUCTILE IRON, MECHANICAL JOINT, 36", 15; LONG PATTERN W/OUT ACCESSORIES.

150 SIGMA STAR PIPE PRODUCTS TYLER PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

U.S. PIPE

ORDER BY DESCRIPTION

Item Description: INSTA-VALVE, 4", COMPLETE FITTING O.D RANGE 4.60-5.00 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS

304 FLANGE - HYDRA-STOP (PART NUMBERS 25480250-CS & 25CARTLH04-250).

HYDRA-STOP

25480250-CS

25CARTLH04-250

Item Description: INSTA-VALVE, 4", COMPLETE FITTING O.D RANGE 4.98-5.28 FOR CI, AC -SS SLEEVE & NOZZLE CS FLANGE

305 **HYDRA-STOP**

25513250-CS

Item Description: INSTA-VALVE, 6", COMPLETE FITTING O.D RANGE 6.70-7.10 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS

306 FLANGE - HYDRA-STOP (PART NUMBERS 25663250-CS & 25CARTLH06-250).

HYDRA-STOP

25CARTLH06-250

25663250-CS

*Current Date

Water and Wastewater Master Material Catalog Page: 110 of: 357

PUD-FITTINGS

FTGBK

Item Description: INSTA-VALVE, 8", COMPLETE FITTING O.D RANGE 8.85-9.25 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE CS

FLANGE. LBS 192 - HYDRA-STOP (PART NUMBERS 25863250-CS & 25CARTLH08-250).

HYDRA-STOP

25CARTLH08-250 25863250-CS

Item Description: INSTA-VALVE, 6", COMPLETE FITTING O.D RANGE 7.05-7.35 FOR CI,AC -SS SLEEVE & NOZZLE CS FLANGE

309 **HYDRA-STOP** 25720250-CS

Item Description: INSTA-VALVE, 10", COMPLETE FITTING O.D RANGE 10.90-11.30 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE

CS FLANGE. LBS 360 - HYDRA-STOP (PART NUMBERS 251075250-CS & 25CARTLH10-250).

HYDRA-STOP

25CARTLH10-250 251075250-CS

Item Description: INSTA-VALVE, 12", COMPLETE FITTING O.D RANGE 13.00-13.35 FOR CI,DI,AC, PVC -SS SLEEVE & NOZZLE

CS FLANGE. LBS 430 - HYDRA-STOP (PART NUMBERS 251275250-CS & 25CARTLH12-250).

HYDRA-STOP

251275250-CS 25CARTLH12-250

Item Description: INSTA-VALVE, 8", COMPLETE FITTING O.D RANGE 9.17-9.47 FOR CI,AC -SS SLEEVE & NOZZLE CS FLANGE

313 **HYDRA-STOP**

25932250-CS

Item Description: INSTA-VALVE, 10", COMPLETE FITTING O.D RANGE 11.15-11.45 FOR CI,AC -SS SLEEVE & NOZZLE CS

FLANGE -HYDRA-STOP

HYDRA-STOP

251130250-CS

*Current Date

Water and Wastewater Master Material Catalog Page: 111 of: 357

PUD-FITTINGS

FTGBK

Item Description: INSTA-VALVE, 12", COMPLETE FITTING O.D RANGE 13.35-13.65 FOR CI,AC -SS SLEEVE & NOZZLE CS

318 FLANGE

HYDRA-STOP 251350250-CS

Item Description: INSTA-VALVE, 10", 11.10, 10.95-11.25 BODY, CS FLG, 304HW

320 HYDRA-STOP

251110250-CS-N

Item Description: INSTA-VALVE, 10", 11.50, 11.34-11.65 BODY, CS FLG, 304HW

321 **HYDRA-STOP** 251150250-CS-N

Item Description: 10" OPEN LEFT CARTRIDGE, IV250

322 **HYDRA-STOP** 25CARTLH10-250

Item Description: INSTA-VALVE, 16", IV250, 17.40, BODY, CS FLG, 304HW

323 **HYDRA-STOP** 251740250-CS

Item Description: INSTA-VALVE, 16", IV250, 17.70, BODY, CS FLG, 304HW.

324 **HYDRA-STOP** 251770250-CS

Item Description: 16 OPEN LEFT CARTRIDGE, IV250

325 **HYDRA-STOP** 25CARTLH16-250

*Current Date

Water and Wastewater Master Material Catalog Page: 112 of: 357

PUD-FITTINGS

FTGBK

Item Description: TAPPING SLEEVE, 4X2 IP 316SS TAPN SLV 4.50-4.80

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER
OBD OBD

Item Description: SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

450 O.D. RANGE OF 4.70 - 4.90, SLEEVE TO BE FURNISHED W/ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER JEA SPECIFICATIONS.

Item Description: SLEEVE, TAPPING, 4" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

455 O.D.RANGE OF 4.80 - 5.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 6X2 IP 316SS TAPN SLV 6.63-7.00

525 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 6" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

530 O.D.RANGE OF 6.90 - 7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE, SLEEVE TO BE

*Current Date Water and Wastewater Master Material Catalog Page: 113 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

540 O.D. RANGE OF 6.90-7.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 7.10 - 7.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 6" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

548 O.D.RANGE OF 7.30 - 7.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 8X2 IP 316SS TAPN SLV 8.63-9.05

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 8" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

*Current Date

Water and Wastewater Master Material Catalog Page: 114 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

570 O.D.RANGE OF 9.05 - 9.35, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6" ALL STAINLESS STEEL W/DUCTILE IRON GLAND ON BRANCH, 6" MJ GASKET,

572 W/FULL 1/4" THICK CHEK-O-SEAL W/MULTI O-RING SEALING RIBS, MIN. OD RANGE 9.05-9.45, SUPPLIED

W/ALL NECESSARY HARDWARE.

POWERSEAL CORP.

3490MJ

Item Description: SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

580 O.D.RANGE OF 9.05 - 9.35 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

585 O.D.RANGE OF 9.30 - 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 8" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

590 O.D.RANGE OF 9.30 - 9.60, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

*Current Date

Water and Wastewater Master Material Catalog Page: 115 of: 357

PUD-FITTINGS

FTGBK

600

Item Description: TAPPING SLEEVE, 10X2 IP 316SS TAPN SLV 10.75-11.10

595 CASCADE

CADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 10" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

OBD

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

610 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

620 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 10" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

625 O.D.RANGE OF 11.40-11.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

*Current Date Water and Wastewater Master Material Catalog Page: 116 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 10" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

630 O.D.RANGE OF 11.10-11.40, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 12X2 IP 316SS TAPN SLV 12.75-13.20

CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 12" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

650 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

670 O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

*Current Date Water and Wastewater Master Material Catalog Page: 117 of: 357

PUD-FITTINGS

FTGBK

690

Item Description: SLEEVE, TAPPING, 12" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 12" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

O.D.RANGE OF 13.16-13.50, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: TAPPING SLEEVE, 16X2 IP 316SS TAPN SLV 17.32-17.80

705 CASCADE DRESSER INDUSTRIES FORD METER BOX COMPANY

OBD OBD OBD

JCM MUELLER

OBD OBD

Item Description: SLEEVE, TAPPING, 16" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

710 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178004

Item Description: SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

720 O.D.RANGE OF 17.40-17.80 SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178006

*Current Date

Water and Wastewater Master Material Catalog Page: 118 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 16" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

725 O.D.RANGE OF 17.75-18.10, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 16" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

730 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178008

Item Description: SLEEVE, TAPPING, 16" X 10", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

740 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

FORD

FTSS178010

Item Description: SLEEVE, TAPPING, 16" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

750 O.D.RANGE OF 17.40-17.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS JCM 432-1740X

Item Description: SLEEVE, TAPPING, 20" X 4", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

760 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

*Current Date

Water and Wastewater Master Material Catalog Page: 119 of: 357

PUD-FITTINGS

FTGBK

Item Description: SLEEVE, TAPPING, 20" X 6", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

770 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

780 O.D.RANGE OF 21.40-21.80, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 20" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

795 O.D.RANGE OF 21.90-22.30, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 24" X 8", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

800 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

SUPPLIED AS PER SPECIFICATIONS

Item Description: SLEEVE, TAPPING, 24" X 12", ALL STAINLESS STEEL, FULL CIRCLE GASKET, SLEEVE MUST HAVE A MINIMUM

900 O.D.RANGE OF 25.60-26.00, SLEEVE TO BE FURNISHED W/ ALL NECESSARY HARDWARE - SLEEVE TO BE

Water and Wastewater Master Material Catalog Page: 120 of: 357

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 3" X 3" X 3",WITHOUT ACCESSORIES.
000

Item Description: TEE, BLACK JOINT, 2" X 1" BRASS

005 FORD METER BOX COMPANY

T441-774-NL

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", WITHOUT ACCESSORIES,

010

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 4",WITHOUT ACCESSORIES.

030

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6", WITHOUT ACCESSORIES.

040

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8 X 4", WITHOUT ACCESSORIES.

060

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 6", WITHOUT ACCESSORIES.

070

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8",WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 121 of: 357

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 6", WITHOUT ACCESSORIES.

100

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 8", WITHOUT ACCESSORIES.

110

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", WITHOUT ACCESSORIES.

120

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 6", WITHOUT ACCESSORIES.

140

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 8", WITHOUT ACCESSORIES.

150

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 10", WITHOUT ACCESSORIES.

160

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", WITHOUT ACCESSORIES.

170

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 6", WITHOUT ACCESSORIES.

Water and Wastewater Master Material Catalog Page: 122 of: 357

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 8", WITHOUT ACCESSORIES.

200

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 10", WITHOUT ACCESSORIES.

210

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 12", WITHOUT ACCESSORIES.

220

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 16" X 16" X 16", WITHOUT ACCESSORIES.

230

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 16", WITHOUT ACCESSORIES.

260

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 20" X 20" X 20", WITHOUT ACCESSORIES.

270

Item Description: TEE, CAST IRON, MECHANICAL JOINT, 24" X 24" X 24", WITHOUT ACCESSORIES.

280

Item Description: TEE, DUCTILE IRON, 3" X 3" X 3", FLANGED

530 STAR PIPE PRODUCTS TYLER PIPE U.S. PIPE

ORDER BY DESCRIPTION ORDER BY DESCRIPTION ORDER BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 123 of: 357

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, 4" X 4" X 4", FLANGED

535 STAR PIPE PRODUCTS

TYLER PIPE

U.S. PIPE

ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

Item Description: TEE, DUCTILE IRON, 6" X 6" X 6", FLANGED

540

Item Description: TEE, DUCTILE IRON, 8" X 8" X 8", FLANGED

545

Item Description: TEE, DUCTILE IRON, 10" X 10" X 10", FLANGED

550

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 4" X 4" X 4", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

600

Item Description: DUCTILE IRON, MECHANICAL JOINT, 6" X 6" X 6", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE,

605

Item Description: DUCTILE IRON, MECHANICAL JOINT, 8" X 8" X 8", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES TEE

610

Item Description: DUCTILE IRON, MECHANICAL JOINT, 10" X 10" X 10", 40-MIL EPOXYLINED, WITHOUT

*Current Date

Water and Wastewater Master Material Catalog Page: 124 of: 357

PUD-FITTINGS

FTGBM

Item Description: TEE, DUCTILE IRON, MECHANICAL JOINT, 12" X 12" X 12", 40-MIL EPOXYLINED, WITHOUT ACCESSORIES

620

FTGBQ

Item Description: GASKET, SEWER SADDLE, 4.20 - 4.80, UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE, OR EQUAL.

000 FORD ROMAC INDUSTRIES

FSS-GASKET-4-S CB-4.20-4.63

Item Description: GASKET, SEWER SADDLE 6.30-6.66 UNIVERSAL GASKET FOR ROMAC STYLE CB SEWER SADDLE (GASKET FOR USE

100 WITH A SDR 35 LATERAL), OR EQUAL.

FORD ROMAC INDUSTRIES

FSS-GASKET-6-S CB-6.30-6.66

Item Description: CASTING SADDLE (BODY) FOR ROMAC SEWER SADDLE- BODY ONLY

FORD ROMAC INDUSTRIES

FSS-SADDLE-4 CB-4.63

Item Description: CASTING SADDLE (BODY) - BODY ONLY

FORD ROMAC INDUSTRIES

FSS-SADDLE-6 CB-6.66-6.90

Item Description: STRAP, SEWER SADDLE, 48", FOR SEWER SADDLE

800 FORD ROMAC INDUSTRIES

FSS-BAND-1440 CB-S48

Item Description: STRAP, SEWER SADDLE, 96", FOR SEWER SADDLE

900 FORD ROMAC INDUSTRIES

FSS-BAND-2580 CB-S96

Water and Wastewater Master Material Catalog Page: 125 of: 357

PUD-FITTINGS

FTGBR

Item Description: 4"X1" CC THREADS FOR C900 PVC PIPE 4.50-4.80 RANGE

001 FORD METER BOX COMPANY

FC202-480-CC4-I

Item Description: 6"X1" CC THREADS FOR C900 PVC PIPE 6.63-6.90 RANGE

002 FORD METER BOX COMPANY

FC202-690-CC4-I

Item Description: 8"X1" CC THREADS FOR C900 PVC PIPE 8.63-9.05 RANGE

003 FORD METER BOX COMPANY

FC202-905-CC4-I

Item Description: 10"X1" CC THREADS FOR C900 PVC PIPE 10.75-11.10 RANGE

004 FORD METER BOX COMPANY

FC202-1110-CC4-I

Item Description: 12"X1" CC THREADS FOR C900 PVC PIPE 12.75-13.20 RANGE

005 FORD METER BOX COMPANY

FC202-1320-CC4-I

Item Description: 4"X2" CC THREADS FOR C900 PVC PIPE 4.50-4.80 RANGE

006 FORD METER BOX COMPANY

FC202-480-CC7-I

Item Description: 6"X2" CC THREADS FOR C900 PVC PIPE 6.63-6.90 RANGE

007 FORD METER BOX COMPANY

FC202-690-CC7-I

Item Description: 8"X2" CC THREADS FOR C900 PVC PIPE 8.63-9.05 RANGE

008 FORD METER BOX COMPANY

FC202-905-CC7-I

*Current Date

Water and Wastewater Master Material Catalog Page: 126 of: 357

PUD-FITTINGS

FTGBR

Item Description: 10"X2" CC THREADS FOR C900 PVC PIPE 10.75-11.10 RANGE

909 FORD METER BOX COMPANY

10"X2" CC THREADS FOR C900 PVC PIPE 10.75-11.10 RANGE

Item Description: 12"X2" CC THREADS FOR C900 PVC PIPE 12.75-13.20 RANGE

010 FORD METER BOX COMPANY

FC202-1320-CC7-I

Item Description: SADDLE, 4X2 IP, DOUBLE STRAP, 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

100 CASCADE DRESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-480-IP7-0-I

JCM MUELLER SMITH BLAIR

OBD OBD OBD

Item Description: SADDLE, 6X2 IP, DOUBLE STRAP 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

200 CASCADE DRESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-690-IP7-Q-I

JCM MUELLER SMITH BLAIR

OBD OBD OBD

Item Description: SADDLE, 8X2 IP, DOUBLE STRAP 316 STAINLESS STEEL EPOXY. USED ON PVC PIPE.

ORESSER INDUSTRIES, INC. FORD METER BOX COMPANY

OBD OBD FC202-905-IP7-Q-I

JCM MUELLER SMITH BLAIR

OBD OBD OBD

*Current Date

Water and Wastewater Master Material Catalog

Page: 127 of: 357

PUD-FITTINGS

FTGBR

Item	Description:	SADDLE,	10X2 IP	, DOUBLE	STRAP 3	316 STAINLESS	STEEL EPOXY.	USED ON PVC PIPE.
400	CASCADE OBD JCM OBD				DRESSER OBD MUELLER OBD	INDUSTRIES,	INC.	FORD METER BOX COMPANY FC202-1110-IP7-Q-I SMITH BLAIR OBD
Item 500	Description:	SADDLE,	12X2 IP	, DOUBLE	E STRAP,	316 STAINLES	S STEEL EPOXY.	USED ON PVC PIPE.
	CASCADE OBD JCM OBD				DRESSER OBD MUELLER OBD	INDUSTRIES,	INC.	FORD METER BOX COMPANY FC202-1320-IP7-Q-I SMITH BLAIR OBD
Item 600	Description:	SADDLE,	16X2 IP	, DOUBLE	STRAP,	316 STAINLES	S STEEL EPOXY.	USED ON PVC PIPE.
	CASCADE OBD JCM OBD				DRESSER OBD MUELLER OBD	INDUSTRIES,	INC.	FORD METER BOX COMPANY FC202-1840-IP7-Q SMITH BLAIR OBD
Item	Description:	SADDLE,	20X2 IP	, DOUBLE	STRAP,	316 STAINLES	S STEEL EPOXY.	USED ON PVC PIPE.
700	CASCADE OBD JCM OBD				DRESSER OBD MUELLER OBD	INDUSTRIES,	INC.	FORD METER BOX COMPANY FC202-2050-IP7-Q SMITH BLAIR OBD
Item 800	Description:	SADDLE,	24X2 IP	, DOUBLE	STRAP,	316 STAINLES	S STEEL EPOXY.	USED ON PVC PIPE.
	CASCADE OBD JCM OBD				DRESSER OBD MUELLER OBD	INDUSTRIES,	INC.	FORD METER BOX COMPANY FC202-2650-IP7-Q SMITH BLAIR OBD

*Current Date

Water and Wastewater Master Material Catalog Page: 128 of: 357

PUD-FITTINGS

FTGBU

Item Description: ADAPTER, NO LEAD COUPLING, 2", CORPORATION STOP, 1/8 BEND, 2-1/2" FEMALE IRON PIPE THREAD ON ONE

110 END, 2" COMPRESSION FITTING FOR CTS POLYETHYLENE ON THE OTHER END. (2" OLD STYLE)

FORD

LA14-87

Item Description: NO LEAD COUPLING, ADAPTER - 3/4", CORPORATION STOP, OLD STYLE, 1/8 BEND, WIPED LEAD FEMALE

310 THREAD (WITH SEAT) X CTS COMPRESSION. FORD OR EQUAL

A.Y. MCDONALD FORD

74749G 3/4 LA104-33G

Item Description: NO LEAD COUPLING, ADAPTER - 1", CORPORATION STOP OLD STYLE, 1/8 BEND, WIPED LEAD FEMALE THREAD

320 (WITH SEAT) X CTS COMPRESSION.

A.Y. MCDONALD FORD

74749G 1 LA104-44G-NL

Item Description: NO LEAD COUPLING, ADAPTER - STRAIGHT, 1/2" INTERNAL COUPLING THREAD X 3/4" COPPER TUBE NUT.

390 COUPLING THREAD TO HAVE SEAT (INCLUDES GASKET).

FORD

C102-13-NL

Item Description: NO LEAD COUPLING, ADAPTER, CORPORATION STOP, 3/4", OLD STYLE, STRAIGHT, WIPED LEAD FEMALE THREAD

400 (WITH SEAT) X CTS COMPRESSION.

A.Y. MCDONALD FORD

74742G 3/4 C104-33-G-NL

Item Description: COUPLING, ADAPTER, CORPORATION STOP, 1", OLD STYLE, STRAIGHT, WIPED LEAD FEMALE THREAD (WITH

404 SEAT) X CTS COMPRESSION.

A.Y. MCDONALD FORD

74742G 1 C104-44G

*Current Date

Water and Wastewater Master Material Catalog Page: 129 of: 357

PUD-FITTINGS

FTGBU

Item Description: NO LEAD COUPLING, ADAPTER 1", STRAIGHT, FEMALE IRON PIPE THREAD X CTS COMPRESSION. FORD. OR

410 EOUAL.

A.Y. MCDONALD FORD

74754G 1 C14-44G

Item Description: NO LEAD COUPLING, ADAPTER 1-1/2", STRAIGHT FEMALE IRON PIPE THREAD X CTS COMPRESSION.

420 **FORD**

C14-66G

FTGBW

Item Description: NO LEAD COUPLING, CORPORATION STOP, 1", 1/8 BEND INLET: FEMALE COPPER TUBE NUT THREAD, OUTLET:

120 COPPER TUBE NUT.

A.Y. MCDONALD FORD MUELLER

74747 1 LA21-44 15063N

FTGBY

Item Description: COUPLING, BOLTED - 1/2", FOR GALVANIZED PIPE (.8400D), STEEL CONSTRUCTION, BOLT SIZE = 7/16"

010 DIAMETER X 6-5/8" LENGTH, SLEEVE LENGTH 3 1/2", 1500 PSI MINIMUM WORKING PRESSURE.

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00008401-015

Item Description: COUPLING, BOLTED - 3/4", FOR GALVANIZED PIPE (1.050 OD), STEEL CONSTRUCTION, BOLT SIZE =7/16"

020 DIAMETER X 6-5/8"LENGTH COUPLING LENGTH 4-1/2", 1500 PSI MINIMUM WORKING PRESSURE, DRESSER

STYLE 38 W/ ARMORED GASKET

DRESSER INDUSTRIES SMITH BLAIR

0038-0003-013 411-00010501-015

*Current Date

Water and Wastewater Master Material Catalog Page: 130 of: 357

PUD-FITTINGS

FTGBY

Item Description: COUPLING.BOLTED - 1".FOR GALVANIZED PIPE (1.315 OD). STEEL CONSTRUCTION. BOLT SIZE = 1/2"

DIAMETER X 7" LENGTH, COUPLING 5", 1500 PSI MIN. WORKING PRESSURE. (STYLE 38 W/ARMORED GASKET)

DRESSER INDUSTRIES, INC. SMITH BLAIR

0038-0004-013 411-00013201-015

Item Description: COUPLING, BOLTED- 1-1/4", FOR GALVANIZED PIPE (1.66 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2"

040 DIAMETER X 7" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00016601-015

Item Description: COUPLING, BOLTED- 1-1/2", FOR GALVANIZED PIPE (1.90 OD), STEEL CONSTRUCTION, BOLT SIZE = 1/2"

050 DIAMETER X 7" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00019001-015.

Item Description: COUPLING, BOLTED - 2", FOR GALVANIZED PIPE (2.375 OD), STEEL CONSTRUCTION, BOLT SIZE=5/8"

DIAMETER X 8" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 2 BOLTS

DRESSER INDUSTRIES, INC. SMITH BLAIR

38-0012-013 411-00023851-015

Item Description: COUPLING, BOLTED - 2-1/2", FOR GALVANIZED PIPE (2.875 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8"

070 DIAMETER X 8" LENGTH, COUPLING LENGTH 5", 1500 PSI MINIMUM WORKING PRESSURE, 3 BOLTS

DRESSER INDUSTRIES, INC. SMITH BLAIR

38 W/ARMORED GASKET 411-00028801-015

Item Description: COUPLING, BOLTED - 3", FOR GALVANIZED PIPE (3.50 OD), STEEL CONSTRUCTION, BOLT SIZE = 5/8"

080 DIAMETER X 6" LENGTH, COUPLING LENGTH 5", 1100 PSI MINIMUM WORKING PRESSURE, 4 BOLTS

DRESSER INDUSTRIES, INC.

0038-9187-013

*Current Date

Water and Wastewater Master Material Catalog Page: 131 of: 357

PUD-FITTINGS

FTGBY

Item Description: COUPLING BOLTLESS 1/2" GALVANIZED, LONG.

210 DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-0840-150

Item Description: COUPLING BOLTLESS 3/4" GALVANIZED, LONG. DRESSER STYLE 65 W/ ARMORED GASKET

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1050-150

Item Description: COUPLING BOLTLESS 1" GALVANIZED, LONG. DRESSER STYLE 65 W/ ARMORED GASKET

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1315-150

Item Description: COUPLING BOLTLESS 1-1/4" GALVANIZED, LONG.

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-1660-150

Item Description: COUPLING BOLTLESS 1-1/2" GALVANIZED, LONG

250 DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-19000-150

Item Description: COUPLING BOLTLESS 2" GALVANIZED, LONG.

DRESSER INDUSTRIES, INC. TPS

STYLE 65 W/ARMORED GASKET 6000-2375-150

Item Description: NO LEAD COUPLING, STRAIGHT - 1/2" FEMALE IRON PIPE THREAD X COPPER TUBE NUT.

³⁹⁰ **FORD**

C21-31

*Current Date

Water and Wastewater Master Material Catalog Page: 132 of: 357

PUD-FITTINGS

FTGBY

Item Description: NO LEAD COUPLING, STRAIGHT BRONZE - 1" COPPER FLARE NUT ONE END, 1" FEMALE IRON PIPE THREAD

410 OTHER END.

FORD MUELLER

C21-44 H-15450N

Item Description: NO LEAD COUPLING, STRAIGHT BRONZE - 1" COPPER FLARE NUT ONE END 1" MALE IRON PIPE THREAD OTHER

610 END.

FORD MUELLER

C28-44 H-15425

FTGCA

Item Description: INACTIVE - COUPLING, FLEXIBLE - 4" X 4", CLAY/CLAY.

050 **FERNCO**

1001-44

Item Description: COUPLING, FLEXIBLE - 4" X 4", CLAY/PVC.

060 **FERNCO**

1002-44

Item Description: COUPLING, FLEXIBLE, 4" X 4", PVC/PVC.

070 **FERNCO**

1056-44

Item Description: COUPLING, FLEXIBLE - 6" X 4", CLAY/CLAY.

080 **FERNCO**

1001-64

Item Description: COUPLING, FLEXIBLE - 6" X 4", CLAY/PVC.

090 **FERNCO**

1002-64

*Current Date Water and Wastewater Master Material Catalog Page: 133 of: 357

PUD-FITTINGS

FTGCA

Item Description: COUPLING, FLEXIBLE - 6" X 4", PVC/CLAY

100 **FERNCO**

1002-46

Item Description: COUPLING, FLEXIBLE - 6" X 4", PVC/PVC.

110 FERNCO

1056-64

Item Description: COUPLING, FLEXIBLE - 6 X 6, CLAY/CLAY.

120 **FERNCO**

1001-66

Item Description: COUPLING, FLEXIBLE - 6" X 6", CLAY/PVC.

130 **FERNCO**

1002-66

Item Description: COUPLING, FLEXIBLE - 6" X 6", PVC/PVC.

140 FERNCO INDIANA SEAL CO.

1056-66 156-66

Item Description: COUPLING, FLEXIBLE - 8" X 6", CLAY/PVC

155 **FERNCO**

1002-86

Item Description: COUPLING, FLEXIBLE - 8" X 6", PVC/PVC.

160 **FERNCO**

1056-86

Item Description: INACTIVE - COUPLING, FLEXIBLE - 8" X 8", CLAY/CLAY.

170 **FERNCO**

1001-88

Page: 134 of: 357

*Current Date Water and Wastewater Master Material Catalog

PUD-FITTINGS

FTGCA

Item Description: COUPLING, FLEXIBLE - 8" X 8", CLAY/PVC.

180 **FERNCO**

1002-88

Item Description: COUPLING, FLEXIBLE - 8" X 8", PVC/PVC.

190 FERNCO

1056-88

Item Description: COUPLING, FLEXIBLE - 10" X 10", CLAY/PVC

210 **FERNCO**

1002-1010

Item Description: COUPLING, FLEXIBLE - 10" X 10", PVC/PVC.

220 **FERNCO**

1056-1010

Item Description: INACTIVE - COUPLING, FLEXIBLE - 12" X 12", CLAY/CLAY

230 **FERNCO**

1001-1212

Item Description: COUPLING, FLEXIBLE - 12" X 12", CLAY/PVC

240 FERNCO

1002-1212

Item Description: COUPLING, FLEXIBLE - 12" X 12", PVC/PVC.

250 **FERNCO**

1056-1212

Item Description: COUPLING, FLEXIBLE - 15" X 15", CLAY/PVC

270 FERNCO

1002-1515

*Current Date

Water and Wastewater Master Material Catalog Page: 135 of: 357

PUD-FITTINGS

FTGCA

Item Description: COUPLING, FLEXIBLE - 15" X 15", PVC/PVC.

280 **FERNCO**

1056-1515

Item Description: COUPLING, FLEXIBLE - 18" X 18",CLAY/CLAY

290 FERNCO

1001-1818

Item Description: COUPLING, FLEXIBLE - 21" X 21", CLAY/CLAY (OUTSIDE DIAMETER SIZE 24.85)

300 **FERNCO**

1001-2121

Item Description: COUPLING, FLEXIBLE - 24" X 24", CLAY/CLAY ** (OUTSIDE DIAMETER SIZE 29.40)

310 FERNCO

1001-2424

Item Description: SADDLE TEE, DFW 6", WITH CLAMPS, SADDLE DESIGN TO ACCOMMODATE 6" - 12" POLYETHYLENE PIPE USED

410 IN SLIP LINNING SEWER SYSTEMS, INLET RANGE FROM SCH-40 DOWN TO SDR-26, COLOR BLACK

N D S

6T/C

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 1/4" FIPT.

030

Item Description: BUSHING, PIPE - GALVANIZED, 1/2" MIPT X 3/8" FIPT.

Water and Wastewater Master Material Catalog Page: 136 of: 357

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 3/4" MIPT X 1/2" FIPT.

050

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/4" FIPT.

070

Item Description: BUSHING, PIPE - GALVANIZED, 1" MIPT X 1/2" FIPT.

080

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MITP X 3/4" FIPT.

110

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/4" MIPT X 1" FIPT.

120

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 3/4" FIPT.

140

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1" FIPT.

150

Item Description: BUSHING, PIPE - GALVANIZED, 1-1/2" MIPT X 1-1/4" FIPT.

Water and Wastewater Master Material Catalog Page: 137 of: 357

PUD-FITTINGS

FTGCE

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 3/4" FIPT.

165

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1" FIPT.

170

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/4" FIPT

180

Item Description: BUSHING, PIPE - GALVANIZED, 2" MIPT X 1-1/2" FIPT.

190

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 1-1/2" FIPT.

220

Item Description: BUSHING, PIPE - GALVANIZED, 2-1/2" MIPT X 2" FIPT.

230

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 1-1/4" FIPT.

250

Item Description: BUSHING, PIPE - GALVANIZED, 3" MIPT X 2" FIPT.

Water and Wastewater Master Material Catalog Page: 138 of: 357

PUD-FITTINGS

FTGCE

Item Description: INACTIVE - BUSHING, PIPE - GALVANIZED, 4" MIPT X 3" FIPT.

340

FTGCF

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 3/4" FIPT.

030

Item Description: CAP, PIPE - GALVANIZED, 1" FIPT.

040

Item Description: INACTIVE - CAP, PIPE - GALVANIZED, 1-1/4" FIPT.

050

Item Description: CAP, PIPE - GALVANIZED, 1-1/2" FIPT.

060

Item Description: CAP, PIPE - GALVANIZED, 2" FIPT.

070

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 1/4" FIPT X 1/4" FIPT.

*Current Date

Water and Wastewater Master Material Catalog Page: 139 of: 357

PUD-FITTINGS

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 1/2" FIPT X 1/2" FIPT.

040

Item Description: COUPLING, PIPE - GALVANIZED, 3/4" FIPT X 3/4" FIPT.

050

Item Description: COUPLING, PIPE - GALVANIZED, 1" FIPT X 1" FIPT.

060

Item Description: COUPLING, PIPE - NO-LEAD BRASS 1" FIPT x 1" FIPT

065 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/4" FIPT X 1-1/4" FIPT.

070

Item Description: COUPLING, PIPE - NO-LEAD BRASS, 1-1/4" FIPT x 1-1/4" FIPT

075 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 1-1/2" FIPT X 1-1/2" FIPT.

080

Item Description: COUPLING, PIPE - NO-LEAD BRASS, 1-1/2" FIPT x 1-1/2" FIPT

085 ORDER BY DESCRIPTION

OBD

Water and Wastewater Master Material Catalog Page: 140 of: 357

PUD-FITTINGS

FTGCH

Item Description: COUPLING, PIPE - GALVANIZED, 2" FIPT X 2" FIPT. MUST BE SMOOTH OUTSIDE, NO RIDGES.

090

Item Description: COUPLING, PIPE - STAINLESS 316 GRADE, 2" FIPT x 2" FIPT

095 ORDER BY DESCRIPTION

OBD

Item Description: COUPLING, PIPE - GALVANIZED, 2-1/2" FIPT X 2-1/2" FIPT.

100

Item Description: COUPLING, PIPE - GALVANIZED, 3" FIPT X 3" FIPT

110

Item Description: COUPLING, PIPE - GALVANIZED, 4" FIPT X 4" FIPT.

130

Item Description: COUPLING, DRIVING - 2", GALVANIZED, FULLY THREADED FOR DRIVING GALVINIZED PIPE. BOTH ENDS TO BE

500 THREADED FIPT, WATERWELL REAMED AND DRIFTED COUPLING, AS SUPPLIED BY CAPITAL OR APPROVED EQUAL.

Item Description: COUPLING, 2" , PIPE - 304 STAINLESS STEEL, FIPT X FIPT. ** NO SUBSTITUTE **

Water and Wastewater Master Material Catalog Page: 141 of: 357

PUD-FITTINGS

FTGCL

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 1/4" FIPT BOTH ENDS. 45 DEGREE.

020

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 45 DEGREE.

030

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 45 DEGREE.

040

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 45 DEGREE.

050

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS. 45 DEGREE.

060

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 45 DEGREE.

070

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 45 DEGREE.

080

Item Description: ELL, PIPE - GALVANIZED, 1/2" FIPT BOTH ENDS. 90 DEGREE.

*Current Date Water and Wastewater Master Material Catalog Page: 142 of: 357

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - GALVANIZED, 3/4" FIPT BOTH ENDS. 90 DEGREE.

240

Item Description: ELL, PIPE - GALVANIZED, 1" FIPT BOTH ENDS. 90 DEGREE

250

Item Description: ELL, PIPE - NO-LEAD BRASS, 1" FIPT BOTH ENDS, 90 DEGREES

255 ORDER BY DESCRIPTION

OBD

Item Description: ELL, PIPE - GALVANIZED, 1-1/4" FIPT BOTH ENDS. 90 DEGREE.

260

Item Description: ELL, PIPE - NO-LEAD BRASS, 1/1/4: FIPT BOTH ENDS, 90 DEGREES

265 ORDER BY DESCRIPTION

OBD

Item Description: ELL, PIPE - GALVANIZED, 1-1/2" FIPT BOTH ENDS. 90 DEGREE.

270

Item Description: ELL, PIPE - GALVANIZED, 2" FIPT BOTH ENDS. 90 DEGREE.

280

Item Description: INACTIVE - ELL, PIPE - GALVANIZED, 2-1/2" FIPT BOTH ENDS. 90 DEGREE.

Water and Wastewater Master Material Catalog Page: 143 of: 357

PUD-FITTINGS

FTGCL

Item Description: INACTIVE - ELL, PIPE - STREET, GALVANIZED, 1/2" FIPT X 1/2" MIPT. 90 DEGREE.

415

Item Description: ELL, PIPE - STREET, GALVANIZED, 3/4" FIPT X 3/4" MIPT. 90 DEGREE.

425

Item Description: ELL, PIPE - STREET, GALVANIZED, 1" FIPT X 1" MIPT. 90 DEGREE.

430

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1" FIPT x 1" MIPT 90 DEGREE

435 ORDER BY DESCRIPTION

OBD

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/4" FIPT X 1-1/4" MIPT. 90 DEGREE.

440

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1-1/4" FIPT x 1-1/4" MIPT, 90 DEGREES

445

Item Description: ELL, PIPE - STREET, GALVANIZED, 1-1/2" FIPT 1-1/2" MIPT. 90 DEGREE.

450

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 1/1/2" FIPT x 1/ 1/2" MIPT, 90 DEGREES

Water and Wastewater Master Material Catalog Page: 144 of: 357

PUD-FITTINGS

FTGCL

Item Description: ELL, PIPE - STREET, GALVANIZED, 2" FIPT X 2" MIPT. 90 DEGREE.

460

Item Description: ELL, PIPE - STREET, NO-LEAD BRASS, 2" FIPT x 2" MIPT 90 DEGREES

465 ORDER BY DESCRIPTION

OBD

Item Description: ELL, 2", 90 DEGREE, PIPE - 304 STAINLESS STEEL, FIPT BOTH ENDS. ** NO SUBSTITUTE **

920

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X CLOSE MIPT BOTH ENDS.

060

Item Description: NIPPLE, PIPE - GALVANIZED, 1/4" X 4" MIPT BOTH ENDS.

070

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 1/4" X 5" MIPT BOTH ENDS

080

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 4" MIPT BOTH ENDS.

*Current Date Water and Wastewater Master Material Catalog Page: 145 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1/2" X 6" MIPT BOTH ENDS.

260

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X CLOSE. MIPT BOTH ENDS.

300

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 2" MIPT BOTH ENDS.

310

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3/4" X 2-1/2" MIPT BOTH ENDS.

320

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 3" MIPT BOTH ENDS.

330

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 4" MIPT BOTH ENDS.

340

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 5" MIPT BOTH ENDS.

350

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 6" MIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 146 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 8" MIPT BOTH ENDS.

370

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 10" MIPT BOTH ENDS.

380

Item Description: NIPPLE, PIPE - GALVANIZED, 3/4" X 12" MIPT BOTH ENDS.

390

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 2" MIPT BOTH ENDS.

410

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 3" MIPT BOTH ENDS.

420

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 4" MIPT BOTH ENDS.

430

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 5" MIPT BOTH ENDS.

440

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 6" MIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 147 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 8" MIPT BOTH ENDS.

460

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 10" MIPT BOTH ENDS.

470

Item Description: NIPPLE, PIPE - GALVANIZED, 1" X 12" MIPT BOTH ENDS.

480

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X CLOSE MIPT BOTH ENDS.

490

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 3" MIPT BOTH ENDS.

500

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 4" MIPT BOTH ENDS.

510

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 5" MIPT BOTH ENDS.

520

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 6" MIPT BOTH ENDS.

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 148 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 8" MIPT BOTH ENDS.

540

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 10" MIPT BOTH ENDS.

550

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/4" X 12" MIPT BOTH ENDS.

560

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X CLOSE MIPT BOTH ENDS.

570

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 3" MIPT BOTH ENDS.

580

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 4" MIPT BOTH ENDS.

590

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 5" MIPT BOTH ENDS.

600

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 6" MIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 149 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 8" MIPT BOTH ENDS.

620

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 10" MIPT BOTH ENDS.

630

Item Description: NIPPLE, PIPE - GALVANIZED, 1-1/2" X 12" MIPT BOTH ENDS.

640

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X CLOSE MIPT BOTH ENDS.

650

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 3" MIPT BOTH ENDS.

660

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 4" MIPT BOTH ENDS.

670

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 5" MIPT BOTH ENDS.

680

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 6" MIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 150 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 8" MIPT BOTH ENDS.

700

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 10" MIPT BOTH ENDS.

710

Item Description: NIPPLE, PIPE - GALVANIZED, 2" X 12" MIPT BOTH ENDS.

720

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 6" MIPT BOTH ENDS.

750

Item Description: NIPPLE, PIPE - GALVANIZED, 2-1/2" X 8" MIPT BOTH ENDS.

760

Item Description: INACTIVE - NIPPLE, PIPE - GALVANIZED, 3" X 4" MIPT BOTH ENDS.

820

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 5" MIPT BOTH ENDS.

830

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 6" MIPT BOTH ENDS.

*Current Date

Water and Wastewater Master Material Catalog Page: 151 of: 357

PUD-FITTINGS

FTGCN

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 8" MIPT BOTH ENDS.

850

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 10" MIPT BOTH ENDS.

860

Item Description: NIPPLE, PIPE - GALVANIZED, 3" X 12" MIPT BOTH ENDS.

870

Item Description: NIPPLE, PIPE - GALVANIZED, 4" X 12" MIPT BOTH ENDS.

940

Item Description: NIPPLE, PIPE, 2" X 3", 304 STAINLESS STEEL, MIPT BOTH ENDS.

960

Item Description: NIPPLE, PIPE, 2" X 3", 316 STAINLESS STEEL, MIPT BOTH ENDS.

962 ORDER BY DESCRIPTION

OBD

Item Description: NIPPLE, PIPE, 2" X CLOSE END, 304 STAINLESS STEEL, MIPT BOTH ENDS.

965

Item Description: NIPPLE, PIPE, 2" X 12", 304 STAINLESS STEEL, MIPT BOTH ENDS. ** NO SUBSTITUTE **

MAR-13-24 02:15:04

*Current Date

Water and Wasterstein Market M

Water and Wastewater Master Material Catalog Page: 152 of: 357

PUD-FITTINGS

FTGCP

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1/2" MIPT.

040

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3/4" MIPT.

050

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1" MIPT.

060

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/4" MIPT.

070

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 1-1/2" MIPT.

080

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 2" MIPT.

085

Item Description: SQUARE HEAD PLUG, PIPE - GALVANIZED, 3" MIPT.

Water and Wastewater Master Material Catalog Page: 153 of: 357

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1/2" X 3/8" FIPT BOTH ENDS.

050

Item Description: REDUCER, PIPE - GALVANIZED, 3/4" X 1/2" FIPT BOTH ENDS.

070

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 1/2" FIPT BOTH ENDS.

080

Item Description: REDUCER, PIPE - GALVANIZED, 1" X 3/4" FIPT BOTH ENDS.

090

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 3/4 FIPT BOTH ENDS.

110

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/4" X 1" FIPT BOTH ENDS.

120

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1/2" FIPT BOTH ENDS.

130

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 3/4 FIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 154 of: 357

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1" FIPT BOTH ENDS.

150

Item Description: REDUCER, PIPE - GALVANIZED, 1-1/2" X 1-1/4" FIPT BOTH ENDS.

160

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1/2" FIPT BOTH ENDS.

170

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 3/4" FIPT BOTH ENDS.

180

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1" FIPT BOTH ENDS.

190

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/4" FIPT BOTH ENDS.

200

Item Description: REDUCER, PIPE - GALVANIZED, 2" X 1-1/2" FIPT BOTH ENDS.

210

Item Description: REDUCER, PIPE - GALVANIZED, 2-1/2" X 2" FIPT BOTH ENDS.

Water and Wastewater Master Material Catalog Page: 155 of: 357

PUD-FITTINGS

FTGCR

Item Description: REDUCER, PIPE - GALVANIZED, 3" X 2" FIPT BOTH ENDS.

230

Item Description: REDUCER, PIPE - GALVANIZED, 4" X 3".

260

FTGCT

Item Description: TEE, PIPE - GALVANIZED, 3/4"X 3/4"X 3/4" FIPT.

050

Item Description: TEE, PIPE - GALVANIZED,1" X 1" X 1" FIPT

070

Item Description: TEE, PIPE - NO-LEAD BRASS 1x1x1 FIPT

075 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

Item Description: TEE, PIPE - GALVANIZED, 1-1/4" X 1-1/4" X 1-1/4" FIPT.

090

Item Description: TEE, PIPE - NO-LEAD BRASS 1-1/4" x 1-1/4" x 1-1/4" FIPT

095 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 156 of: 357

PUD-FITTINGS

FTGCT

Item Description: TEE, PIPE - GALVANIZED, 1-1/2" X 1-1/2" X 1-1/2" FIPT.

100

Item Description: TEE, PIPE - NO-LEAD BRASS 1 1/2" x 1-1/2" x 1 1/2" FIPT

105 ORDER BY DESCRIPTION

OBD

Item Description: TEE, PIPE - GALVANIZED, 2" X 2" X 2" FIPT.

120

Item Description: TEE, PIPE - NO-LEAD BRASS, 2x2x2 FIPT

125 ORDER BY DESCRIPTION

ORDER BY DESCRIPTION

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT, 2", PVC COMPRESSION TO MNPT

020 A.Y. MCDONALD FORD METER BOX COMPANY

74753-44 2 OBD

Item Description: NO LEAD COUPLING, STRAIGHT 1", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION END FOR 250 PSI

POLYBUTYLENE TUBING.

A.Y. MCDONALD FORD MUELLER

74755-22 1 C04-44-NL H-15071N

Item Description: NO LEAD COUPLING, STRAIGHT 1-1/2", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION FOR 250 PSI

POLYBUTYLENE TUBING.

A.Y. MCDONALD FORD MUELLER

74755-22 1-1/2 C04-66-NI H-15071N

*Current Date

Water and Wastewater Master Material Catalog Page: 157 of: 357

PUD-FITTINGS

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT 2", FEMALE COPPER THREAD X COMPRESSION, COMPRESSION FOR 250 PSI

POLYBUTYLENE TUBING.

A.Y. MCDONALD FORD MUELLER

74755-22 2 C04-77-NL H-15071N

Item Description: NO LEAD COUPLING, STRAIGHT 3/4", COMPRESSION X COMPRESSION , FOR POLYBUTYLENE TUBING.

220 A.Y. MCDONALD FORD MUELLER

74758-22 3/4 C44-33-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 1", COMPRESSION X COMPRESSION, FOR POLYBUTYLENE TUBING.

A.Y. MCDONALD FORD MUELLER

74758-22 1 C44-44-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 1 1/2", COMPRESSION X COMPRESSION. FOR POLYBUTYLENE TUBING.

310 **A.Y. MCDONALD FORD MUELLER** 74758-22 1-1/2 C44-66-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT 2", COMPRESSION X COMPRESSION. FOR POLYBUTYLENE TUBING.

320 A.Y. MCDONALD FORD MUELLER

74758-22 2 C44-77-NL H-15403N

Item Description: NO LEAD COUPLING, STRAIGHT, 3/4", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

330 A.Y. MCDONALD FORD MUELLER

74753-22 3/4 C84-33-NL H-15428N

Item Description: NO LEAD COUPLING, STRAIGHT, 1", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

410 A.Y. MCDONALD FORD MUELLER

74753-22 1 C84-44-NL H-15428N

*Current Date

Water and Wastewater Master Material Catalog Page: 158 of: 357

PUD-FITTINGS

FTGCZ

Item Description: NO LEAD COUPLING, STRAIGHT, 1-1/2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

420 A.Y. MCDONALD FORD MUELLER

74753-22 1-1/2 C84-66-NL H-15428N

Item Description: NO LEAD COUPLING, STRAIGHT, 2", MIP TO COMPRESSION, FOR POLYBUTYLENE TUBING.

430 A.Y. MCDONALD FORD MUELLER

74753-22 2 C84-77-NL H-15428N

Item Description: NO LEAD COUPLING, CORPORATION STOP, 3/4", 1/8 BEND INLET: INSIDE COPPER TUBE NUT THREAD,

500 OUTLET: COMPRESSION (OR PACK JOINT) FOR CTS POLYBUTYLENE TUBING.

A.Y. MCDONALD FORD MCDONALD

74750-22 3/4 LA04-33-NL 4750-T

74750-22 3/4"

Item Description: COUPLING, MAXFIT 8", INCLUDES NUTS, AND BOLTS TO BE COATED WITH THERMOPLASTIC POLYMER, RILSAN

NYLON 11, FITS THE FOLLOWING PIPE, DUCTILE IRON, C900PVC, CAST IRON, STEEL, AC, AND IPS PVC. OD

RANGE 8.59 TO 9.25.

MUELLER

MFC 0890

FTGDD

Item Description: CEMENT, PVC CHEMICAL, HD, HIGH VISCOSITY, OUART

093 EZ WELD OATEY CO.

EZ WELD 216 SUPERDUTY 31008

Item Description: CEMENT, PVC CHEMICAL - GALLON CANS, FOR SCH40 FITTINGS 1/2" THROUGH 2" SIZE, CLEAR.

110 EZ WELD OATEY CO.

*Current Date

Water and Wastewater Master Material Catalog Page: 159 of: 357

PUD-FITTINGS

FTGDD

Item Description: CEMENT, PVC CHEMICAL, HD, HIGH VISCOSITY, QUART SIZE.

120 OATEY CO.

31105

Item Description: CEMENT, PVC-HEAVY DUTY, "BLUE" INDUSTRIAL GRADE CEMENT FOR SCH 80, MEDIUM BODIED FAST SET, FAST

130 CURING. WET/DRY PVC CEMENT QUART CANS ONLY.

OATEY CO.

30894

Item Description: CLEANER, PVC - PVC PIPE AND FITTING CLEANER, CHEMICAL FORMULA WHICH ALLOWS QUICK CLEANING AND

210 RAPID EVAPORATION. E-Z WELD PIPE CLEANER OR EQUAL --- **** ONE GALLON CONTAINERS ONLY ****

EZ WELD OATEY CO.

EZ WELD 214-05 30766

Item Description: LUBRICANT, PVC, EASE ON PIPE JOINT LUBRICANT, CONCORD CHEMICAL CO. OR ACCEPTABLE EQUAL FOR

310 ASSEMBLY OF PUSH ON PIPE JOINTS WITH RUBBER OR SYNTHETIC RUBBER TYPE GASKETS. **** ONE GALLON

CONTAINERS ONLY ****

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", BELL X FEMALE PIPE THREAD.

100

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 2", BELLED & GASKETED ON ONE END, MALE PIPE THREAD ON

105 OTHER END, MINIMUM PRESSURE RATING TO BE 200 PSI, PVC 1. LASCOTITE

LASCOTITE

Water and Wastewater Master Material Catalog Page: 160 of: 357

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X FEMALE PIPE THREAD.

110

Item Description: ADAPTER, PIPE - PVC, SCH 40, 3/4", SLIP X FEMALE PIPE THREAD.

115

Item Description: ADAPTER, REDUCING, 3/4" SLIP X 1/2" FEMALE PIPE THREAD, SCH40.

118

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X FEMALE PIPE THREAD.

120

Item Description: ADAPTER, REDUCING, 1" SLIP X 3/4" FEMALE PIPE THREAD, SCH40.

122

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1 1/4", SLIP X FEMALE PIPE THREAD.

125

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X FEMALE PIPE THREAD.

130

Item Description: BUSHING, PIPE-PVC, SCH 40, 1 1/2"-SLIP X 1" FEMALE PIPE THREAD.

Water and Wastewater Master Material Catalog Page: 161 of: 357

PUD-FITTINGS

FTGDF

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X FEMALE PIPE THREAD.

134

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2" SLIP X 3/4" MALE PIPE THREAD.

135

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1/2", SLIP X MALE PIPE THREAD.

140

Item Description: ADAPTER, PIPE- PVC, SCH 40, 3/4", SLIP X MALE PIPE THREAD.

145

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1", SLIP X MALE PIPE THREAD.

150

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 1-1/4", SLIP X MALE PIPE THREAD.

155

Item Description: ADAPTER, PIPE - PVC, SCH 40, 1-1/2", SLIP X MALE PIPE THREAD.

160

Item Description: ADAPTER, PIPE - PVC, SCH 40, 2", SLIP X MALE PIPE THREAD.

Water and Wastewater Master Material Catalog Page: 162 of: 357

PUD-FITTINGS

FTGDF

Item Description: INACTIVE - ADAPTER, PIPE - PVC, SCH 40, 3", SLIP X MALE PIPE THREAD.

170

Item Description: BUSHING, REDUCING, 3/4" SLIP X 1/2" FIPT PVC SCH40

190

Item Description: BUSHING, PVC, SCH-40, 1" SLIP X 3/4" FEMALE IRON PIPE THREAD

195 CHARLOTTE PIPE AND FOUNDRY

P40SFBGF

Item Description: BUSHING, PVC - SCH 40, 3/4" X 1/2", REDUCING BUSHING, SLIP X SLIP.

200

Item Description: BUSHING, PVC - SCH 40, 3/4" FIPT X 1" MIPT, REDUCING BUSHING, THREADED.

205

Item Description: BUSHING, PVC - SCH 40, 1" X 3/4", REDUCING BUSHING, SLIP X SLIP.

210

Item Description: BUSHING, PVC - SCH 40, 1" X 1-1/4", REDUCING BUSHING, SLIP X SLIP.

227

Item Description: BUSHING, PVC - SCH 40, 1-1/2" X 1-1/4", REDUCING BUSHING, THREADED

Water and Wastewater Master Material Catalog Page: 163 of: 357

PUD-FITTINGS

FTGDF

Item Description: BUSHING, PVC - SCH 40, 1-1/4" X 1-1/2", REDUCING BUSHING, SLIP X SLIP

240

Item Description: BUSHING, PVC - SCH 40, 2" X 1-1/2", REDUCING BUSHING, SLIP X SLIP.

246

Item Description: BUSHING, PVC SCH-40, 2" SLIP X 1" REDUCING BUSHING, SLIP X SLIP

247 CHARLOTTE PIPE AND FOUNDRY

P40SBKG

Item Description: CAP, PVC - SCH 40, 1/2", SLIP.

250

Item Description: CAP, PVC - SCH 40, 3/4", SLIP.

260

Item Description: CAP, PVC - SCH 40, 3/4", THREADED.

265

Item Description: CAP, PVC - SCH40, 1", SLIP.

279

Item Description: CAP, PVC - SCH 40, 1", THREADED.

Water and Wastewater Master Material Catalog Page: 164 of: 357

PUD-FITTINGS

FTGDF

Item Description: CAP, PVC - SCH 40, 2". SLIP.

290

Item Description: CAP, PVC - SCH 40, 2", THREADED.

295

Item Description: CAP, PVC - SCH 40, 4", SLIP.

300

Item Description: CAP, PVC - SCH 40, 6", SLIP.

305

Item Description: COUPLING, COMPRESSION 1-1/4", SCH40.

338

Item Description: COUPLING, PVC - SCH 40, 1/2", SLIP X SLIP

350

Item Description: COUPLING, PVC - SCH 40, 3/4", SLIP X SLIP

355

Item Description: COUPLING, PVC - SCH 40, 1", SLIP X SLIP.

MAR-13-24 02:15:04

*Current Date

Water and Wasterstein Market M

Water and Wastewater Master Material Catalog Page: 165 of: 357

PUD-FITTINGS

FTGDF

Item Description: INACTIVE - COUPLING, PVC - SCH 40, 1-1/4", SLIP X SLIP.

365

Item Description: COUPLING, PVC - SCH 40, 1-1/2", SLIP X SLIP.

370

Item Description: COUPLING, REDUCER - PVC, SCH40, S X S, 1-1/2" X 1".

373

Item Description: COUPLING, PVC - SCH 40, 2", SLIP X SLIP.

375

Item Description: COUPLING, PVC - SCH 40, 3", SLIP X SLIP.

380

Item Description: COUPLING, PVC - SCH 40, 4", SLIP X SLIP.

385

Item Description: COUPLING, PVC - SCH 40, 6", SLIP X SLIP.

Water and Wastewater Master Material Catalog Page: 166 of: 357

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1/2", SLIP X SLIP.

500

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3/4", SLIP X SLIP.

505

Item Description: ELL, PVC - 45 DEGREE, 1", SLIP X SLIP, SCH40.

510

Item Description: ELL, PVC - 45 DEGREE, 1-1/4", SCH40, SLIP X SLIP.

513

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 1 1/2", SLIP X SLIP.

515

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 2", SLIP X SLIP

525

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 3", SLIP X SLIP.

530

Item Description: ELL, PVC - SCH 40, 45 DEGREE, 6", SLIP X SLIP.

*Current Date Water and Wastewater Master Material Catalog Page: 167 of: 357

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1/2", SLIP X SLIP.

600

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X SLIP.

610

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3/4", SLIP X FEMALE PIPE THREAD.

615

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1", SLIP X SLIP.

620

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1" X 3/4", 1" SLIP X 3/4" FEMALE PIPE THREAD.

625

Item Description: ELL, STREET 1", PVC, SCH40, 90 DEGREE, FEMALE SLIP X MALE PIPE THREAD.

627

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/4", SLIP X SLIP.

630

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 1-1/2", SLIP X SLIP.

Water and Wastewater Master Material Catalog Page: 168 of: 357

PUD-FITTINGS

FTGDH

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 2", SLIP X SLIP.

650

Item Description: ELL, PVC - SCH 40, 90 DEGREE, 3", SLIP X SLIP.

660

Item Description: ELL, PVC - SCH 40, 4", 90 DEGREE, SLIP X SLIP.

670

Item Description: PLUG, PVC - SCH 40, 1/2", MALE PIPE THREAD.

710

Item Description: PLUG, PVC - SCH 40, 3/4", MALE PIPE THREAD.

720

Item Description: INACTIVE - PLUG, PVC - SCH 40, 4", SPIGOT

740

Item Description: PLUG, PVC - SCH 40, 4", THREADED

745

Item Description: TEE, PVC - SCH 40, 1/2", SLIP X SLIP X SLIP.

*Current Date

Water and Wastewater Master Material Catalog Page: 169 of: 357

PUD-FITTINGS

FTGDH

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X FEMALE PIPE THREAD.

820

Item Description: TEE, PVC - SCH 40, 3/4", SLIP X SLIP X SLIP.

825

Item Description: TEE, PVC - SCH 40, 1", SLIP X SLIP X SLIP.

830

Item Description: TEE, PVC - SCH 40, 1-1/4", SLIP X SLIP X SLIP.

835

Item Description: TEE, PVC - SCH40, 1-1/2", SLIP X SLIP X SLIP.

840

Item Description: INACTIVE - TEE, PVC - SCH 40, 2", SLIP X SLIP X FEMALE PIPE THREAD.

845

Item Description: TEE, PVC - SCH 40, 2", SLIP X SLIP X SLIP.

*Current Date Water and Wastewater Master Material Catalog Page: 170 of: 357

PUD-FITTINGS

FTGDK

Item Description: ADAPTER , PVC- SCH40, 3/4", MALE INSERT X FEMALE SLIP.

060

Item Description: ADAPTER, PIPE - PVC, SCH 80, 1-1/2", SLIP X MALE IRON PIPE THREAD.

075

Item Description: ADAPTER, 2" PVC, SCH 80, SLIP X FEMALE IRON PIPE THREAD

080

Item Description: ADAPTER, 1-1/2" PVC, SCH-80, SLIP X FEMALE IRON PIPE THREAD

ORDER BY DESCRIPTION

835-015 OBD

Item Description: ADAPTER, PIPE - PVC, SCH 80, 2", SLIP X MALE IRON PIPE THREAD.

085

Item Description: ADAPTER, PIPE - PVC, SCH 80, 3", SLIP X MALE IRON PIPE THREAD.

090

Item Description: ADAPTER, PIPE - PVC, SCH 80, 4", MALE SLIP X MALE IRON PIPE THREAD.

095

Item Description: COUPLING, PVC - SCH 80, 1/2", SLIP X SLIP

Water and Wastewater Master Material Catalog Page: 171 of: 357

PUD-FITTINGS

FTGDK

Item Description: INACTIVE - COUPLING, PVC - SCH 80, 1/2", THREADED.

115

Item Description: COUPLING, PVC - SCH 80, 3/4", SLIP X SLIP

120

Item Description: COUPLING, PVC - SCH 80, 3/4", THREADED.

125

Item Description: COUPLING, PVC - SCH80, 1", SLIP X SLIP.

130

Item Description: COUPLING, PVC - SCH 80, 1-1/4", SLIP X SLIP.

140

Item Description: COUPLING, PVC - SCH 80, 1-1/2", SLIP X SLIP.

145

Item Description: COUPLING, PVC - SCH 80, 2", SLIP X SLIP.

150

Item Description: COUPLING, PVC - SCH 80, 3", SLIP X SLIP.

Water and Wastewater Master Material Catalog Page: 172 of: 357

PUD-FITTINGS

FTGDK

Item Description: COUPLING, PVC - SCH 80, 4", SLIP X SLIP.

160

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 1/2", SLIP X SLIP.

180

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3/4", SLIP X SLIP.

190

Item Description: ELL, PVC-SCH 80, 45 DEGREE, 1-1/2", SLIP X SLIP.

200

Item Description: ELL, PVC - SCH 80, 45 DEGREE, 3", SLIP X SLIP.

207

Item Description: ELL, PVC - SCH 80, 1/2", 90 DEGREE, SLIP X SLIP.

220

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", SLIP X SLIP.

230

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 3/4", THREADED

*Current Date Water and Wastewater Master Material Catalog Page: 173 of: 357

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1", SLIP X SLIP.

240

Item Description: ELL, PVC - SCH80, 90 DEGREE, 1", FIPT X FIPT.

247

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/4", SLIP X SLIP.

250

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 1-1/2", SLIP X SLIP

260

Item Description: ELL, PVC - SCH 80, 2", 90 DEGREE, SLIP X SLIP.

270

Item Description: ELL, PVC-SCH 80, 2-1/2", 90 DEGREE, SLIP X SLIP

275 CHARLOTTE PIPE AND FOUNDRY ORDER BY DESCRIPTION

PVC 08300 2200 OBD

Item Description: ELL, PVC-SCH 80, 2", 45 DEGREE, SLIP X SLIP

276 CHARLOTTE PIPE AND FOUNDRY ORDER BY DESCRIPTION

PVC 08309 2000 OBD

Item Description: ELL, PVC - SCH 80, 3", 90 DEGREE, SLIP X SLIP.

Water and Wastewater Master Material Catalog Page: 174 of: 357

PUD-FITTINGS

FTGDK

Item Description: ELL, PVC - SCH 80, 90 DEGREE, 4", SLIP X SLIP.

290

Item Description: INACTIVE - TEE, PVC - SCH 80, 1/2", SLIP X SLIP X SLIP.

430

Item Description: TEE, PVC - SCH 80, 3/4", SLIP X SLIP X SLIP.

450

Item Description: TEE, PVC - SCH 80, 3/4", THREADED.

460

Item Description: TEE, PVC - SCH 80, 1", SLIP X SLIP X SLIP.

470

Item Description: TEE, PVC - SCH 80, 2", SLIP X SLIP X SLIP.

497

Item Description: INACTIVE - UNION, PVC - SCH 80, 1/2", SLIP X SLIP.

530

Item Description: UNION, PVC - SCH 80, 3/4", SLIP X SLIP.

Water and Wastewater Master Material Catalog Page: 175 of: 357

PUD-FITTINGS

FTGDK

Item Description: INACTIVE - UNION, PVC - SCH 80, 1-1/2", THREADED.

570

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 3".

723

Item Description: NIPPLE, PVC - SCH 80, 1/2" X 5".

741

Item Description: NIPPLE, PVC - SCH 80, 3/4" X CLOSE.

807

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 3".

824

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 5".

848

Item Description: NIPPLE, PVC - SCH 80, 3/4" X 6", THREADED

852

Item Description: NIPPLE, PVC - SCH 80, 1" X CL, THREADED.

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 176 of: 357

PUD-FITTINGS

FTGDK

Item Description: NIPPLE, PVC - SCH 80, 1" X 4", THREADED.

904

Item Description: NIPPLE, PVC - SCH 80, 1" X 6", THREADED.

912

Item Description: NIPPLE, PVC - SCH 80, 1" X 8", THREADED.

928

Item Description: NIPPLE, PVC - SCH 80, 1" X 12", THREADED .

936

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 6", THREADED.

975

Item Description: NIPPLE, PVC - SCH 80, 1-1/4" X 12", THREADED.

991

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 4"

MAR-13-24 02:15:04

*Current Date

**Current Date

Water and Wastewater Master Material Catalog Page: 177 of: 357

PUD-FITTINGS

FTGDM

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 6"

044

Item Description: NIPPLE, PVC - SCH 80, 1-1/2" X 12"

082

Item Description: NIPPLE, PVC - SCH 80, 2" X 4"

126

Item Description: NIPPLE, PVC - SCH 80, 2" X 6"

149

Item Description: INACTIVE - NIPPLE, PVC - SCH 80, 2" X 8"

153

Item Description: NIPPLE, PVC - SCH 80, 2" X 12"

184

Item Description: FLANGE, PVC - SCH 80, 4", 8-HOLE, SLIP.

*Current Date

Water and Wastewater Master Material Catalog Page: 178 of: 357

PUD-FITTINGS

FTGDO

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 4", BELL X SPIGOT, SPIGOT END TO BE FULL CHAMFERED, BELL TO

104 BE GASKETED.

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X BELL, BOTH BELL ENDS TO BE GASKETED.

108

Item Description: BEND, PVC - SDR26, 22-1/2 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE

112 GASKETED.

Item Description: BEND, PVC - SDR26, 22.5 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL END TO BE

128 GASKETED.

Item Description: BEND, PVC - SDR 26, 45 DEGREE, 4", BELL X BELL, BOTH ENDS GASKETED

144

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X BELL, BOTH ENDS GASKETED.

148

Item Description: BEND, PVC - SDR26, 45 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED

*Current Date

Water and Wastewater Master Material Catalog Page: 179 of: 357

PUD-FITTINGS

FTGDO

Item Description: BEND, PVC - SDR26, 45 DEGREE, 8", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

156

Item Description: BEND, PVC - SDR26, 90 DEGREE, 4", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

172

Item Description: BEND, PVC - SDR26, 90 DEGREE, 6", BELL X SPIGOT, SPIGOT TO BE CHAMFERED, BELL TO BE GASKETED.

180

Item Description: CAP, PVC - SDR26. 6", BELL TO BE GASKETED

260

Item Description: COUPLING, PVC - 6", COUPLING TO FIT SDR-26 OD ON ONE END AND C900 OD ON THE OTHER, COUPLING TO

382 BE BELLED & GASKETED ON BOTH ENDS.

THE HARRINGTON CORP (HARCO)

337-060

Item Description: PLUG, PVC - SDR 26, 6", SLIP

410

Item Description: PLUG, PVC - SDR 26, 8", SLIP

Water and Wastewater Master Material Catalog Page: 180 of: 357

PUD-FITTINGS

FTGDO

550

620

Item Description: TEE, PVC - SDR26, 4", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.
510

Item Description: TEE, PVC - SDR26, 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.
520

Item Description: TEE, PVC - SDR26, 8" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED. 540

Item Description: TEE, PVC - SDR26, 10" X 6", SANITARY SEWER TEE, BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

Item Description: WYE, PVC - SDR26, 4" X 4" X 4", BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

Item Description: WYE, PVC - SDR26, 6" X 6" X 6", BELL X BELL X BELL, ALL BELLS TO BE GASKETED.

Item Description: WYE, PVC - SDR26, 8" X 8" X 6", BELL X BELL X BELL. ALL BELLS TO BE GASKETED.

*Current Date Water and Wastewater Master Material Catalog Page: 181 of: 357

PUD-FITTINGS

FTGDU

Item Description: TEE, PVC - DR18, 8" X 8" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS TO

000 BE INJECTION MOLDED.

Item Description: TEE, PVC - DR18, 10" X 10" X 6", ALL OUT- LETS TO BE BELLED AND GASKETED, C-900, ALL FITTINGS

TO BE INJECTION MOLDED.

Item Description: BEND, PVC - DR 18, 22 1/2 DEGREE, 6", C-900 (AWWA C 907: Class 150 rated).

040

Item Description: BEND, PVC - DR 18, 45 DEGREE, 6", C900.

050

Item Description: RESTRAINER KIT, 3", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. **MUST BE BOXED

203 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1103 SLDEP3 SGDPPK03N

Item Description: RESTRAINER KIT, 4", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

214 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1104 SLDEP4 SGDPPK04N

*Current Date

Water and Wastewater Master Material Catalog Page: 182 of: 357

PUD-FITTINGS

FTGDU

Item Description: RESTRAINER KIT, 6", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

226 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1106 SLDEP6 SGDPPK06N

Item Description: RESTRAINER KIT, 8", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE BOXED

238 IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1108 SLDEP8 SGDPPK08N

Item Description: RESTRAINER KIT, 10", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

240 BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1110 SLDEP10 SGDPPK10N

Item Description: RESTRAINER KIT, 12", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

256 BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1112 SLDEP12 SGDPPK12

Item Description: RESTRAINER KIT, 14", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

264 BOXED IN KIT FORM. **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1114 SSLDEP14 SGDPPK14

Item Description: RESTRAINER KIT, 16", TO INCLUDE GLAND, M.J. RUBBER GASKET, M.J. BOLTS AND NUTS. ** MUST BE

266 BOXED IN KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1116 SSLDEP16 SGDPPK16

*Current Date

Water and Wastewater Master Material Catalog Page: 183 of: 357

PUD-FITTINGS

FTGDU

Item Description: RESTRAINER, MJ FITTING - 18", ONE PIECE GLAND REPLACES MJ FOLLOWER GLAND. USED WITH DUCTILE

287 PIPE. ** MUST BE BOXED IN KIT FORM **

EBAA IRON FORD SIGMA

1118 SERIES 1400 SLCEP18

STAR

SGDPPK18

Item Description: RESTRAINER KIT, 20", TO INCLUDE GLAND, MJ RUBBER GASKET, MJ BOLTS AND NUTS. ** MUST BE BOXED IN

290 KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1120 SSLDEP20 SGDPPK20

Item Description: RESTRAINER KIT, 24", TO INCLUDE GLAND, MJ RUBBER GASKET, MJ BOLTS AND NUTS. ** MUST BE BOXED IN

292 KIT FORM **

EBAA IRON SIGMA STAR PIPE PRODUCTS

1124 SSLDEP24 SGDPPK24

Item Description: RESTRAINER KIT, 30", TO INCLUDE GLAND, MJ NUTS. ** MUST BE BOXED IN KIT FORM ** RUBBER GASKET,

294 MJ BOLTS AND

EBAA IRON SIGMA STAR PIPE PRODUCTS

1130 SSLDEP30 SGDPPK30

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 4" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

310 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR-1500-4A-I SLCEP4 PVCPK4004G2

*Current Date

Water and Wastewater Master Material Catalog Page: 184 of: 357

PUD-FITTINGS

FTGDU

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 6" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

315 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR1500-6A-I SLCEP6 PVCPK4006G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 8" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

320 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

FORD SIGMA STAR PIPE PRODUCTS

UFR-1500-8A-I SLCEP8 PVCPK4008G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 10 DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

325 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP10 PVCPK4010G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 12" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

330 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP12 PVCPK4012G2

Item Description: CIRCLE-LOK RESTRAINER KIT, 1500 CA, FOR 16" DR 18 & DR 25 PVC, KIT TO INCLUDE MEGALUG GLAND, MJ

335 GASKET ONLY, MJ BOLTS AND NUTS. ** MUST BE BOXED IN KIT FORM **

SIGMA STAR PIPE PRODUCTS

SLCEP16 PVCPK4016N

FTGDW

Item Description: RESTRAINER, SPLIT GLAND, 4" - RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

400 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C4 PRC1004G2 UFR 1300-C-4-1

*Current Date

Water and Wastewater Master Material Catalog Page: 185 of: 357

PUD-FITTINGS

FTGDW

Item Description: RESTRAINER, SPLIT GLAND, 6" - RESTRAINER FOR C-900 PVC PIPE, USED TO RESTRAIN MJ FITTINGS TO

500 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWMC6 PRC1006G2

Item Description: RESTRAINER, SPLIT GLAND, 8" - RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

600 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWM-C8 PRC1008

Item Description: UNIFLANGE, RESTRAINER GLAND, 8", WITH BOLTS AND NUTS, FOR STEEL PIPE SIZE PVC PIPE, USED TO

950 RESTRAIN MJ FITTINGS TO PVC PIPE.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PVM-S8 PRS1008 1300S

Item Description: RESTRAINER, SPLIT GLAND, 10"- RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

970 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C10 PRC1010G2 1300C

FTGDY

Item Description: RESTRAINER, SPLIT GLAND, 12"- RESTRAINER FOR C-900 PVC PIPE. USED TO RESTRAIN MJ FITTINGS TO

000 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS

PWMC12 PRC1012

Item Description: RESTRAINER, GLAND, 12", FOR PVC PIPE W/STEEL PIPE O.D.

050 SIGMA STAR PIPE PRODUCTS UNIFLANGE

PVM-S12 PRS1012 1300S

*Current Date Water and Wastewater Master Material Catalog Page: 186 of: 357

PUD-FITTINGS

FTGDY

Item Description: RESTRAINER, SPLIT GLAND, 16"- RESTRAINER FOR C-900 PVC PIPE, USED TO RESTRAIN MJ FITTINGS TO

060 PVC PIPE. 360 DEGREE PIPE SUPPORT.

SIGMA STAR PIPE PRODUCTS UNIFLANGE

PWM-C16 PRC1016 1300C

Item Description: RESTRAINER, FLANGE 8" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE.

FORD SIGMA STAR PIPE PRODUCTS

1390C PWP-C8 PRC1108

Item Description: RESTRAINER, FLANGE 12" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

100 SIGMA STAR PIPE PRODUCTS

PWP-C12 PRC1112

Item Description: RESTRAINER, FLANGE 16" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

110 FORD SIGMA STAR

1390C PWP-C16 PRC1116

Item Description: RESTRAINER, FLANGE 20" TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

120 FORD SIGMA STAR

1390C PWP-C20 PRC1120

Item Description: RESTRAINER, SPLIT X SPLIT, SERRATED, 24" PVC BELL JOINT RESTRAINT, TO BE USED FOR RESTRAINING

124 BELL JOINTS OF C905 PIPE

FORD SIGMA STAR

1390C PWP-C24 PRC1124

Item Description: RESTRAINER, FLANGE 30", TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

130

*Current Date

Water and Wastewater Master Material Catalog Page: 187 of: 357

PUD-FITTINGS

FTGDY

Item Description: RESTRAINER, FLANGE 36", TO BE USED FOR RESTRAINING BELL JOINTS OF C-900 PIPE

136

Item Description: RESTRAINER, UNIFLANGE 6", USED TO RESTRAIN PVC DR18 FITTINGS TO 6" C-900 PIPE.

200 FORD SIGMA

UFR1360-C-6-I PWPFC6

Item Description: RESTRAINER, UNIFLANGE 8", USED TO RESTRAIN PVC DR18 FITTINGS TO 8" C-900 PIPE.

218 SIGMA STAR UNIFLANGE

PWPF-C8 PRC1208 1360

Item Description: RESTRAINER, UNIFLANGE 10", USED TO RESTRAIN PVC DR18 FITTINGS TO 10" C-900 PIPE.

225 SIGMA STAR UNIFLANGE

PWPF-C10 PRC1210 1360

Item Description: SERIES 1390 PIPE RESTRAINER FOR DUCTILE IRON PIPE, 4", TO COME COMPLETE WITH THE FOLLOWING

504 ITEMS, TWO CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 6", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO

506 CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS.

Item Description: PIPE RESTRAINER FOR DUCTILE IRON PIPE, 8", TO COME COMPLETE WITH THE FOLLOWING ITEMS, TWO

508 CLAMPING RINGS, FOUR BOLTS & NUTS, THREADED RODS & NUTS

FORD SIGMA STAR

1390 PWP-C8 1100C

MAR-13-24 02:15:04 *Current Date

JEA XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 188 of: 357

PUD-FITTINGS

FTGDY

Item Description: 1500 CA MEGA LUG KIT, TO FIT 3" IPS AND SCH-40 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J.

RUBBER GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 20" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER

GASKET, M.J. BOLTS & NUTS. MUST BE BOXED IN KIT FORM.

Item Description: 1500 CA MEGA LUG KIT, TO FIT 24" DR -18 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND, M.J. RUBBER

GASKET, M.J. BOLTS & NUTS.

Item Description: 1500 CA MEGA LUG RESTRAINER KIT, TO FIT 30" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND,

630 M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

Item Description: 1500 CA MEGA LUG RESTRAINER KIT, TO FIT 36" C905 PVC PIPE, KIT TO INCLUDE - MEGA LUG GLAND,

M.J. RUBBER GASKET, M.J. BOLTS & NUTS. MUST HAVE ONE KIT PER BOX

FTGEE

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

003 IRON, STEEL, COOPER, PE, PVC, AC - OD 3.10-4.20

TPS

TX3-0420-0000-000

*Current Date

Water and Wastewater Master Material Catalog Page: 189 of: 357

PUD-FITTINGS

FTGEE

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON,

005 STEEL, COPPER, PE, PVC, AC - OD 3.46-4.33

HYMAX

860-54-0088-16

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON,

010 STEEL, COPPER, PE, PVC, AC - OD 4.40-5.60

HYMAX

860-54-0108-16 (HYMAX)

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

012 IRON, STEEL, COOPER, PE, PVC, AC - OD 4.45-5.61

TPS

TX3-0561-0000-000

Item Description: COUPLING, TRANSITION 3"- MINIMUM O.D. RANGES TO BE 3.45-3.60 ONE END & 4.07- 4.20 OTHER END,

015 SLEEVE TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY STEEL BOLTS AND

NUTS, GRADE 30 GASKETS

FORD

FC2A360420

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON,

040 STEEL, COPPER, PE, PVC, AC - OD 6.60-7.60

HYMAX

860-54-0163-16 (HYMAX)

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

045 IRON, STEEL, COOPER, PE, PVC, AC - OD 6.56-7.65

TPS

TX3-0765-0000-000

*Current Date

Water and Wastewater Master Material Catalog Page: 190 of: 357

PUD-FITTINGS

FTGEE

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON,

050 STEEL, COPPER, PE, PVC, AC - OD 8.54-9.84

HYMAX

860-54-0217-16 (HYMAX)

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

054 IRON, STEEL, COOPER, PE, PVC, AC - OD 8.54-9.84

TPS

TX3-0984-0000-000

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

060 IRON, STEEL, COOPER, PE, PVC, AC - OD 10.64-11.84

TPS

TX3-1184-0000-000

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST

065 IRON, STEEL, COOPER, PE, PVC, AC - OD 11.01-12.26

TPS

TX3-1226-0000-000

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON,

068 STEEL, COPPER, PE, PVC, AC - OD 10.96-12.26

HYMAX

860-54-0278-16

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST IRONN

069 STEEL, COPPER, PE, PVC, AC-OD 10.70-12.00.

HYMAX

860-54-0272-16

*Current Date

Water and Wastewater Master Material Catalog Page: 191 of: 357

PUD-FITTINGS

FTGEE

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON, 070

STEEL, COPPER, PE, PVC, AC - OD 12.40-13.66

HYMAX

860-54-0315-16

Item Description: TPS TX3 WIDE RANGE COUPLING, EXPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST 072 IRON, STEEL, COPPER, PE, PVC, AC-OD 12.62-13.66.

TPS

TX3-1366-0000-000

Item Description: HYMAX WIDE RANGE COUPLING EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILIE IRON, CAST IRON, 075 STEEL, COPPER, PE, PVC, AC - OD 13.15- 14.41

HYMAX

860-54-0334-16 (HYMAX)

Item Description: TPS TX3 WIDE RANGE COUPLING, EPOXY COATED, TWO BOLT SYSTEM SUITABLE FOR DUCTILE IRON, CAST 076 IRON, STEEL, COPPER, PE, PVC, AC-OD 13.14-14.45.

TPS

TX3-1444-0000-000

Item Description: COUPLING, 12", MIN RANGE 12.75-13.30, FITS DI, CI, PVC, PVC-IPS, HDPE, LENGTH 13.30- SINGLE 080 UNIT, FUSION BONDED EPOXY COATED-WATER/SEWER APPLICATIONS 2 STAINLESS STEEL BOLTS (ON EACH END) STAB TYPE INSTALLATION (NO DISASSEMBLY REQUIRED)

ROMAC INDUSTRIES

266-13301211 (ALPHA)

*Current Date

Water and Wastewater Master Material Catalog Page: 192 of: 357

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION 10", LENGTH 12", DUCTILE IRON (MEETING ASTM A 536-80)-BOLTED COUPLING,

0.D. ONE END TO BE 10.89-11.40, O.D. OTHER END TO BE 11.80-12.12, GASKET SUPPLIED W/COUPLING

MUST BE NEOPRENE (BUNA) COMPOUNDED FOR SEWER SERVICE

ROMAC INDUSTRIES

501-12121140201

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 11.10-11.60 ONE END AND 11.65-11.88 OTHER END,

136 SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL BOLTS AND

NUTS. GRADE 30 GASKETS.

SMITH BLAIR

441-11881160-900

Item Description: COUPLING, TRANSITION - COUPLING RANGES TO BE 11.10-11.60 O.D. ONE END AND 11.90 -12.20 O.D.

145 OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS) HIGH STRENGTH LOW ALLOY STEEL

BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-12201160-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 ONE END AND 13.20-13.50 OTHER END,

163 SLEEVES TO BE DUCTILE IRON (CENTER AND END RINGS) HIGH STRENGHT LOW ALLOY STEEL BOLTS AND NUTS,

GRADE 30 GASKETS.

FORD ROMAC INDUSTRIES SMITH BLAIR

FC1-1356-1356 501 441-00001350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 13.90-14.20 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

SMITH BLAIR

441-14201350-900

*Current Date

Water and Wastewater Master Material Catalog Page: 193 of: 357

PUD-FITTINGS

FTGEE

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 13.20-13.50 O.D. ONE END AND 14.21-14.40 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

ROMAC INDUSTRIES SMITH BLAIR

501-14401355700 441-14401350-900

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 17.32-17.50 O.D. ONE END AND 17.72-17.94 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

JCM

400

212-1780-1740

Item Description: COUPLING, TRANSITION - MINIMUM O.D. RANGES TO BE 21.35-21.75 O.D. ONE END AND 21.75-22.25 O.D.

OTHER END, SLEEVES TO BE DUCTILE IRON (CENTER RING AND END RINGS), HIGH STRENGTH LOW ALLOY

STEEL BOLTS AND NUTS, GRADE 30 GASKETS.

FORD ROMAC INDUSTRIES

FC2A-2206-2206 501

FC2A-2175-2225

Item Description: COUPLING, CAST - 42", 3 FT. LENGTH, FUSION BONDED EPOXY INSIDE AND OUT (FOR SEWER USE), EPOXY

MUST COMFORM TO AWWA C213. STAINLESS STEEL BOLTS, NUTS AND WASHERS. 150 PSI RATING (MINIMUM).

O.D. RANGE TO BE 44.20-44.50 (MIN). TWO (2) GASKETS

Item Description: SLEEVE, DUCTILE IRON, 4", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 194 of: 357

PUD-FITTINGS

FTGEE

Item Description: SLEEVE, DUCILE IRON, 6", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 8", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

640 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 10", MECHANICAL JOINT, 10-MIL EPOXYLINED, (TO BE SUPPLIED WITHOUT

ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 12", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

680 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 16", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

850 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 18", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

860 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Water and Wastewater Master Material Catalog Page: 195 of: 357

PUD-FITTINGS

FTGEE

Item Description: SLEEVE, DUCTILE IRON, 20", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

870 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 30", MECHANICAL JOINT, 10-MIL EXPOXYLINED, (TO BE SUPPLIED WITHOUT

880 ACCESSORIES), UNION, TYLER, US PIPE, OR EQUAL

Item Description: SLEEVE, DUCTILE IRON, 36", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT

890 ACCESSORIES

Item Description: SLEEVE, DUCTILE IRON, 48", MECHANICAL JOINT, 10-MIL EXPOXYLINED, TO BE SUPPLIED WITHOUT

960 ACCESSORIES

FTGEG

Item Description: SLEEVE, PIPE, DUCTILE IRON, 12 INCH, MECHANICAL JOINT, POLY LINED.

905

Item Description: SLEEVE, MJ, DUCTILE 24", 10-MIL EPOXY LINED.

906

*Current Date Water and Wastewater Master Material Catalog Page: 196 of: 357

PUD-FITTINGS

FTGEG

Item Description: REDUCER, DUCTILE 6" X 4", MJ, 40 MIL EPOXY LINED, WITHOUT ACCESSORIES

908

FTGIP

Item Description: NO LEAD COUPLING, COMPRESSION, 1", CTS COMP X IPS COMP COUP.

000 A.Y. MCDONALD FORD MUELLER

74758-22-33 1 C46-44-NL H-15409N

FTGMJ

Item Description: 4" MJ CONNECTOR "FOSTER ADAPTER" W/ MJ ACCESSORY KIT

 001 sigma

DMCPEP4

Item Description: 6" MJ CONNECTOR "FOSTER ADAPTER" W/ MJ ACCESSORY KIT

002 sigma

DMCPEP6

Item Description: 8" MJ CONNECTOR "FOSTER ADAPTER" W/ MJ ACCESSORY KIT

003 **SIGMA**

DMCPEP8

*Current Date

Water and Wastewater Master Material Catalog Page: 197 of: 357

OT-3

FUSES

FUSSU

Item Description: FUSE, 3 AMP, 250 VAC, ONE-TIME CARTRIDGE TYPE BUSSMAN P/N NON-3

036 PITCOMAN

BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-3. OT3/250

LITTELFUSE

NLN-3.

Item Description: FUSE, 5 A, 250 V, ONE-TIME, CARTRIDGE TYPE BUSSMAN P/N NON-5 GOULD SHAMUT P/N OT-5N

037 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-5 OT5/250 OT-5

LITTELFUSE

NLN-5

Item Description: FUSE, 6 AMPS, 250 VAC, CARTRIDGE TYPE, ONE-TIME

038 **DIEGMANNI**

BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-6- OT6/250 OT-6

LITTELFUSE

NLN-6

FUSUG

Item Description: FUSE, ONE TIME, 10 AMP RATING, 250 VOLT FERRULE TYPE

008 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-10 OT10/250 OT-10

LITTELFUSE

NLN-10

*Current Date Water and Wastewater Master Material Catalog

Water and Wastewater Master Material Catalog Page: 198 of: 357

FUSES

FUSUG

Item Description: FUSE, ONE TIME, 15 AMP RATING, 250 VOLT FERRULE TYPE

009

BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-15 OT15/250 OT-15

LITTELFUSE

NLN-15

Item Description: FUSE, ONE TIME, 20 AMP RATING, 250 VOLT FERRULE TYPE

010 BUSSMANN CEFCO CHASE SHAWMUT CO.

NON-20 OT20/250 OT-20

LITTELFUSE

NLN-20

*Current Date

Water and Wastewater Master Material Catalog Page: 199 of: 357

PUD-GAUGES

GAGAA

Item Description: GAUGE, STAINLESS STEEL, GLYCERIN FILLED, 2-1/2", 0-100 PSI, 1/4", 656 SERIES STAINLESS STEEL

070 LOWER MOUNT CONNECTION

U.S. GAUGE WIKA

256010LG 9833574

PUD-GASKETS

GKTAA

Item Description: GASKET, TRANSITION 3" - MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTING FOR

700 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM

D2000 3 BA715

SIGMA STAR

TG3 MJGAST03

Item Description: GASKET, TRANSITION 4" - MJ X IPS GASKET, GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

719 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

Item Description: GASKET, TRANSITION 6" - MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR

727 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

*Current Date Water and Wastewater Master Material Catalog

Water and Wastewater Master Material Catalog Page: 200 of: 357

PUD-GASKETS

GKTAA

743

Item Description: GASKET, TRANSITION 8" - MJ X IPS GASKET, GASKET ISSUED IN STD. MECHANICAL JOINT FITTINGS FOR

735 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

Item Description: GASKET, TRANSITION 10" - MJ X IPS GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR USE ON

IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-2000 3

BA715.

Item Description: GASKET, TRANSITION 12" - MJ X IPS GASKET. GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

751 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3BA715.

Item Description: GASKET, TRANSITION 16" - MJ X IPS GASKET. GASKET IS USED IN STD. MECHANICAL JOINT FITTINGS FOR

768 USE ON IRON PIPE SIZE PIPE (STEEL PIPE), GASKET TO BE CONSTRUCTED OF VIRGIN SBR MEETING ASTM D-

2000 3 BA715.

*Current Date

Water and Wastewater Master Material Catalog Page: 201 of: 357

HARDWARE

HDWTW

Item Description: TWINE, NYLON, SIZE NO. 21, 0.065" DIA., 887 FT SPOOL, 215 LB TENSILE STRENGTH,

020 AAM STRAND ROPES

PURITAN MILLS INC. R.F. EDrER CO.

62116

50700 10497

PUD-HOSE & FITTINGS

HSEAA

Item Description: HOSE, AIR 3/4" 50', 250 PSI, PIPE THREAD SHORT SHANK BRASS CONNECTORS, MALE ONE END/FEMALE ONE

000 END

Item Description: HOSE, AIR, 3/4" X 50', 250 PSI, W/UNIVERSAL CONNECTORS (#AM-6) EACH END

010 FLEXTRAL

GOODYEAR

AR15-075UUX050YW

MA3104637

Item Description: CONNECTOR, QUICK DISCONNECT 3/4" AIR UNIVERSAL #AM6

050 UNIVERSAL VALVE

АМб

Item Description: COUPLING, HOSE 3" - FEMALE QUICK DISCONNECT X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-TITE PART

100 "C" COUPLER OR EQUAL

FNW

FNWCGCALM

*Current Date

Water and Wastewater Master Material Catalog Page: 202 of: 357

PUD-HOSE & FITTINGS

HSEBB

Item Description: COUPLING, HOSE 3" - OUICK DISCONNECT, MALE ADAPTER X HOSE SHANK, ALUMINUM CONSTRUCTION. EVER-

110 TITE PART "E" OR EQUAL.

EVER-TITE FNW

E FNWCGEALM

Item Description: COUPLING, HOSE 4" - OUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

120 EVER-TITE PART "D" .

EVER-TITE FNW

D FNWCGDALP

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, MALE THREAD

130 ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE FNW SEAL FAST

B FNWCGBALP B

Item Description: COUPLING, HOSE 4" - QUICK DISCONNECT, FEMALE QUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON

140 OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE FNW SEAL FAST

C FNWCGCALP C

Item Description: COUPLING, HOSE 4" -OUICK DISCONNECT, MALE ADAPTER (FOR OUICK DISCONNECT) ON ONE END, HOSE SHANK

150 ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE FNW SEAL FAST

E FNWCGEALP E

Item Description: COUPLING, HOSE 4" -OUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, MALE THREAD

ON OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE FNW SEAL FAST

F FNWCGFALP F

*Current Date

Water and Wastewater Master Material Catalog Page: 203 of: 357

PUD-HOSE & FITTINGS

HSEBB

Item Description: COUPLING, HOSE 6" -OUICK DISCONNECT, MALE ADAPTER (FOR OUICK DISCONNECT) ON ONE END, MALE THREAD

ON OTHER END, ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST PART "F"

EVER-TITE FNW SEAL FAST

F FNWCGFALU F

Item Description: COUPLING, HOSE 6" - OUICK DISCONNECT, FEMALE OUICK DISCONNECT COUPLER ON ONE END, HOSE SHANK ON

170 OTHER END, ALUMINUM CONSTRUCTION.

EVER-TITE FNW SEAL FAST

C FNWCGCALU C

Item Description: COUPLING, HOSE 6" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

175 EVER-TITE OR EOUAL

EVER-TITE FNW

D FNWCGDALU

Item Description: COUPLING, HOSE 6" -QUICK DISCONNECT, MALE ADAPTER (FOR QUICK DISCONNECT) ON ONE END, HOSE SHANK

180 ON OTHER END, ALUMINUM CONSTRUCTION. EVER-TITE OR SEAL FAST

EVER-TITE FNW SEAL FAST

E FNWCGEALU E

Item Description: COUPLING, ADAPTER - 3", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH OUICK DISCONNECT

199 COUPLINGS, ALUMINUM CONSTRUCTION. EVER-TITE OR EQUAL

EVER-TITE FNW

A FNWCGAALM

Item Description: GUIDE, FLEXIBLE HOSE, AQUATECH SERIES "C", COMBINATION SEWER JET AND SUCTION UNIT

800 TIGERTAIL

1456

*Current Date

Water and Wastewater Master Material Catalog Page: 204 of: 357

PUD-HOSE & FITTINGS

HSECC

Item Description: HOSE, DISCHARGE - 3" X 50 FT., WITH MALE QUICK DISCONNECT ALUMINUM COUPLING ON ONE END AND

000 FEMALE QUICK DISCONNECT ALUMINUM COUPLING ON OTHER END.

GOODYEAR

PRIMELINE-GRAY

Item Description: HOSE, DISCHARGE - 4" X 50 FT., WITH MALE QUCIK DISCONNECT ALUMINUM COUPLING ON ONE END AND

020 FEMALE QUICK DISCONNECT ALUMINUM COUPLING ON OTHER END. GOODYEAR GRAY PRIMELINE HOSE ONLY

GOODYEAR

PRIMELINE-GRAY

Item Description: HOSE, DISCHARGE, 4" X 300', 45 LB. WORK PRESSURE, 1 EACH = 300 FOOT ROLL, PURCHASE BY THE

030 EACH.

GOODYEAR KURIYAMA

PRIMELINE-GRAY VF400

Item Description: HOSE, DISCHARGE, 6" X 300', 35 LB. WORK PRESSURE.

040 GOODYEAR

PRIMELINE-GRAY

Item Description: COUPLING, ADAPTER - 4", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH OUICK DISCONNECT

112 COUPLINGS, ALUMINUM CONSTRUCTION.

EVER-TITE FNW

PART-A FNWCGAALP

Item Description: COUPLING, ADAPTER - 6", MALE ADAPTER X FEMALE THREAD, PART A, FOR USE WITH QUICK DISCONNECT

124 COUPLINGS, ALUMINUM CONSTRUCTION.

EVER-TITE FNW

PART-A FNWCGAALU

*Current Date Water and Wastewater Master Material Catalog Page: 205 of: 357

-

PUD-HOSE & FITTINGS

HSECC

Item Description: COUPLING, HOSE 3" - QUICK DISCONNECT, FEMALE COUPLING X FEMALE THREAD, ALUMINUM CONSTRUCTION.

136 EVER-TITE OR EQUAL

EVER-TITE FNW

PART-D FNWCGDALM

Item Description: STRAINER, HOSE 3" - STEEL STRAINER FOR USE ON 3" SUCTION HOSE. BASKET TYPE STRAINER IS USED TO

151 KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR

CONNECTION TO SUCTION HOSE.

Item Description: STRAINER, HOSE 4" - STEEL STRAINER FOR USE ON 4" SUCTION HOSE, BASKET TYPE STRAINER IS USED TO

163 KEEP SOLIDS LARGER THAN 3/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE THREAD FOR

CONNECTION TO SUCTION HOSE.

Item Description: INACTIVE - STRAINER, HOSE 6" - STEEL STRAINER FOR USE ON 6" SUCTION HOSE. BASKET TYPE STRAINER

176 IS USED TO KEEP SOLIDS LARGER THAN 7/8" FROM ENTERING SUCTION HOSE. STRAINER IS TO HAVE FEMALE

THREAD FOR CONNECTION TO SUCTION HOSE.

HSEDD

Item Description: HOSE, FIRE - 1-1/2" X 50', SINGLE JACKET ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM

010 COUPLINGS. NST THREAD. NATIONAL STYLE OR EQUAL

ALL AMERICAN HOSE NATIONAL FIREHOSE CORP.

*Current Date

Water and Wastewater Master Material Catalog Page: 206 of: 357

PUD-HOSE & FITTINGS

HSEDD

Item Description: HOSE, FIRE - 2-1/2" X 50', SINGLE JACKET, ROCKER LUGS ON FEMALE AND MALE. EXTRUDED ALUMINUM

020 COUPLINGS. NST THREAD.

ALL AMERICAN HOSE

6P25X50W25N

HSEEE

Item Description: HOSE-GARDEN, 5/8" X 50 FT. NYLON REINFORCED, VINYL

000 **SWAN**

D/11111

SNWF58050

Item Description: HOSE, GASKET RUBBER 3" - FOR QUICK DISCONNECT COUPLING.

108

Item Description: GASKET, KAM LOCK HOSE RUBBER 4", FOR OUICK DISCONNECT COUPLING

126

Item Description: HOSE, GASKET RUBBER 6" FOR QUICK DISCONNECT COUPLINGS.

147

HSEHH

Item Description: HOSE, SUCTION - 3" X 20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK

720 DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), 1 C/S 2-BOLT SPIRAL CLAMP ON

EACH HOSE END, (SHIP IN COILED FORM)

KANAFLEX

KANALINE SR

*Current Date

Water and Wastewater Master Material Catalog Page: 207 of: 357

PUD-HOSE & FITTINGS

HSEHH

Item Description: HOSE, SUCTION-4"X 20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, ALUMINUM FEMALE QUICK

730 DISCONNECT COUPLING ON OTHER END (EVER-TITE PART "C" OR EQUAL), DOUBLE BOLT STEEL CLAMPS ON

EACH END. (SHIP IN COILED FORM),

KANAFLEX

KANALINE SR-4

Item Description: HOSE, SUCTION-6"X20', LONG, HEAVY DUTY, STANDARD STEEL NIPPLE ON ONE END, FEMALE QUICK DISCONNECT

740 COUPLING ON OTHER END (EVER- TITE PART"C" OR EQUAL), DOUBLE CARBON STEEL BOLTED CLAMPS ON EACH

END.

KANAFLEX

KANALINE SR-6

PUD-FIRE HYDRANTS & PARTS

HYDAA

Item Description: VALVE, BOTTOM, FIRE HYDRANT 4-1/2" AMERICAN DARLING

020 AMERICAN DARLING

5042

Item Description: INACTIVE - GASKET, NEOPRENE, FIRE HYDRANT, 1/8" THICK X 5-5/16" I.D. X 6-13/16" O.D. 60 DURO 3-

047 1/6" HOLES

Item Description: EXTENSION, FIRE HYDRANT, 6", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4" VALVE

126 OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005959

*Current Date

Water and Wastewater Master Material Catalog Page: 208 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDAA

Item Description: EXTENSION, FIRE HYDRANT, 18", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4"

135 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005961

Item Description: EXTENSION, FIRE HYDRANT, 24", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4"

140 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005962

Item Description: EXTENSION, FIRE HYDRANT, 12", FOR AMERICAN DARLING MARK 73 HYDRANT, 4-1/2" & B84B5, 5-1/4"

150 VALVE OPENING W/STAINLESS STEEL BOLTS.

AMERICAN DARLING

8005960

Item Description: REPAIR KIT, FIRE HYDRANT, 4-1/2"

205 AMERICAN DARLING

MARK 73

HYDBB

Item Description: EXTENSION 18", CLOW 4-1/2 FOR FIRE HYDRANT F-2500

020 **CLOW**

F-2500

Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR CLOW 4-1/2" FIRE HYDRANT. FOR CLOW MODEL F-2545.

053 **CLOW**

R-1620652

*Current Date

Water and Wastewater Master Material Catalog Page: 209 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDBB

Item Description: KIT, TRAFFIC REPAIR, BREAKAWAY FLANGE KIT FOR AVK 5-1/4" FIRE HYDRANT.

054

AMERICAN AVK COMPANY

27-150-75

HYDDD

Item Description: GREASE, FIRE HYDRANT, AMERICAN FLOW CONTROL HYDRANT GREASE (FOOD GRADE), 1 LB. CAULK TUBE

250 "ORDER BY DESCRIPTION"

AMERICAN FLOW CONTROL Clarion KEYSTONE LUBRICANTS

NOT APPROVED 655699009-NLGI-NO.2 441636T

Mystik

FG-2

Item Description: NUT, HOLD DOWN FIRE HYDRANT, 4-1/2" M & H, FOR 1988 OR NEWER HYDRANTS. ** NO SUBSTITUTE **

³⁰⁰ м & н

446760

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" M & H, OPEN RIGHT. FOR 1997 OR NEWER HYDRANTS. *** NO

305 SUBSTITUTE ***

M & H

446754

Item Description: NUT, OPERATING FIRE HYDRANT, 4-1/2" VALVE OPENING, US PIPE FIRE HYDRANT.

330

U.S. PIPE

13

HYDEE

Item Description: LUBRICANT, FIRE HYDRANT - ALL WEATHER HYDRANT LUBRICATING OIL, 10.5 OZ.

040 MUELLER

A - 51

Water and Wastewater Master Material Catalog Page: 210 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDEE

110

124

Item Description: O-RING FOR TOP BONNET, MUELLER FIRE HYDRANT

070 MUELLER

190348

Item Description: EXTENSION KIT, FIRE HYDRANT, 12" - KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT INCLUDES: BARREL

100 EXTENSION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS, STAINLESS STEEL

COTTER PINS, GASKET, BOLTS, NUTS AND CAN OF HYDRANT LUBRI

Item Description: KIT, EXTENSION FIRE HYDRANT, 18" - 18" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO

INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS,

STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, C

Item Description: KIT, EXTENSION FIRE HYDRANT, 6" - 6" EXTENSION KIT FOR MUELLER 4-1/2" FIRE HYDRANT, KIT TO

INCLUDE: BARREL EXTEN- SION, STEEL STEM COUPLING, SOLID FLANGE, STAINLESS STEEL CLEVIS PINS,

STAINLESS STEEL COTTER PINS, GASKET, BOLTS AND NUTS, CAN

Item Description: KIT, REPAIR, FIRE HYDRANT, 4-1/2", SAFETY FLANGE REPAIR KIT, (FOR CENTURIAN FIRE HYDRANT) WITH

130 STEEL COUPLING. (FOR HYDRANTS MANUFACTURED AFTER 1972)

MUELLER

A300

Item Description: RING, SEAT FIRE HYDRANT 4-1/2"

140 MUELLER

H87

*Current Date

Water and Wastewater Master Material Catalog Page: 211 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDEE

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3' BURY DEPTH. SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2"

PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

 AMERICAN FLOW CONTROL
 AVK
 M & H

 B-84-B
 2780 - 3'
 129TY - 3'

 M&H
 MUELLER
 US PIPE

 129TYNL - 3'
 A-423 - 3'
 MET M94 - 3'

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 3-1/2' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1

1/2" PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304

STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL

B-84-B - 3-1/2'

M&H

129TY - 5-1/4" X 3-1/2'

MUELLER

129TYNL - 5-1/4 X 3-1/2

A423 - 3-1/2'

MET M94 - 3 - 1/2'

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 4' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1-1/2"
210 PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY NUTS AND BOLTS SHALL BE 304 STAINLESS
STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

 AMERICAN FLOW CONTROL
 AVK
 M & H

 B-84-B - 4'
 2780 - 4'
 129 - 5-1/4" X 4'

 M&H
 MUELLER
 US PIPE

 129TYNL - 5-1/4" X 4'
 A-423 - 4'
 MET M94 - 4'

*Current Date

Water and Wastewater Master Material Catalog Page: 212 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDEE

Item Description: HYDRANT, FIRE, 5 1/4" VALVE OPENING, 4-1/2' BURY DEPTH, SUPPLIED W/O ACCESSORIES, YELLOW, 1-

220 1/2" PENTAGON (5-SIDED) OPERATING NUTS, OPEN LEFT, ASSEMBLY BOLTS AND NUTS SHALL BE 304

STAINLESS STEEL, HYDRANTS MUST BE FORKLIFT ACCESSIBLE.

AMERICAN FLOW CONTROL AVK M & H

M&H MUELLER US PIPE

129TYNL - 5-1/4" X 4.5' A-423 - 4.5' MET M94 - 4.5'

Item Description: KIT, REPAIR FIRE HYDRANT 5-1/4" WITH BRASS COUPLING

240 MUELLER

A-301-00

HYDFF

Item Description: PACKAGE, MAINTENANCE FIRE HYDRANT 5" PACER, PACKAGE IN PLASTIC CASES.

005 WATEROUS

K449

Item Description: KIT, EXTENSION 12" FIRE HYDRANT WATEROUS WB67

020 WATEROUS

WB67

Item Description: KIT, EXTENSION FIRE HYDRANT, 18" HIGH 5" DIA.

030 WATEROUS

WB67

Item Description: KIT, REPAIR MAINTENANCE FIRE HYDRANT WATEROUS WB67

040 WATEROUS

WB67

*Current Date

Water and Wastewater Master Material Catalog Page: 213 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDFF

Item Description: KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS 5" HYDRANTS MANUFACTURED AFTER JUNE, 1980

050 **WATEROUS**

WB67 #K528

Item Description: KIT, REPAIR - FIRE HYDRANT, TRAFFIC KIT, FOR WATEROUS 5" HYDRANTS MANUFACTURED PRIOR TO JUNE,

060 1980

HYDRANT REPAIR PARTS INC WATEROUS

HRPI-S-W528 WB67 #K525

Item Description: KIT, EXTENSION, FIRE HYDRANT 6"

100 WATEROUS

WT/77D #K479-6

Item Description: KIT, EXTENSION, FIRE HYDRANT 12", WATEROUS WT/77D

150 WATEROUS

WT/77D

Item Description: KIT, REPAIR, TRAFFIC, YELLOW.

200 WATEROUS

WT/77D

Item Description: COUPLING, HALF - FIRE HYDRANT, STEM COUPLING FOR WATEROUS FIRE HYDRANT, (2 PER SET)

202 WATEROUS

WT/77D #14

Item Description: ARM, CROSS, FOR WATEROUS TREND FIRE HYDRANT, CROSS ARM TO BE BRONZE ONLY, FOR TREND HYDRANT.

205 **WATEROUS**

WT-77 #26

*Current Date

Water and Wastewater Master Material Catalog Page: 214 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDGG

Item Description: CAP GASKET, PUMPER NOZZLE, 4.5" DIAMETER RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT 010 PUMPER CAPS, M&H, CLOW, MUELLER, KENNEDY AND U.S. PIPE,

м & н 210162

Item Description: CAP GASKET, HOSE NOZZLE, 2.5" DIA., RUBBER ASTM D2000, MUST FIT THE FOLLOWING FIRE HYDRANT HOSE 015

CAPS, M & H, CLOW, MUELLER, KENNEDY AND U.S. PIPE

м & н 210041

Item Description: WRENCH, FIRE HYDRANT, UNIVERSAL, ADJUST- ABLE. WRENCH TO FIT PENTAGON NUTS TO 1-1/2" AND SQUARE

030 NUTS UP TO 1-1/4". SPANNER TO FIT LUG AND PIN STYLES OF HOSE COUPLINGS. 16" LONG X 7/8"

DIAMETER HANDLE. HEAVY DUCTILE IRON HEAD.

RED HEAD TRUMBLE 107 377-5960

Item Description: KIT, EXTENSION FIRE HYDRANT, 12" EXTENSION FOR USE ON KENNEDY #81A HYDRANT W/4-1/2" OPENING 051

Item Description: KIT, REPAIR - TRAFFIC REPAIR KIT FOR U.S. PIPE METROPOLITAN MODEL FIRE HYDRANT, 4-1/2" VALVE 100 OPENING FOR HYDRANTS MADE PRIOR TO 1994.

US PIPE 668619

Item Description: INACTIVE ONCE DEPLETED - KIT, EXTENSION - 12", EXTENSION KIT FOR U.S. PIPE METROPOLITAN MODEL

121 FIRE HYDRANT, 4 1/2" VALVE OPENING

*Current Date

Water and Wastewater Master Material Catalog Page: 215 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDGG

Item Description: KIT, EXTENSION, 6", FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

201 м & н

441129-6"

Item Description: KIT, EXTENSION 12" - EXTENSION KIT FOR M&H MODEL #129 FIRE HYDRANT (4-1/2" VALVE OPENING)

211

Item Description: KIT, EXTENSION 12" - FOR M&H MODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING.

212 м & н

441129-12"

Item Description: KIT, TRAFFIC REPAIR - REPAIR KIT FOR M&H MODEL #129 FIRE HYDRANT, FOR 1996 AND NEWER HYDRANT

223 (4-1/2" VALVE OPENING)

Item Description: KIT, TRAFFIC REPAIR - FOR M&HMODEL #129 FIRE HYDRANT, 5-1/4" VALVE OPENING. (1996 OR NEWER).

224

м & н

442129

Item Description: KIT, TRAFFIC REPAIT, FOR US PIPE METROPOLITAN MODEL FIRE HYDRANT W \ 5-1/4" BARREL FOR HYDRANTS

225 MADE IN 1994 AND AFTER.

US PIPE

26,27,28,30,31

*Current Date

Water and Wastewater Master Material Catalog Page: 216 of: 357

PUD-FIRE HYDRANTS & PARTS

HYDRF

Item Description: HYDRANT RAISED PAVEMENT MARKER, BLUE TWO-WAY REFLECTOR W/ADHESIVE PAD ATTACHED, 4.00"L X 4.00"W

100 X 0.68"H, 45 PER CARTON

RAYOLITE

AA2BP

PUD-INCINERATOR MATERIAL

INCBB

Item Description: DEHUMIDIFIER, ELECTRIC, 50 PINT CAPACITY, 3/8" O.D. EVAPORATOR COIL, SEALED REFRIGERATION

580 SYSTEM, 115 VAC, 60 HZ, AUTO SHUT-OFF, AUTOMATIC OVERFLOW PROTECTION HUMIDISTAT, CONSTANT RUN

CONTROL, COMFORT-AIRE

COMFORT-AIRE

BHD-501

INCDD

Item Description: RING, SNAP.

630 **WEMCO**

40

*Current Date

Water and Wastewater Master Material Catalog Page: 217 of: 357

JANITORIAL SUPPLIES

JANBG

Item Description: BAG, GARBAGE, PLASTIC, 24" X 23", 1.5 MIL, 500 EACH PER CASE

007

JANCT

Item Description: RAGS, ALL WHITE, 100% COTTON, BATH TOWEL TERRY, NO BLENDED MATERIAL ACCEPTED - 25 LB BOX

001

AMERICAN WIPERS INC. INDUSTRIAL SOLUTIONS

OBD IS135

JANSO

Item Description: SOAP, BATH, DEODORANT, 2-1/2 OZ. BAR, INDIVIDUALLY WRAPPED, 200 P/CASE

001 PROCTER AND GAMBLE

DIAL

SAFEGUARD

Item Description: SOAP, HAND, W/PUMICE, 4-OZ. INDIVIDUALLY WRAPPED,

003 PROCTER AND GAMBLE

10383

*Current Date

Water and Wastewater Master Material Catalog Page: 218 of: 357

JANITORIAL SUPPLIES

JANTI

Item Description: TISSUE, TOILET, 4.25" X 3/.94" OR 4.5" X 4.5", 2-PLY, 500 OR 550 SHEETS, 80 OR 96 EACH PER

001 CASE, FACIAL QUALITY, (QUOTE PER EACH, NOT PER CASE)

FORT JAMES GEORGIA PACIFIC KIMBERLY-CLARK

19800 TM-6120 0446

ULTRA/ACI INDUSTRIES

600500

JANTO

Item Description: TOWEL, PAPER, SINGLE FOLD, BLEACHED, 16 PACKS PER CASE, 250-TOWELS PER PACK,

003 KIMBERLY-CLARK SCA

1700 SB1840

*Current Date

Water and Wastewater Master Material Catalog Page: 219 of: 357

LABORATORY SUPPLIES

LABSE

Item Description: ROTOR, PUMP ASSEMBLY FOR ISCO 3710 SAMPLER

053

ISCO, ENVIRONMENTAL DIVISION

602704019

LAMPS

LAMFL

Item Description: LAMP, FLOURESCENT, COOL WHITE, 34 OR 40 WATTS, 48" LENGTH, T-12 BULB SIZE, 20,000 APPR. HOURS

002 LIFE

GENERAL ELECTRIC CO. PHILLIPS LIGHTING SYLVANIA

F34CWX/SS F40CW/RS/EW-II F40CW/ SS

LAMUV

Item Description: LAMP, TROJAN UV4000, 28-INCH, USED ON WWTP UV DISINFECTING SYSTEM

001 TROJAN TECHNOLOGIES

441169-028

PUD-LUBRICANTS

LBRAA

Item Description: GREASE CUTTING

310 MUELLER

88366

*Current Date

Water and Wastewater Master Material Catalog Page: 220 of: 357

PUD-LUBRICANTS

LBRCC

Item Description: OIL 20W DETERGENT **SCREW TOP, RE-USABLE QUART CONTAINER ONLY**

030 **NAPA**

75150

Item Description: OIL, MOTOR 30W NON-DETERGENT **SCREW TOP, RE-USABLE QUART CONTAINER ONLY**

060

Item Description: OIL, MOTOR SAE 15W40, SCREW TOP QUART CONTAINER ONLY

070 **NAPA**

NOL75123

Item Description: OIL , SYNTHETIC ENGINE, 2 CYCLE 50: 1, 2.6 OUNCE CONTAINER, 48 CANS/PER CASE

180 MAG1 MAKITA STIHL

43Y868 T-00745 0781-319-8014

TALON

4143382

Item Description: OIL, MOTOR, CHEVRON, 1-GALLON CONTAINER, 15W40 WEIGHT, STYLE & TYPE: DELCO 400 HEAVY DUTY, API

230 RATING: CH-4, CG-4, CF-4, CF, CE, CD, SJ, SH & SG FEATURES UNIVERSAL PROTECTION FOR

TURBOCHARGED & SUPERCHARGED DIESEL & GAS ENGINES

CHEVRON

CHVGAL15W40

Item Description: OIL, GRUNDO, FOR 3" GRUNDOBUST LUBRICATOR, ONE GAL. CONTAINER ONLY, **NO SUBSTITUTE**

240 TT TECHNOLOGIES

70231-15

*Current Date

Water and Wastewater Master Material Catalog Page: 221 of: 357

LOCKS

LOCPA

Item Description: PADLOCK, BRASS, STAMPED "JEA II", 1-1/2" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK

001 HERCULES INDUSTRIES INC.

700B-1 1/2"

Item Description: PADLOCK, BRASS, 7/8" SHANK OPENING, KEYED TO C26353, 9/32" DIAMETER SHANK, LOCK BODY SHALL BE

002 STAMPED "JEA II"

HERCULES INDUSTRIES INC.

700B-7/8" JEAII

LIGHTING & ACCESSORIES

LTGLN

Item Description: LANTERN, HAND, 6 VOLT BRIGHT STAR MODEL #2005 Q, WORK CTR 1-6.

001 BRIGHT STAR INDUSTRIES INC.

2208

LUBRICANTS

LUBLU

Item Description: LUBRICANT, PENETRATING & RUST SOLVENT HIGH PRESSURE AEROSOL CAN, PB BLASTER ***NO SUBSTITUTE

165 WITHOUT PRIOR APPROVAL*

BLASTER CHEMICAL COMPANY GATEWAY CHEMICALS INC.

PB-16 GWC 16

LUBOI

Item Description: OIL, HOUSEHOLD, 3-IN-1 OIL, 3 OUNCE CAN

020 **WD-40**

3 IN 1 #10035

*Current Date

Water and Wastewater Master Material Catalog Page: 222 of: 357

METERS & ACCESSORIES

METSE

Item Description: SEAL, METER, YELLOW, PADLOCK STYLE, STAINLESS STEEL HASP, JEA LOGO, WHITE WRITE-ON BLOCK (PACKAGE IN

800 BOX OF 100 EACH W/BAR CODE), (SEALS TO BE NUMBERED SEQUENTIALLY) REQUIRES JEA SPECIFICATION

AMERICAN CASTING BROOKS SECURITY PRODUCTS PLASTIC DESIGN TECHNOLOGY

8001-S/S-WP-LAB-YLW 6180040-6 PADSJEA-YELLOW

PUD-MANHOLE MATERIAL

MHLAA

004

Item Description: RING, ROUND, 40" O.D. X 31" I.D. ANGLE, 3/4" TO 1-3/4"

001 CRETEX SEALS

40-31A-100

Item Description: BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT

HEIGHT, CONCRETE COATED WITH CON-SEAL(CS)-55 OR EOUAL, TONGUE & GROOVE ONLY. 7 DEGREE ANGLE ON

JOINTS - NO SUBSTITUTE

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: RING, 40 X 31 X 3/4" FLAT GRADE RING

010 CRETEX SEALS

40-31G-075-F

Item Description: COLLARS, MANHOLE, HDPE SLOPING ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2 1/4" TO 1 1/4" SLOPE,

025 APPROX. WEIGHT 6 LBS., DOMESTIC.

LADTECH

32S225

Item Description: COLLAR, MANHOLE, 24" X 36" X 3" **3" THICKNESS ONLY - NO SUBSTITUTE**

030

*Current Date

Water and Wastewater Master Material Catalog Page: 223 of: 357

PUD-MANHOLE MATERIAL

MHLAA

Item Description: COLLARS, MANHOLE, HDPE ADJUSTING RINGS, 32" INSIDE DIAMETER BY 2" TALL, DOMESTIC, APPROX.

035 WEIGHT 6 LBS.

LADTECH

32F200

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 2" (48" OVERALL DIAMETER COLLARS ARE ALSO

050 ACCEPTABLE)

Item Description: COLLARS, MANHOLE, PRECAST CONCRETE 32 X 44 X 4" (48" OVERALL DIAMETER COLLARS ARE ALSO

070 ACCEPTABLE)

Item Description: CONE, MANHOLE, 1 FT., CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) ** CONES TO HAVE

080 MALE TYPE TONGUE & GROOVE ONLY** 7 DEGREE ANGLE JOINTS.

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: CONE, MANHOLE, 2 FT., 2 FT. HEIGHT, 4 FT. BASE, 2 FT. 8 IN. TOP, COATED WITH CON-SEAL(CS)-55 OR

090 EOUAL * CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRI BY DESCRIPTION BY DESCRIPTION

Item Description: CONE, MANHOLE, 3 FT., 3 FT HEIGHT, 4 FT BASE 2 FT 8 IN. TOP, COATED WITH CON-SEAL (CS)-55 (OR

097 EOUAL) CONES TO HAVE MALE TYPE TONGUE & GROOVE ONLY, 7 DEGREE ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 224 of: 357

PUD-MANHOLE MATERIAL

MHLAA

110

Item Description: COUPLING, MANHOLE 6" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8 INCHES, COUPLING TO HAVE

100 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES

Item Description: COUPLING, MANHOLE 8", PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN. 8" COUPLING TO HAVE

PERMANENT EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING EXTERIOR

AGGREGATED TO PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 10" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

120 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 12" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

130 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE 15" - PVC COUPLING FOR SDR26 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

140 EXTERIOR EPOXY BONDED AGGREGATE TEXTURIZED TO ADHERE TO THE PVC COUPLING, EXTERIOR AGGREGATE TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Water and Wastewater Master Material Catalog Page: 225 of: 357

PUD-MANHOLE MATERIAL

MHLAA

*Current Date

Item Description: COUPLING, MANHOLE, 6", PVC COUPLING FOR DR18 PIPE, PIPE LENGTH MIN 8", COUPLING TO HAVE

142 PERMANENT EXTERIOR EPOXY BONDED AGGREATE TEXTURIZED TO ADHERE TO THE COUPLING, COUPLING TO

PROVIDE BONDING SURFACE FOR GROUTING PURPOSES.

Item Description: COUPLING, MANHOLE, 8", PVC COUPLING FOR DR18 PIPE, COUPLING TO HAVE PERMANENT EXTERIOR EPOXY

BONDED AGGREGATE TEXTURIZED TO ADHERE COUPLING, COUPLING TO PROVIDE BONDING SURFACE FOR

GROUTING PURPOSES. NO ASBESTOS COUPLINGS ALLOWED BELLED X B

Item Description: COVER, MANHOLE, NEW STYLE, COVER TO HAVE NEW "JEA" LOGO AS PER CURRENT GREY IRON CASTING BID.

JEA STANDARD PLATE S-1. (SANITARY) NEW PLATE ONLY *** NO ALTERNATES OR SUBSTITUTES *** US

FOUNDRY & MFG., OR EAST JORDAN IRON WORKS.

EAST JORDAN U.S. FOUNDRY

00116122 8013352

Item Description: COVER AND FRAME, MANHOLE, (ASSEMBLED) W/NEOPRENE GASKET 60 DUROMETER AND PROTECTIVE SKIRT, COVER

TO HAVE NEW JEA LOGO JEA STANDARD PLATE S-1, **U.S. FOUNDRY & MFG. OR EAST JORDAN IRON WORKS

TNC. **

EAST JORDAN U.S. FOUNDRY

00116122A01 8140149

Item Description: COVER, CUSHION MANHOLD OUICK FIT 0-30

170

*Current Date

Water and Wastewater Master Material Catalog Page: 226 of: 357

PUD-MANHOLE MATERIAL

MHLAA

Item Description: TOP, SLAB MANHOLE (FLAT TOP) 8" THICK, 58" WIDTH W/KEYWAY, TONGUE & GROOVE, 32" HOLE OFFSET,

ALL SURFACES OTHER THAN JOINING SURFACES TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL) TOP TO

HAVE MALE TONGUE & GROOVE

Item Description: MANHOLE, SAFETYHOOK, 5/6"X36", TEMPERED STEEL SIX SIDES POLYGONE 5/8"X3" HOOK. HOOK TO HAVE

210 SOUARED END. * NO SUBSTITUTE* NOTE: MANHOLE SAFETYHOOK HAVE BEEN SPECIALLY DESIGNED FOR THE

CITY JACKSONVILLE,

LEETONIA TOOL COMPANY

SAFETYHOOK

Item Description: SEALANT, JOINT, MANHOLE (RAM NEK), 20 PCS PER BOX, EACH PIECE TO BE 1-1/2" WIDTH X 3-1/2'

240 LENGTH, DENSITY OF SEALANT TO BE A MINIMUM OF 22.5 CUBIC INCH PER LINEAL FT. SELANT TO BE

PACAKAGED 20 PIECES PER BOX. RAM NEK, CONSEAL, GULF STATES AS

Item Description: KIT REPAIR, TOOLS, KIT TO INCLUDE WIRE BRUSH, GASKET ROLLER, GASKET KNIFE AND INSTRUCTION

246 SHEET. ITEMS TO COME IN A BOXED KIT FORM.

U.S. FOUNDRY

TRS-KIT-2

Item Description: RISER, MANHOLE, 48" X 2', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EOUAL), 7 DEGREE

270 ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 227 of: 357

PUD-MANHOLE MATERIAL

MHLAA

Item Description: RISER, MANHOLE, 48" X 3', CONCRETE TO BE COATED WITH CON-SEAL (CS)-55 (OR EQUAL), 7 DEGREE

280 ANGLE JOINTS

AMERICAN PRECAST STRUCTURES HANSON PIPE STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION BY DESCRIPTION

Item Description: RISER, MANHOLE, 48" X 4', CONCRETE TO BE COATED WITH CON-SEAL(CS)-55 OR EOUAL, 7 DEGREE ANGLE

293 JOINTS

AMERICAN PRECAST STRUCTURES STANDARD PRECAST

BY DESCRIPTION BY DESCRIPTION

Item Description: RAINGUARD, INFLOW PROTECTOR WITH STRAP & VALVE. DEL LF-SV, (FRAME=ID 32", OD 34-1/4",

319 COVER=O.D. 34-1/8") RAINGUARD MUST FIT CITY OF JACKSONVILLE LOGO FRAME W/COVER. L F

MANUFACTURING (RAINGUARD O.D. = 33-5/8") OR EQUAL

Item Description: BASE, MANHOLE HOLE ANGLE 0 DEGREE, 90 DEGREE, 180 DEGREE, 270 DEGREE, 12" HOLES, 2 FT HEIGHT BY

5 FT IN DIAMETER, CONCRETE COATED WITH KOPPERS 300M EPOXY COATING, 7 DEGREE ANGLE JOINTS.

Item Description: MANHOLE FRAME & COVER, BOLT-DOWN TYPE, WATERTIGHT, COVER TO UTILIZE FOUR BOLTS FRAME & COVER TO

450 COME COMPLETE WITH BOLTS AND GASKET. CITY OF JACKSONVILLE COVER.

U.S. FOUNDRY

655-CF-BWT

*Current Date

Water and Wastewater Master Material Catalog Page: 228 of: 357

PUD-MANHOLE MATERIAL

MHLBA

Item Description: INACTIVBOLT, ANCHOR ASSEMBLY, BOLT STAINLESS STEEL MASONRY ANCHOR, ASSEMBLY TO BE SUPPLIED

001 COMPLETE W/1-3/8" X 1" 18-8 STAINLESS STEEL BOLT , 3/8" STAINLESS STEEL WASHER, LEAD TAMP-IN

ANCHOR. USED TO SECURE ITEMS MHLDB006 & MHLDB008.NO SUB

DURAN INC.

SEE DESC

MHLDB

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 12" QUARTER SPHERE W/ 6" OUTLET,

006 TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL. *** NO SUBTITUTIES ***

DURAN INC.

A6DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 6" DROP BOWELS, TO BE SUPPLIED W\ (4) ¼" X ¾"

007 SS CAP SCREWS AND LOCKNUTS

DURAN INC.

AHOOD

Item Description: BOWL, DROP, MANHOLE, MARINE GRADE FIBERGLASS W/ WHITE GELCOAT, 18" QUARTER SPHERE W/ 8" OUTLET

008 , TO PROVIDE CONTAINMENT FOR INCOMING MATERIAL *** NO SUBTITUTIES ***

DURAN INC.

B8DB

Item Description: INACTIVE - HOOD, FORCE LINE, (SPLASH GUARD) FOR 8" DROP BOWELS, TO BE SUPPLIED W\ (4) ¼" X ¾"

009 SS CAP SCREWS AND LOCKNUTS

DURAN INC.

BHOOD

*Current Date

Water and Wastewater Master Material Catalog Page: 229 of: 357

PUD-MANHOLE MATERIAL

MHLFB

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 8 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

058 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 10 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

070 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 4 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

O80 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 12 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

O82 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: MANHOLE, LINER, FIBERGLASS, 42" OD X 15 FEET LONG, 3/8" MIN WALL THICKNESS, ONE PIECE

095 CONSTRUCTION W / BARREL & CONCENTRIC CORBEL WITH 30" OPENING, 16,000 LB RATED (AASHO-H20).

"DELIVER ON OPEN FLAT BED"

CONTAINMENT SOLUTIONS L.F. MANUFACTURING

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 230 of: 357

PUD-MANHOLE MATERIAL

MHLSE

Item Description: WRAPID SEAL, ROLL SHALL BE 6" WIDE X 50 LINEAR FOOT, COLOR - BLACK

002 CANUSA

WS-6-50

Item Description: WRAPID SEAL, ROLL SHALL BE 12" WIDE X 50 LINEAR FOOT, COLOR - BLACK

004 CANUSA

WS-12-50

Item Description: WRAPID SEAL, ROLL SHALL BE 18" WIDE X 50 LF, COLOR BLACK

005 CANUSA

WS-18-50

Item Description: WRAPID SEAL PRIMER, SHALL BE IN A ONE GALLON CONTAINER, COLOR: SILVER.

010

Item Description: WRAPID SEAL CLOSURE, SHALL BE 6" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL

012 MATERIAL (ID #MHL-SE-002), DURING THE HEAT SHRINK PROCESS.

CANUSA

CLS-6

Item Description: WRAPID SEAL ENCLOSURE, SHALL BE 12" WIDE, COLOR - BLACK, USED TO HOLD IN PLACE WRAPID SEAL

014 MATERIAL (ID #MHL-SE-004) DURING THE HEAT SHRINK PROCESS

CANUSA

CLS-12

Item Description: WRAPID SEAL CLOSURE, SHALL BE 18" WIDE, COLOR BLACK.

015 CANUSA

CLS-18

*Current Date

Water and Wastewater Master Material Catalog Page: 231 of: 357

PUD-METERS

MTEAA

Item Description: BADGER IR COMMUNICATION DEVICE KIT, LTE.

005

015

BADGER METER

68891-001

Item Description: **TEST REQD** METER, WATER 5/8" X 1/2" - LOW LEAD SRII METER, PLASTIC DIVISION PLATE, PLASTIC

010 BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE,

MFG S/N=REG ID.

SENSUS TECHNOLOGIES

SX1X53JP1GAXX0D

Item Description: **TEST REQD** METER, WATER, DISC, M25 5/8"(1/2X7-1/2), PL BTM 430SS-1, PL, (TS-135, SN PER PO

014 AND PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-0.1 GAL, SN PER PO

(SB) IN/PER PO OUT, TT-5', BMI STD, 6 PACK.

BADGER METER

109-8975

Item Description: **TEST REQD** METER, WATER 5/8 X 3/4"-LOW LEAD SRII METER, PLASTIC DIVISION PLATE, PLASTIC

BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE,

MFG S/N=REG ID.

SENSUS TECHNOLOGIES

SX2X53JP1GAXX0D

Item Description: INACTIVE ***DO NOT ORDER PER WATER METER SERVICES 2014***METER, WATER, 5/8 X 3/4S IPERL, 0.1G

016 7.5"LL 8WHL 1A 6'TRPL CBL 3-WIRE

SENSUS TECHNOLOGIES

I5X8GAXX

*Current Date Water and Wastewater Master Material Catalog Page: 232 of: 357

PUD-METERS

MTEAA

Item Description: **TEST REOD** METER, WATER, DISC, M25 5/8"(3/4X7-1/2), PL BTM 430SS-1, PL, (TS-135, SN PER PO

018 AND PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-0.1 GAL, SN PER PO

(SB) IN/PER PO OUT, TT-5', BMI STD, 6 PACK.

BADGER METER

104-8085

Item Description: **TEST REOD** METER, WATER 3/4"-LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM

020 PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE, MFG

S/N=REG ID.

SENSUS TECHNOLOGIES

SX4X33JP1GAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 3/4 IPERL, 0.1G 8WHL 1A

021 6'TRPL CBL 3-WIRE

SENSUS TECHNOLOGIES

I3X8GAXX

Item Description: **TEST REOD**METER, WATER, DISC, M35 3/4"(9), BRZ BTM 430SS-1, PL, (TS 135, SN PER PO AND PBB,

024 HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-0.1 GAL, SN PER PO (SB) IN/PER

PO OUT, TT-5', BMI STD, 6 PACK.

BADGER METER

109-8978

Item Description: **TEST REOD** METER, WATER 1"-LOW LEAD SRII METER, PLASTIC DIVISION PLATE, BRONZE BOTTOM

030 PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE, MFG

S/N=REG ID.

SENSUS TECHNOLOGIES

SX5X33JP1GAXX0D

*Current Date Water and Wastewater Master Material Catalog Page: 233 of: 357

rader and rade rader rader raderial eadareg

PUD-METERS

MTEAA

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, WATER, 1" IPERL, 0.1G 8WHL 1A

031 6'TRPL CBL 3-WIRE

Item Description: **TEST REOD** METER, WATER, DISC, M55 1"(10-3/4), BRZ BTM 430SS-1, PL, (TS-135, SN PER PO AND

PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-0.1 GAL, SN PER PO (SB)

IN/PER PO OUT, TT-5', BMI STD, 4 PACK.

BADGER METER

109-8981

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON

100 PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C3X3TX2GXA0XXND

Item Description: METER, WATER 3", E-SERIES BRZ, 3" RND(17), TP PRSR, ENC, 4CXN2 ORION, 9D-0.1 GAL, SN YR 9D &

PBB, TT-10'. BMI STD.

BADGER METER

103-3278

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

110 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C4X3TX2GXR0XXND

Item Description: METER, COMPOUND 6" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

115 PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C6X3TX2GXR0XXND

*Current Date

Water and Wastewater Master Material Catalog Page: 234 of: 357

PUD-METERS

MTEAA

Item Description: METER, WATER 8", E-SERIES BRZ, 8" X 20" RND TP PRSR, ENC, 4CXN2 ORION, 9D-1 GAL, SN YR 9D & PBB, TT-10'. BMI STD.

BADGER METER

106-2188

Item Description: METER, FIRE SERVICE, 10" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

FAXCTX2GXR0XXND

Item Description: METER, FIRE SERVICE 4" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F4XCTX2GXR0XXND

Item Description: METER, FIRE SERVICE, 6" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F6XCTX2GXR0XXND

Item Description: METER, FIRE SERVICE 8" - OMNI F2, COMPACT FIRE LINE LAY LENGTH, TEST RISER WITH BALL VALVE
ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

F8XCTX2GXR0XXND

Item Description: METER, TURBINE 8" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON
175 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

T8X1TX2GXR0XXND

*Current Date Water and Wastewater Master Material Catalog Page: 235 of: 357

PUD-METERS

MTEAA

Item Description: METER, TURBINE 10" - OMNI T2, TURBO LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

180 PULSE, 10 GALLON 8 WHL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

TAX1TX2GXR0XXND

Item Description: **TESTING REOUIRED** METER, WATER 1.5" - OMNI R2, TURBO LAY LENGTH, 1 GALLON 8 WHEEL TOTAL,

192 S/N=REG ID.

SENSUS TECHNOLOGIES

R1X1XX2GXA0XXND

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI R2, TURBO LAY LENGTH, 1 GALLON 8 WHEEL TOTAL,

194 S/N=REG ID.

SENSUS TECHNOLOGIES

R2X1XX2GXA0XXND

Item Description: **TEST REQD** METER, WATER 1-1/2" - DISC, M120 1-1/2"-ELL DR W/TP, 430SS, SS, (TS-135, SN PER

196 PO & PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-1 GAL, SN PER PO (SB)

IN/PER PO OUT, TT-5', BMI STD, 1 PACK.

BADGER METER

109-9001

Item Description: **TEST REQUIRED** METER, WATER 1.5, E-SERIES SS, 1-1/2" EL(13)), ENC, 4CXN2 ORION, 9D-0.1 GAL,

197 SN YR 9D & PBB, TT-5', BMI STD.

BADGER METER

100-3346

*Current Date

Water and Wastewater Master Material Catalog Page: 236 of: 357

PUD-METERS

MTEAA

Item Description: **TEST REOD** METER, WATER 2" - DISC, M170 2"-ELL DR W/TP, 430SS, SS, (TS-135, SN PER PO & PBB,

HR-E, 4CXN2 ORION, PL LID/SHRD-GRY, TRX SCRW, SIDEWALK READ, 8D-1 GAL, SN PER PO (SB) IN/PER PO

OUT, TT-5', BMI STD, 1 PACK.

BADGER METER

109-9005

Item Description: **TEST REQUIRED** METER, WATER 2", E-SERIES SS, 2" EL(17), ENC, 4CXN2 ORION, 9D-0.1 GAL, SN YR

199 9D & PBB, TT-5'.BMI STD.

BADGER METER

100-3091

Item Description: METER, TURBINE 3", COLD WATER, SCREWED END CONNECTIONS, STANDARD GALLON REGISTER, FOR JEA FIRE

207 HYDRANT METER ASSEMBLY

ZENNAR

FHZ20

Item Description: **TESTING REQUIRED** METER, WATER 2" - OMNI R2, 10" LAY LENGTH, 1 GALLON 8 WHEEL TOTAL, S/N =

208 REG ID.

SENSUS TECHNOLOGIES

R251XX2GXA0XXND

Item Description: METER, BRONZE FLANGED (NO LEAD), 2" SET, W- (4) 3/4" DIAMETER X 2 1/2" SS LONG BOLTS/NUTS

210 A.Y. MCDONALD FORD

7610FKIT 2 CF31-77-95260-007-NL

Item Description: METER, WATER 4" - OMNI T2, TURBO LAY LENGTH, 1 GALLON PULSE, 1 GALLON 8 WHEEL TOTAL, S/N=REG ID

250 SENSUS TECHNOLOGIES

T4X1TX2GXR0XXND

*Current Date

Water and Wastewater Master Material Catalog Page: 237 of: 357

PUD-METERS

MTEAA

Item Description: **TEST REOD** METER, WATER 3/4"-LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISION PLATE, BRONZE

270 BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE,

MFG S/N=REG ID.

SENSUS TECHNOLOGIES

SX4R33JP1GAXX0D

Item Description: INACTIVE***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, RECLAIMED WATER, 3/4 IPERL,

271 0.1G 8WHL 1A 6'TRPL CBL 3-WIRE, "RECLAIMED WATER NO-DRINK"

Item Description: **TEST REQUIRED** METER, WATER, DISC, M35 3/4"(9), RCLMD, BRZ BTM 430SS-1, PL, (TS-135, SN PER

274 PO & PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-RCLMD, TRX SCRW, SIDEWALK READ, RCLMD, 8D-0.1 GAL, SN

PER PO (SB) IN/PER PO OUT, TT-5', BMI.

BADGER METER

109-8980

Item Description: **TEST REOD** METER, WATER 1"-LOW LEAD SRII METER, NO DRINK, PLASTIC DIVISTON PLATE, BRONZE

300 BOTTOM PLATE/SS CAP SCREWS, ELECTRONIC REGISTER, 0.1 GALLONS 8 WHL, 5' BADGER TWIST-LOCK WIRE,

MFG S/N=REG ID.

SENSUS TECHNOLOGIES

SX5R33JP1GAXX0D

Item Description: INACTIVE ***DO NOT ORDER PER BRANDON COTTRELL 1/24/2014***METER, RECLAIMED WATER, 1" IPERL,

301 0.1G 8WHL 1A 6'TRPL CBL 3-WIRE, "RECLAIMED NO DRINK."

*Current Date Water and Wastewater Master Material Catalog Page: 238 of: 357

PUD-METERS

MTEAA

Item Description: **TEST REQUIRED** METER, WATER, DISC, M55 1"(10-3/4), RCLMD, BRZ BTM 430SS-1, PL, (TS-135, SN

PER PO & PBB, HR-E, 4CXN2 ORION, PL LID/SHRD-RCLMD, TRX SCRW, SIDEWALK READ, RCLMD, 8D-0.1 GAL,

SN PER PO (SB) IN/PER PO OUT, TT-5' BMI STD 4 PAK.

BADGER METER

109-8983

Item Description: CHECK WITH METER SHOP PRIOR TO ORDERING**TRPL HOUSING ASSEMBLY, TRPL, HOUSING ASSEMBLY TO

450 INCLUDE TRPL UPPER HOUSING, TRPL LOCKING NUT, TRPL SENSUS LOCKING NUT. ******DO NOT ORDER FROM

STOREROOM*****

SENSUS TECHNOLOGIES

803045

53907.306.00001

Item Description: INACTIVE ONCE DEPLETED - METER, TRPL SENSUS WHITE PLUG, TO BE USED WITH TRPL HOUSING ASSEMBLY.

455 SENSUS TECHNOLOGIES

5390715239011

Item Description: METER, TOUCHREADER+, USED TO READ THE SENSUS TOUCH READ METERS.

500 SENSUS TECHNOLOGIES

M3096+

53907.537.39604

Item Description: METER, WATER, INTERFACE UNIT (CELLNET PIT MODULE 6' REVISION J), PART NOT APPROVED FOR PURCHASE

600 BUT IT IS NOT ¿DELETED¿ PER MANUFACTURER REQUEST

NEPTUNE TECHNOLOGIES

26-1002

*Current Date

Water and Wastewater Master Material Catalog Page: 239 of: 357

PUD-METERS

MTEAA

Item Description: TOUCH-READ CABLE, 3FT LONG ORDER WITH MTEAA620

630

SENSUS TECHNOLOGIES

53961 352 52002

Item Description: INACTIVE - SPACER PIECE, FOR METAL TOPS ONLY

640 SENSUS TECHNOLOGIES

53961 11639001

Item Description: ELECTRONIC REGISTER 5/8" - TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

700 SENSUS TECHNOLOGIES

ES1XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 5/8-3/4", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

701 SENSUS TECHNOLOGIES

ES2XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 3/4", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

702 SENSUS TECHNOLOGIES

ES3XX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 3/4", TRPL, RECLAIM, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER

703 METER

SENSUS TECHNOLOGIES

ES3RX38XXGAXX0D

Item Description: ELECTRONIC REGISTER 1", TRPL, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER METER

704 SENSUS TECHNOLOGIES

ES5XX38XXGAXX0D

*Current Date

Water and Wastewater Master Material Catalog Page: 240 of: 357

PUD-METERS

MTEAA

Item Description: ELECTRONIC REGISTER 1", TRPL, RECLAIM, 0.1 GALLONS 8 WHL, 6'TRPL CBL 3-WIRE, FOR SRII WATER

705 METER

SENSOR SOLUTIONS

ES5RX38XXGAXX0D

MTEAC

Item Description: COUPLING, METER, 5/8" X 1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

010 CONSTRUCTED, LENGTH OF 2-3/8"

A.Y. MCDONALD FORD MUELLER

74620 5/8X1/2X2.38 C38-11-2-375-NL H-10896N

Item Description: COUPLING, METER, 5/8" X 1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

O11 CONSTRUCTED, LENGHT OF 2"

A.Y. MCDONALD FORD METER BOX COMPANY

74628 5/8x1/2x2.00 C38-11-2-NL

Item Description: COUPLING, METER, 3/4" X 3/4" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

020 CONSTRUCTED. LENGTH OF 2-1/2".

A.Y. MCDONALD FORD MUELLER

74620 3/4X3/4X2.50 C38-23-2-5-NL H-10896N

Item Description: COUPLING, METER, 3/4" X 3/4" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

021 CONSTRUCTED, LENGTH OF 2"

A.Y. MCDONALD FORD METER BOX COMPANY

74620 3/4X3/4X2.00 C38-23-2-NL

Item Description: COUPLING, METER, 1" X 1" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED,

030 LENGTH OF 2-5/8".

A.Y. MCDONALD FORD MUELLER

74620 1X1X2.63 C38-44-2-625-NL H-10896N

*Current Date

Water and Wastewater Master Material Catalog Page: 241 of: 357

PUD-METERS

MTEAC

Item Description: COUPLING, METER, 1" X 1" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE, LENGTH OF 2"

031 FORD METER BOX COMPANY

C38-44-2-NL

Item Description: COUPLING, METER, 1-1/2" X 1-1/2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE

040 CONSTRUCTED, LENGTH OF 2-7/8".

A.Y. MCDONALD FORD

74620 1-1/2X1-1/2X2.84 C38-66-2-875-NL

Item Description: COUPLING, METER, 2" X 2" MIP OUTLET, CONSISTING OF HEX TO BARREL, NO LEAD BRONZE CONSTRUCTED,

050 LENGTH OF 3-1/16".

A.Y. MCDONALD FORD

74620 2X2X3.00 C38-77-3-0625-NL

Item Description: NO LEAD CONSTRUCTED COUPLING, METER, STRAIGHT, 3/4" X 1", MALE IRON PIPE THREAD

080 A.Y. MCDONALD FORD METER BOX COMPANY

74620 3/4X1X2.50 C38-24-2-5-NL

Item Description: INACTIVE - ADAPTER, TO CHANGE METER SIDE &/OR LENGTH

082 FORD METER BOX COMPANY

A-12M

Item Description: INACTIVE - COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4"

084 FORD METER BOX COMPANY

C35-23

Item Description: NO LEAD CONSTRUCTED COUPLING, METER, IP ADAPTER, WITH COMPRESSION, 3/4" - LONG.

086 A.Y. MCDONALD FORD METER BOX COMPANY

74638-55 3/4X3/4 C35-23-4.875-NL

*Current Date

Water and Wastewater Master Material Catalog Page: 242 of: 357

PUD-METERS

MTEAC

Item Description: FLANGE, METER, DUCTILE IRON, 3" X 24", FLANGED X PLAIN END

090

Item Description: FLANGE, METER, DUCTILE IRON, 4" X 24", FLANGED X PLAIN END

100

Item Description: FLANGE, METER, DUCTILE IRON, 6" X 24", FLANGED X PLAIN END

110

Item Description: FLANGE, METER, DUCTILE IRON, 8" X 24", FLANGED X PLAIN END

120

Item Description: FLANGE, METER, DUCTILE IRON, 10" X 24", FLANGED X PLAIN END

130

Item Description: COUPLING, COMPRESSION X METER, CONSISTING OF 3/4" METER COUPLING X 3/4" CTS COMPRESSION

200 COUPLING, CONSTRUCTED OF AWWA BRONZE.

A.Y. MCDONALD FORD

74638-22 3/4X3/4 C34-23-NL

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8"X5/8"X 7", MUST BE HORIZONTAL W/LOCK WING STOP

010 A.Y. MCDONALD FORD

7180107LX V41-7W-NL

*Current Date

Water and Wastewater Master Material Catalog Page: 243 of: 357

PUD-METERS

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8 "X5/8 "X 9", MUST BE HORIZONTAL WITH LOCK WING STOP

020 A.Y. MCDONALD FORD MUELLER

718-109LX V41-9W-NL H-144118N

Item Description: NO LEAD CONSTRUCTED RESETTER, 5/8" X 12", MUST BE HORIZONTAL W/LOCK WING STOP

030 A.Y. MCDONALD FORD

718-112LX V41-12W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X7", MUST BE HORIZONTAL W/LOCK WING STOPS

070 A.Y. MCDONALD FORD

718-207LX V42-7W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X9", MUST BE HORIZONTAL W/ LOCK WING STOPS

080 A.Y. MCDONALD FORD

718-209LX V42-9W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 5/8"X3/4"X12", MUST BE HORIZONTAL W/LOCK WING STOPS

085 A.Y. MCDONALD FORD

718-212LX V42-12W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 8", MUST BE HORIZONTAL WITH LOCK WING STOPS

130 A.Y. MCDONALD FORD

718-309LX V43-8W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER METER 3/4" X 3/4" X 12", MUST BE HORIZONTAL W/LOCK WING STOPS

140 A.Y. MCDONALD FORD

718-312LX V43-12W-NL

Item Description: RESETTER METER 3/4" X 3/4" X 18", MUST BE HORIZONTAL W/ LOCK WING STOPS.

160 A.Y. MCDONALD FORD MUELLER

718-318LX V43-18W-NL 14118

*Current Date

Water and Wastewater Master Material Catalog Page: 244 of: 357

PUD-METERS

MTEBB

Item Description: NO LEAD CONSTRUCTED RESETTER, METER, 1" X 1" X 10", MUST BE HORIZONTAL W/LOCK WING STOP

180 A.Y. MCDONALD FORD

718-410LX V44-10W-NL

Item Description: NO LEAD CONSTRUCTED RESETTER, METER 1" X 1" X 12", MUST BE HORIZONTAL W/LOCK WING STOP

190 A.Y. MCDONALD FORD

718-412LX V44-12W-NL

Item Description: RESETTER, METER 1" X 1" X 15", MUST BE HORIZONTAL W/LOCK WING STOP

A.Y. MCDONALD FORD MUELLER

718-415LX V44-15W-NL 14118

MTEBC

Item Description: WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

010 100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

020 100 EACH PER BOX ***

Item Description: WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. *** 1/16" THICKNESS ONLY***, *** PACKAGE

030 100 EACH PER BOX ***

Water and Wastewater Master Material Catalog Page: 245 of: 357

XXJINVWCATL

PUD-METERS

MTEBC

Item Description: WASHER, METER, 1-1/2" (CONNECTION GASKET) RED FIBER GASKET. *1/16" THICKNESS ONLY*, *** PACKAGE

040 100 EACH PER BOX ***

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. ** 1/16" THICKNESS ONLY**, *** PACKAGE

050 100 EACH PER BOX ***

Item Description: WASHER, METER, 5/8" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE

058 100 EACH PER BOX ***

Item Description: WASHER, METER, 3/4" (CONNECTION GASKET) RED FIBER GASKET.**1/32"THICKNESS ONLY**, *** PACKAGE

062 100 EACH PER BOX ***

Item Description: WASHER, METER, 1"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE

071 100 EACH PER BOX ***

Item Description: WASHER, METER, 1-1/2"(CONNECTION GASKET) RED FIBER GASKET. *1/32" THICKNESS ONLY*, *** PACKAGE

089 100 EACH PER BOX ***

Water and Wastewater Master Material Catalog Page: 246 of: 357

PUD-METERS

MTEBC

*Current Date

Item Description: WASHER, METER, 2"(CONNECTION GASKET) RED FIBER GASKET. **1/32" THICKNESS ONLY**, *** PACKAGE

092 100 EACH PER BOX ***

Item Description: WASHER, METER 5/8", RUBBER (METER GASKET) 1/8" THICK X 15/16" OVERALL DIAMETER RUBBER WASHERS

107 ONLY. SIZE MUST BE EXACT. ***** NO SUBSTITUTE *****, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER 3/4", RUBBER (METER GASKET) 1/8" THICK X 1-5/32" OUTSIDE DIAMETER RUBBER WASHERS

ONLY. SIZE MUST EXACT. **** NO SUBSTITUTE ****, *** PACKAGE 100 EACH PER BOX ***

Item Description: WASHER, METER 1", RUBBER (METER GASKET), 1/8" THICK X 1-1/2" OVERALL DIAMETER RUBBER WASHERS

ONLY. SIZE MUST BE EXACT. **** NO SUBSTITUTE ****, *** PACKAGE 100 EACH PER BOX ***

MTECC

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM

010 FAILURE RATE, 12" DEPTH. (37 SERIES)

GLASMASTERS

WBS111812-140

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, TAPERED WALL, A - 8 LOAD RATING, 17,360 LBS MINIMUM

020 FAILURE RATE, 12" DEPTH. (65 SERIES)

GLASMASTERS

WBS1527-141

*Current Date

Water and Wastewater Master Material Catalog Page: 247 of: 357

PUD-METERS

MTECC

Item Description: BOX, METER - POLYMER CONCRETE METER BOX, STRAIGHT WALL, A-8 LOAD RATING, 17,360 LBS MINIMUM

035 FAILURE RATE, 12" DEPTH. (37 SERIES)

GLASMASTERS PENTEK SOUTHERN METER BOX INC.

R111812S2N12-1 AUCHB111812JEA P.H.1;BOX

WBS111812-100

Item Description: PLUG, PLASTIC, BLACK, USED TO CAP HOLE IN WATER METER BOX TOP.

400 ESSENTRA COMPONENTS

RDR230508A

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 36 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

410 (ONE) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 15-1/4" LENGTH X 10-1/8" WIDTH X 1-3/8" THICK,

PICK HOLE LOCATED BELOW JEA LOGO, NO READ LID

GLASMASTERS

WCS101502-101-TR

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

430 (TWO) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO

READ LID.

GLASMASTERS PENTEK SOUTHERN METER BOX INC.

WCS111802-101-DTR AUCHC111812JEA P2R1;LID

Item Description: TOP, METER BOX-POLYMER CONCRETE TOP, FOR SERIES 37 METER BOX, A-8 LOAD RATING, SOLID TOP WITH

435 (ONE) 2" TRPL PRE-DRILLED HOLE AND JEA LOGO. 18-1/8" LENGTH X 11-1/4" WIDTH X 1-3/4" THICK, NO

READ LID.

GLASMASTERS

WCS111802-101-TR

*Current Date

Water and Wastewater Master Material Catalog Page: 248 of: 357

PUD-METERS

MTECC

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EA. END, W/(TWO)

445 2" TRPL PRE-DRILLED HOLE, MADE W/3/16" FLOOR PLATE. FULLY RIBBED & DIMINSIONS AS PER DRWG.

BROOKS MODEL #37T-STL (15.5" X 22.5") OR EOUAL

GLASMASTERS

T1118DN15-9-BL

Item Description: TOP, METER BOX, STEEL, PRIMED & PAINTED BLACK, NO READING LID, LIFTING EYE ON EA. END, W/(TWO)

470 2" TRPL PRE-DRILLED HOLE, MADE W/ 3/16" FLOOR PLATE. FULLY RIBBED & DIMENSIONS AS PER DRWNG.

BROOKS MODEL #65T-STL (20" X 31.5") OR EQUAL

GLASMASTERS

T1527DN15-9-BL

Item Description: TOP, METER BOX, POLYMER, TOP TO HAVE (ONE) 2" TRPL HOLE. A-8 LOAD RATING, (65 SERIES)

483 GLASMASTERS

WCS152702-101-TR

Item Description: TOP, METER BOX, POLYMER, TOP (TWO) 2" TRPL HOLES, A-8 LOAD RATING, (65 SERIES).

484 GLASMASTERS

WCS152702-101-DTR

Item Description: COVER, UTILITY BOX, GALV., W/(TWO) 2" HOLES, S50-3/4" X 32-3/4" (OVERALL DIMENSION), 2-PIECE

715 COVER TO BE SIZED PER BOX SPEC. COVER MUST COMPLY WITH H-20 TRAFFIC RATING & SPEC. (W/1.3

IMPACT). EACH COVER WILL HAVE A 1/2" X 1" LIFTING HOLE.

*Current Date

Water and Wastewater Master Material Catalog Page: 249 of: 357

PUD-METERS

MTECC

Item Description: COVER, UTILITY BOX, GALVANIZED, W/(TWO) 2" HOLES, 52" X 34" (OVERALL DIMENSION), TOP TO BE 2-PC

779 DESIGN & SIZED AS PER BOX SPEC. TOP WILL BE CONSTRUCTED TO COMPLY WITH H-20 TRAFFIC RATING &

SPEC. (W/1.3 IMPACT) CERT. ENGINEERING DRAW

GLASMASTERS

T3048DN15-9-BL

Item Description: TOP, METER VAULT, W/(TWO) 2" HOLES, W/FRAME & COVER CAST IN, TOP FOR 6' X 6' METER VAULT (TOP

ONLY), W/3/4" LIFT INSERTS CAST IN, CAST-IN STEEL FRAME & COVER TO BE 36" X 36" WITH 17" X 17"

OPENING - MATERIAL TO BE DELIVERED AND UNLOADED.

MTECD

100

137

915

Item Description: BOX, METER - 36" X 60" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE &

FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID

SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE IN ONE COVER.

ARMORCAST PRODUCTS COMPANY

A6001833APCX48MT

A6001833AX48MT

Item Description: COVER, METER BOX, FOR 36"X60" X48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS

REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID

SURFACE & JEA LOGO. (TWO) 2" TRPL HOLE ONE COVER.*COVER ONLY*

ARMORCAST PRODUCTS COMPANY

A7001436A-JEA

*Current Date

Water and Wastewater Master Material Catalog Page: 250 of: 357

PUD-METERS

MTECD

Item Description: BOX, METER - 48" X 72" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE &

FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID

SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

ARMORCAST PRODUCTS COMPANY

A6001506APCX48MT

Item Description: COVER, METER BOX, FOR 48" X72"X 48" METER BOX, FIBERGLASS POLYMER CONCRETE & FIBERGLASS

REINFORCED POLYMER, GRAY, LOAD RATING A8 (ASTM C857), 2-PC TORSION ASSIST COVER W/NON-SKID

SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.*COVER ONLY*

ARMORCAST PRODUCTS COMPANY

A7001506A-JEA

Item Description: BOX, METER - 48" X 96" X 48", INCLUDES COVER, BOX AND EXTENSION. FIBERGLASS POLYMER CONCRETE &

FIBERGLASS REINFORCED POLYMER, LOAD RATING A8 (ASTM). 2-PC TORSION ASSIST COVER W/NON-SKID

SURFACE & JEA LOGO. (FOUR) 2" TRPL HOLE IN COVER.

ARMORCAST PRODUCTS COMPANY

A6001449AP48MT

MTEHV

Item Description: CHAMBER, COMPOUND 3" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

243 SENSUS TECHNOLOGIES

C3X9XX2GXA0XXND

Item Description: CHAMBER, COMPOUND 4" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

258 TOTAI

SENSUS TECHNOLOGIES

C4X9XX2GXR0XXND

*Current Date

Water and Wastewater Master Material Catalog Page: 251 of: 357

PUD-METERS

MTEHV

Item Description: REGISTER, RECLAIMED, TURBINE 1.5" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

340 SENSUS TECHNOLOGIES

51910.638.00053

Item Description: REGISTER, RECLAIMED, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL,

350 RECLAIM NDK

SENSUS TECHNOLOGIES

51910.638.00053

Item Description: REGISTER, COMPOUND 3" - OMNI C2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

360 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, TURBINE 3" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

370 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, COMPOUND 4" - OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

380 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, TURBINE 4" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

390 SENSUS TECHNOLOGIES

51914.638.00051

Item Description: REGISTER, FIRE SERVICE 4" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

400 SENSUS TECHNOLOGIES

W - 160

51914.638.00051

*Current Date Water and Wastewater Master Material Catalog Page: 252 of: 357

PUD-METERS

MTEHV

Item Description: REGISTER, COMPOUND 6" - OMNI C2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL

410 SENSUS TECHNOLOGIES

51918.638.00051

Item Description: REGISTER, TURBINE 6" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL TOTAL

420 SENSUS TECHNOLOGIES

51918.638.00051

Item Description: REGISTER, TURBINE 10" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

440 SENSUS TECHNOLOGIES

51920.638.00051

Item Description: REGISTER, FIRE SERVICE 10" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

450 SENSUS TECHNOLOGIES

51920.638.00051

Item Description: REGISTER, FIRE SERVICE 6" - OMNI F2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

451 SENSUS TECHNOLOGIES

W-2000

51918.638.00051

Item Description: CONNECTOR, 2-WIRE, "UY" TYPE, CONNECTOR FOR USE ON 22-26 AWG SOLID COPPER CONDUCTOR WIRE,

733 CONNECTORS TO BE SELF- STRIPPING AND INSULATED. SCOTCHLOCK "UY" CONNECTOR (1 EACH = BOX OF 100)

NO SUBSTITUTE

*Current Date

Water and Wastewater Master Material Catalog Page: 253 of: 357

PUD-METERS

MTEHV

Item Description: WIRE, 3-CONDUCTOR. CONDUCTORS TO BE 22 AWG TINNED COPPER AND INDIVIDUALLY INSULATED. SOLID WIRE

745 CONDUCTORS ONLY - NO STRANDED WIRE IS ALLOWED. ENCODED REGISTER WIRE. E62780 TYPE CL2 22 AWG 75

C (UL)***NO SUBSTITUTE*** 500 FT OR 1000 FT ROL

Item Description: CHAMBER, RECLAIMED, TURBINE 1.5" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON

800 8 WHL TOTAL

SENSUS TECHNOLOGIES

T1R9XX2GXA0XXND

Item Description: CHAMBER, TURBINE 2" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

810 SENSUS TECHNOLOGIES

T2X9XX2GXA0XXND

Item Description: CHAMBER, TURBINE 1.5" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHL

813 TOTAL

SENSUS TECHNOLOGIES

T1X9XX2GXA0XXND

Item Description: CHAMBER, RECLAIMED, TURBINE 2" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8

820 WHL TOTAL, RECLAIM NDK

SENSUS TECHNOLOGIES

T2R9XX2GXA0XXND

Item Description: REGISTER, TURBINE 8" - OMNI T2 REGISTER ONLY, 10 GALLON PULSE, 10 GALLON 8 WHL TOTAL

830 SENSUS TECHNOLOGIES

F4X9XX2GXR0XXND

*Current Date

Water and Wastewater Master Material Catalog Page: 254 of: 357

PUD-METERS

MTEHV

Item Description: CHAMBER, FIRE SERVICE 6" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8

840 WHEEL TOTAL

SENSUS TECHNOLOGIES

F6X9XX2GXR0XXND

Item Description: REGISTER, TURBINE 2" - OMNI T2 REGISTER ONLY, 1 GALLON PULSE, 1 GALLON 8 WHL TOTAL

849 SENSUS TECHNOLOGIES

51912-610-30002 51910.638.00051

Item Description: CHAMBER, FIRE SERVICE 8" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

850 TOTAL

SENSUS TECHNOLOGIES

F8X9XX2GXR0XXND

Item Description: CHAMBER, FIRE SERVICE 10" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8

860 WHL TOTAL

SENSUS TECHNOLOGIES

FAX9XX2GXR0XXND

Item Description: CHAMBER, TURBINE 3" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 1 GALLON PULSE, 1 GALLON 8 WHEEL

861 TOTAL

SENSUS TECHNOLOGIES

T3X9XX2GXA0XXND

Item Description: CHAMBER, FIRE SERVICE 4" - OMNI F2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHL

870 TOTAL

SENSUS TECHNOLOGIES

F49XXXXG1AT0X

*Current Date

Water and Wastewater Master Material Catalog Page: 255 of: 357

PUD-METERS

MTEHV

Item Description: CHAMBER, TURBINE 4" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

873 TOTAL

SENSUS TECHNOLOGIES

T4X9XX2GXR0XXND

Item Description: CHAMBER, TURBINE - 6" OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

886 SENSUS TECHNOLOGIES

T6X9XX2GXR0XXND

Item Description: CHAMBER, TURBINE - 8" OMNI T2 MEASURING ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8WHL TOTAL

892 SENSUS TECHNOLOGIES

T8X9XX2GXR0XXND

Item Description: CHAMBER, TURBINE 10" - OMNI T2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

907 TOTAL

SENSUS TECHNOLOGIES

TAX9XX2GXR0XXND

Item Description: METER, COMPOUND 3" - OMNI C2, COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 1 GALLON

922 PULSE, 1 CALLON 8 WHEEL TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C3X3TX2GXA0XXND

Item Description: METER, COMPOUND 4" - OMNI C2 COMPOUND LAY LENGTH, TEST RISER WITH BALL VALVE ONLY, 10 GALLON

933 PULSE, 10 GALLON 8 WHEET TOTAL, S/N=REG ID

SENSUS TECHNOLOGIES

C4X3TX2GXR0XXND

Water and Wastewater Master Material Catalog Page: 256 of: 357

PUD-METERS

MTEHV

*Current Date

Item Description: CHAMBER, COMPOUND 6" - OMNI C2 MEASURING CHAMBER ASSEMBLY, 10 GALLON PULSE, 10 GALLON 8 WHEEL

945 TOTAL

SENSUS TECHNOLOGIES

C6X9XX2GXR0XXND

MTEHX

Item Description: LOCKSEAL, HEAD - TAPERED WITH ALUMINUM SEAL (SILVER), HEAD IS USED WITH LOCKSEAL ASSEMBLY FOR

000 SECURING WING TYPE CURB STOPS. - NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93280156

Item Description: STUD, LOCKSEAL - SMALL DIAMETER, STUD IS USED WITH LOCKSEAL ASSEMBLY FOR SECURING WING TYPE

019 CURB STOPS. NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93210141

Item Description: SEAL, REPLACEMENT, LOCKSEAL - ALUMINUM (SILVER), SEAL IS USED WITH LOCKSEAL ASSEMBLY TO SECURE

027 WING TYPE CURB STOPS. NO SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93210130

Item Description: KEY, LOCKSEAL - KEY IS USED TO REMOVE LOCKSEAL ASSEMBLY FROM WING TYPE CURB STOPS. - NO

043 SUBSTITUTE WITHOUT PRIOR APPROVAL

HIGHFIELD MANUFACTURING CO.

93280139

Item Description: PLUG, PIPE, LOCKING - 3/4", WITH SEAL ADAPTER WITHOUT BARREL LOCK

100 BROOKS E. J.

MAR-13-24 02:15:04

*Current Date

Water and Wasterster Market Market Market Date

XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 257 of: 357

PUD-METERS

MTEHX

Item Description: PLUG, PIPE, LOCKING - 1", WITH SEAL ADAPTER WITHOUT BARREL LOCK

BROOKS E. J.

8433100

NUTS

NUTSA

Item Description: NUT, HEAVY HEX HEAD, 3/4" - 10, 316 SS, HEAVY NUT

*Current Date

Water and Wastewater Master Material Catalog Page: 258 of: 357

PUMPS

PMPAD

Item Description: DIAPHRAGM, NEOPRENE - FOR 3" DIAPHRAGM PUMP. GATES OR HOMELITE OR EQUAL.

562 GATES RUBBER CO.

HOMELITE DIV. (TEXTRON INC.)

3E

03438/UP06372

Item Description: INACTIVE - DIAPHRAGM, NEOPRENE - FOR 4" DIAPHRAGM PUMP. GATES OR EQUAL...

565 GATES RUBBER CO.

4E

Item Description: PACKING, MECHANICAL 1" - MULTI-SERVICE BRAIDED PACKING, 10 LB BOX ONLY. CHESTERTON STYLE 1730

810 PACKING OR EQUAL

A.W. CHESTERTON CO.

001184

Item Description: PACKING, GRAPHITE 3/16" -GENERAL SERVICE GRAPHITE PACKING, SOUARE BRAID, NON- ASBESTOS FIBERS,

820 PH RANGE 0-14, TEMPERATURES TO 550°F/287°C, 1 LB BOXES ONLY

GORE & ASSOCIATES, W.L.

GFO-PACKING

Item Description: PACKING, GRAPHITE 3/8" - GENERAL SERVICE GRAPHITE PACKING, SOUARE BRAID, NON- ASBESTOS FIBERS,

835 5 LB BOXES ONLY

SEPCO

ML-402 3/8"

Item Description: PACKING, GRAPHITE 1/2" - GENERAL SERVICE GRAPHIT PACKING, SQUARE BRAID, NON- ASBESTOS FIBERS.

840 (FORMERLY SEPCO ML-165 NOW REPLACED BY ML4002) 5 LB BOXES ONLY

CHEMSTAR

STYLE 165 1/2"

*Current Date

Water and Wastewater Master Material Catalog Page: 259 of: 357

PUMPS

PMPAD

Item Description: PUMP, AIR DIAPHRAGM - 5.5 PSI, 120 VOLTS 60HZ., MAXIMUM PRESSURE 5.5 PSI, 5 WATTS .6 SCF @ 5.5

895 PSI., ALUMINUM PRESSURE CAST HAMMERTONE FINISH, SHOCK MOUNTED 6.25" X 3.5" X 3.75" WITH

MOUNTING BRACKETS

INGRAM PRODUCTS

HR10WB3

PMPAR

Item Description: SHAFT, IMPELLER, FOR CROWN PUMP MODEL #PO6LC-12F

830 CROWN PUMP

510-00480-003

PMPBK

Item Description: PUMP, SUBMERSIBLE, 24 INCH, CP3602/1440 IMPELLER, 805 DRIVE, 130 HP 3/460V FLYGT PUMP WITH 35'

610 MOTOR & PILOT CABLE. FOR INTERNAL RECYCLE PROCESS AT MANDARIN WRF ****ORDER BY DESCRIPTION

* * *

Item Description: PUMP, SUBMERSIBLE - CONTINUOUS DUTY, 1/2 HP SINGLE PHASE, 115 VOLT, 1-1/2" DISCHARGE, WITH 20

700 FT. POWER CORD, BRONZE IMPELLER

PENTAIR

MEOSP50BRA1-20

Item Description: PUMP, SUBMERSIBLE, 2" DISCHARGE, 1/2 HP, 60 HZ, HIGH HEAD, 1-PHASE, 115 VOLTS, 10 AMPS, W/20

800 FT. CORD

HYDROMATIC PUMP

MESPD50AH1

*Current Date

Water and Wastewater Master Material Catalog Page: 260 of: 357

PUMPS

PMPCN

Item Description: PUMP, SUBMERSIBLE - 1/3 HP, AUTOMATIC OPERATION, 115 VOLTS, 60 HZ, SPLIT PHASE MOTOR, BALL

500 BEARINGS, AUTOMATIC RESET THERMAL PROTECTION, 1-1/4" IPT DISCHARGE ABS PLASTIC BASE, TEEL BRAND

SUMP PUMP, SUPPLIED WITH 8'18-3 CORD

W W GRAINGER

3BB78

PMPHP

Item Description: PUMP, UTILITY HAND, WITH 72" HOSE

Jones Stephens KING INNOVATION

P13600 48072

PMPSP

Item Description: E-ONE ADAPTER FOR 2000 SERIES PUMP TO EXTREME SERIES EQD (ELECTRICAL QUICK DISCONNECT)

010 E ONE PUMPS

1217

Item Description: E-ONE GROMMET FOR STAINLESS STEEL PUMP CANDYCANE DISCHARGE TO DISCHARGE VALVE.

011 E ONE PUMPS

6034

Item Description: E-ONE SIMPLEX ALARM PANEL

012 E ONE PUMPS

SA1A010B0AA

Item Description: E-ONE HANGER FOR EQD (ELECTRIC QUICK DISCONNECT)

013 E ONE PUMPS

NB0098G05

*Current Date

Water and Wastewater Master Material Catalog Page: 261 of: 357

PUMPS

PMPSP

Item Description: E-ONE 32 FOOT SUPPLY CABLE (POWER SUPPLY FROM ALARM PANEL TO PUMP CABLE)

014 E ONE PUMPS

ND0036G06

Item Description: E-ONE 50 FOOT SUPPLY CABLE (POWER SUPPLY FROM ALARM PANEL TO PUMP CABLE)

015 E ONE PUMPS

ND0036G07

Item Description: E-ONE CONVERSION KIT TO UPDATE A 2000 SERIES EQD (ELECTRIC QUICK DISCONNECT) TO EXTREME

016 E ONE PUMPS

1224

PMPSU

Item Description: PUMP, SUMP, SUBMERSIBLE, CHAMPION PUMP CPWH 5V WITH VERTICAL FLOAT.

003 CHAMPION PUMPS

CWP5V-13

Item Description: PUMP, SUMP, SUBMERSIBLE, BARMESA 2BSE511AU, 1/2 HP, 1750 RPM, 2" SOLIDS.

004 BARMESA PUMPS

2BSE511AU

Item Description: PUMP, GRINDER, SUBMERSIBLE, E-ONE EXTREME D-SERIES DRY WELL PUMP, 240V, WIRED, PRESSURE SWITCH

005 LEVEL SENSING, CANDY CANE DISCHARGE.

E ONE PUMPS

D200A01A01AA

*Current Date

Water and Wastewater Master Material Catalog Page: 262 of: 357

PUMPS

PMPTI

Item Description: TIMER, HOLD IN, PIPE CABLE PUMP

001 EAGLE SIGNAL CONTROL

HP55A6

Item Description: TIMER, IDLE, PIPE CABLE PUMP

002 EAGLE SIGNAL CONTROL

HP55A601

PUD-PAINT

PNTAA

Item Description: PAINT, RUS-KIL SAFETY YELLOW. ** 1 EACH = 1 GALLON **

050 BLP MOBILE PAINT CO.

10-5601

Item Description: PAINT, UPSIDE-DOWN, PURPLE-PANTONE, 17 OZ. AEROSOL CAN, LEAD FREE, NON-CLOGGING, WATER-BASED

060 RUSTOLEUM

1669838

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. PINK, 20 OZ. AEROSOL CAN, NON-CLOGGING, WATER-BASED PAINT

O63 GRAINGER RUSTOLEUM

38EL42 1861838

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, NON-CLOGGING, WATER-BASED PAINT

O64 GRAINGER RUSTOLEUM

38EL35 203031

*Current Date

Water and Wastewater Master Material Catalog Page: 263 of: 357

PUD-PAINT

PNTAA

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. BLUE, 20 OZ. AEROSOL CAN, NON-CLOGGING, SOLVENT-BASE

066 PAINT

RUSTOLEUM

203022

Item Description: PAINT, UPSIDE-DOWN, MARKING, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, NON-CLOGGING, WATER -BASE

067 PAINT

1 111111

GRAINGER RUSTOLEUM

38EL33 1834838

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. GREEN, 20 OZ. AEROSOL CAN, NON-CLOGGING, SOLVENT-BASED

068 PAINT

GRAINGER RUSTOLEUM

54TH47 1634838

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. WHITE, 20 OZ. AEROSOL CAN, NON-CLOGGING, WATER-BASED

069 PAINT

RUSTOLEUM

203039

Item Description: PAINT-ENAMEL-GLOSS, BLUE 11 OZ. AEROSOL CAN ZYNOLYTE SPAYMATE

080 RUSTOLEUM ZYNOLYTE SPRAYMATE

249114 BERMUDA BLUE #2470

Item Description: PAINT, GREEN- ENAMEL-GLOSS 16 OZ. AEROSOL CAN, SEMOUR

100 RUSTOLEUM SEYMOUR MARKING PAINT

V2133838 GREEN

*Current Date

Water and Wastewater Master Material Catalog Page: 264 of: 357

PUD-PAINT

PNTAA

Item Description: PAINT, UPSIDE-DOWN, ALERT ORANGE, 17 OZ. AEROSOL CAN. LEAD-FREE, NON-CLOGGING, ALERT ORANGE ONLY

NO SUBSTITUTE

RUSTOLEUM

203035

Item Description: PAINT, MARKING, UPSIDE-DOWN, A.P.W.A. BRILLIANT RED, 20 OZ. AEROSOL CAN, NON-CLOGGING, WATER-

705 BASED PAINT

RUSTOLEUM

203038

Item Description: PAINT, UPSIDE-DOWN, FLOURESCENT (SEWER) GREEN, TRAFFIC OR GROUND MARKING PAINT 17 OZ. AEROSOL

727 CAN, LEAD FREE, NON- CLOGGING, FLOURESCENT GREEN ONLY, WATER BASED.

RUSTOLEUM SPRAYON PRODUCTS INC.

203032 03630

Item Description: WAND, UPSIDE-DOWN PAINT, WAND MUST FIT KRYLON 17 OZ. UPSIDE-DOWN SPRAY CANS.

739 RUSTOLEUM

210188

PUD-PIPE & TUBING

PPEDU

Item Description: PIPE, DUCTILE IRON, 3", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

030

Item Description: PIPE, DUCTILE IRON, 4", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

*Current Date

Water and Wastewater Master Material Catalog Page: 265 of: 357

PUD-PIPE & TUBING

PPEDU

Item Description: PIPE, DUCTILE IRON, 6", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM 060

Item Description: PIPE, DUCTILE IRON, 8", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 OR 20 FOOT LENGTHS

080

Item Description: PIPE, DUCTILE IRON, 10", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

100

Item Description: PIPE, DUCTILE IRON, 12", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

120

Item Description: PIPE, DUCTILE IRON, 16", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

160

Item Description: PIPE, DUCTILE IRON, 20", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

200

Item Description: PIPE, DUCTILE IRON, 24", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

240

Item Description: PIPE, DUCTILE IRON, 30", SLIP JOINT, PRESSURE CLASS 150 MINIMUM, 18 FOOT LENGTHS MINIMUM

*Current Date

Water and Wastewater Master Material Catalog Page: 266 of: 357

PUD-PIPE & TUBING

PPEGV

Item Description: PIPE, GALVANIZED - 1/2", MIPT X FIPT. 21 FOOT LENGTHS.

024

Item Description: PIPE, GALVANIZED - 1", MIPT X FIPT. 21 FOOT LENGHTS.

100

Item Description: NACTIVE - PIPE, GALVANIZED - 1-1/4", MIPT X FIPT. 21 FOOT LENGTHS.

114

Item Description: PIPE, GALVANIZED 1-1/2", THREADED & COUPLED, 21 FT LENGTHS

124

Item Description: PIPE, GALVANIZED - 2", MIPT X FIPT. 21 FOOT LENGTHS.

200

Item Description: PIPE, GALVANIZED - 2-1/2", MIPT X FIPT. 21 FOOT LENGTHS.

224

PPEPV

Item Description: INACTIVE ONCE DEPLETED - PIPE, PVC, **EAGLE LOC**, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS

030 235, BLUE COLOR ONLY.

JM EAGLE

ORDER BY DESCRIPTION

Water and Wastewater Master Material Catalog Page: 267 of: 357

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

040

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

060

Item Description: INACTIVE ONCE DEPLETED - PIPE, PVC, **EAGLE LOC**, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS

070 235, BLUE COLOR ONLY.

JM EAGLE

ORDER BY DESCRIPTION

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

080

Item Description: PIPE, PVC, DR18 - 10", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

100

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

120

Item Description: PIPE, PVC, DR18 - 18", 20 FT. LENGTHS, AWWA C-900, CLASS 235, BLUE COLOR ONLY.

124 DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

WESTLAKE PIPE (FKA NAPCO)

DR18

*Current Date

Water and Wastewater Master Material Catalog Page: 268 of: 357

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR18 - 14", 20 FT. LENGTHS, AWWA C-900, CLASS 235. ALL DR18 PIPE MUST BE COLORED

140 BLUE FOR WATER SERVICE. NO OTHER COLOR ALLOWED.

CERTAINTEED JM MANUFACTURING NATIONAL PIPE & PLASTICS, INC.

SEE DESCRIPTION SEE DESCRIPTION SEE DESCRIPTION

NORTH AMERICAN PIPE CO. VASSALLO, INC. WESTLAKE PIPE (FKA NAPCO)

SEE DESCRIPTION SEE DESCRIPTION SEE DESCRIPTION

Item Description: PIPE, PVC, DR18, 16", AWWA C-900, CLASS 235, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE

THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE

REFUSED

Item Description: PIPE, PVC, DR25, 18", AWWA C-900, CLASS 165, 20 FT LENGTHS. BLUE COLOR ONLY. NOTE: NO MORE THAN

173 TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES WITH MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSED

Item Description: PIPE, PVC, DR18, 20", AWWA C-900. CLASS 235, 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR

180 WATER SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18, 30", AWWA C-900, CLASS 235, 20 FT LGTHS. ALL PIPE MUST BE COLORED BLUE FOR WATER

190 SERVICE. NO OTHER COLORS ALLOWED. NOTE: NO MORE THAN TWO (2) PIECES OF PIPE PER BUNDLE. BUNDLES

W/MORE THAN TWO PIECES PER BUNDLE WILL BE REFUSE

*Current Date

Water and Wastewater Master Material Catalog Page: 269 of: 357

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, DR18, 24", AWWA C-900, CLASS 235, 20 FT LENGTHS. ALL PIPE MUST BE COLORED BLUE FOR

219 WATER SERVICE. NO OTHER COLORS ARE ALLOWED.

Item Description: PIPE, PVC, DR18 - 30", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

350 FORCEMAIN SYSTEM

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

WESTLAKE PIPE (FKA NAPCO)

DR18

Item Description: PIPE, PVC, DR25, 36" AWWA C-900. CLASS 165, 20 FT. LENGHTS. ALL PIPE MUST BE COLORED "GREEN"

360 FOR SEWER SERVICE. NO OTHER COLOR ALLOWED *** NO SUBSTITUTE ***

Item Description: PIPE, PVC, SCH-40, 3/4", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

450

Item Description: PIPE, PVC, SCH-40, 1", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

455 **FORD**

0501040PURP

Item Description: PIPE, PVC, SCH-40, 1-1/2", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL

460 **FORD**

0501540PURP

*Current Date

Water and Wastewater Master Material Catalog Page: 270 of: 357

PUD-PIPE & TUBING

PPEPV

Item Description: PIPE, PVC, SCH-40, 2", 20 FT. LENGTHS, PURPLE RECLAIM WATER SOLVENT WELD BELL
465

PPERW

Item Description: PIPE, PVC, 1-1/2" X 20 FT. LENGHTS, SCH 40, GLUE JOINT, ALL PIPE MUST BE COLORED PANTONE PURPLE 522C FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 2" X 20 FT. LENGHTS, SCH 40, GLUE JOINT, ALL PIPE MUST BE COLORED PANTONE PURPLE 522C FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 3" X 20 FT. LENGHTS, CLASS 200. ALL SDR21 PIPE MUST BE COLORED PANTONE PURPLE 522C FOR RECLAIMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 4", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE
040 PURPLE FOR RECLAMED WATER SERVIVE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 6", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

*Current Date Water and Wastewater Master Material Catalog Page: 271 of: 357

PUD-PIPE & TUBING

PPERW

Item Description: PIPE, PVC, 8", DR18, 20 FT, LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE

080 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 10", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE

100 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND PLASTICS IPEX JM EAGLE

OBD OBD OBD

NATIONAL PIPE & PLASTICS, INC. SANDERSON PIPE WESTLAKE PIPE (FKA NAPCO)

OBD OBD

Item Description: PIPE, PVC, 12", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE

120 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 16", DR18, 20 FT. LENGTH, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE

160 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

Item Description: PIPE, PVC, 20", DR18, 20 FT. LENGTHS, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE

165 PURPLE FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

WESTLAKE PIPE (FKA NAPCO)

DR18

*Current Date

Water and Wastewater Master Material Catalog Page: 272 of: 357

PUD-PIPE & TUBING

PPERW

Item Description: PIPE, PVC, 24", DR18, 20 FT. LENGHT, AWWA C-900, CLASS 235. PIPE MUST BE COLORED PANTONE PURPLE

170 FOR RECLAMED WATER SERVICE. NO OTHER COLORS ALLOWED.

DIAMOND JM EAGLE NORTH AMERICAN PIPE CO.

DR18 DR18 DR18

WESTLAKE PIPE (FKA NAPCO)

DR18

PPESC

Item Description: PIPE, PVC SCH 40 1/2". 20 FT LENGTHS. BELL ON ONE END.

024

Item Description: PIPE, PVC, SCH 40, 3/4". 20 FT LENGTHS. BELL ON ONE END.

034

Item Description: PIPE, PVC SCH 40 1". 20 FT LENGHTS. BELL ON ONE END.

100

Item Description: PIPE, PVC SCH 40 1-1/4 ". 20 FT LENGTHS. BELL ON ONE END. (1 EA = 1 FT)

114

Item Description: PIPE PVC SCH 40 1-1/2"

*Current Date Water and Wastewater Master Material Catalog Page: 273 of: 357

PUD-PIPE & TUBING

PPESC

Item Description: PIPE, PVC SCH 40 2". 20 FT LENGHTS. BELL ON ONE END.

200

Item Description: PIPE, PVC SCH 40, 3"

300

Item Description: PIPE, PVC, SCH 40, 4", 20 FT LENGHTS **** NO SUBSTITUTE ****

400

Item Description: PIPE, PVC, SCH 40, 6", 20 FT LENGTHS. **** NO SUBSTITUTES ****

600

PPESD

Item Description: PIPE, PVC SDR21, 2", BELL AND GASKETED ONE END. PIPE MUST BE NSF-PW APPROVED. PIPE MUST BE

020 MARKED WITH THE FOLLOWING INFORMATION AT NO MORE THAN 5 FT. INTERVALS: SDR CLASS, NOMINAL PIPE

SIZE, PVC1120, PRESSURE RATING, NSF-PW, ASTM D2241, PS

PPESH

Item Description: PIPE, PVC, SCH 80, 1/2"

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 274 of: 357

PUD-PIPE & TUBING

PPESH

Item Description: PIPE, PVC, SCH 80, 3/4"

034

Item Description: PIPE, PVC, SCH 80, 1", BELL TO SPIGOT ENDS.

100

Item Description: PIPE, PVC, SCH 80, 1-1/4"

114

Item Description: PIPE, PVC, SCH 80, 1-1/2", BELL TO SPIGOT ENDS.

124

Item Description: PIPE, PVC, 2", SCH 80, 20' LENGTHS

200

Item Description: PIPE, PVC, SCH 80, 3", PLAIN END, 20 FT LENGTHS

300

Item Description: PIPE, PVC, SCH 80, 4", 20FT LENGTHS

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 275 of: 357

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC, DR18 - 4", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 6", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

006 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 8", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

008 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 10", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

010 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 12", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

012 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 14", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

014 FORCEMAIN SYSTEM.

Water and Wastewater Master Material Catalog Page: 276 of: 357

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC, DR25 - 16", 20 FT. LENGTHS, AWWA C-900, CLASS 165, GREEN COLOR ONLY FOR SEWER

016 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR25 - 18", 20 FT. LENGTHS, AWWA C-900, CLASS 165, GREEN COLOR ONLY FOR SEWER

018 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 20", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

020 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC, DR18 - 24", 20 FT. LENGTHS, AWWA C-900, CLASS 235, GREEN COLOR ONLY FOR SEWER

024 FORCEMAIN SYSTEM.

Item Description: PIPE, PVC SDR26-4" (14 FT. JOINTS)

040

Item Description: PIPE PVC SDR26-6" (14 FT LENGTHS)

060

Item Description: PIPE, PVC SDR26-8" (14 FT LENGTHS)

*Current Date

Water and Wastewater Master Material Catalog Page: 277 of: 357

PUD-PIPE & TUBING

PPESW

Item Description: PIPE, PVC SDR26-10" (14 FT JOINTS)

100

Item Description: PIPE, PVC SDR26-12" (14 FT JOINTS)

120

Item Description: PIPE, PVC SDR26-15" (14 FT JOINTS)

150

Item Description: PIPE, HDPE, SDR11, SERIES 4300 4" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.

304 PART NUMBER

0943P0411G

Item Description: PIPE, HDPE, SDR11, SERIES 4300 6" DIP O.D., PIPE SHALL BE BLACK WITH GREEN STRIP, 40' LENGTHS.

306 PART NUMBER

0943P0611G

PPETU

Item Description: TUBING, POLYETHYLENE 3/4" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10

034 COILS SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 1" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS

100 SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

*Current Date

Water and Wastewater Master Material Catalog Page: 278 of: 357

PUD-PIPE & TUBING

PPETU

Item Description: TUBING, POLYETHYLENE 1 1/2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10

124 COILS SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

ORDER BY DESCRIPTION ORDER BY DESCRIPTION

Item Description: TUBING, POLYETHYLENE 2" CTS O.D., PE 4710, SDR9 BLUE, 250 PSI RATING, 100 FT COILS. ** 10 COILS

200 SHRINK WRAPPED PER PALLET**.

ADVANCE DRAINAGE SYSTEMS ENDOT INDUSTRIES

OREDER BY DESCRIPTION ORDER BY DESCRIPTION

PPEVY

Item Description: PIPE, PVC - 42" X 13', GRAVITY SEWER, BELL AND SPIGOT, CLOSE PROFILE TYPE, WATER TIGHT JOINT,

408 SMOOTH INTERIOR AND EXTERIOR. CARLON VYLON H.C. PIPE **NO SUBSTITUTE**

PUMPS (2)

PUMSP

Item Description: PUMP, MYERS MW50 FOR SEWER

001 MYERS PUMP

MYR-MW5011P

PUMSU

Item Description: PUMP, SUMP, 1/2 HP, 115 VAC, SUBMERSIBLE WITH VERTICAL FLOAT SWITCH & 10' POWER CORD

020 MYERS PUMP

DS50-P1

MAR-13-24 02:15:04

*Current Date

Water and Water Market Market

Water and Wastewater Master Material Catalog Page: 279 of: 357

ROD, THREADED

RODCP

Item Description: COUPLING, ROD CONNECTOR, 3/4" - 10, 316 SS

010

RODTH

Item Description: ROD, ALL THREAD, 3/4" - 10 X 12', 316 SS, 12-FT. LENGHTS ONLY

*Current Date

Water and Wastewater Master Material Catalog Page: 280 of: 357

SAFETY SUPPLIES

SAFBC

Item Description: CAP, BASEBALL, FLEXFIT, COLOR IS NAVY . WITH THE "JEA" LOGO EMBROIDERED IN WHITE.

100 YUPOONG

6577CD

SAFBO

Item Description: BOOTS, RUBBER KNEE SIZE, WATER PROOF, SIZE 6, STEEL SHANK, SERVICE RUBBER CO. P/N 18821/6

006 BATA INDUSTRIAL LACROSSE/RAINFAIR

86102/6 89682 SIZE 6

Item Description: BOOTS KNEE PVC, SIZE 13, STEEL TOE (FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON CARTON)

013 **DUNLOP**

86776 SIZE 13

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 14, STEEL TOE AND STEEL SHANK.

014 ONGUARD INDUSTRIES (BATA)

89682-14

Item Description: 16" KNEE BOOTS BLACK UPPER PORTION, GRAY SOLE, SIZE 15, STEEL TOE AND STEEL SHANK.

015 ONGUARD INDUSTRIES (BATA)

89682-15

Item Description: BOOTS KNEE PVC, SIZE 16, STEEL TOE, FACTORY NAME AND STOCK NUMBER MUST BE INDICATED ON CARTON

016 **DUNLOP**

89086/16

*Current Date

Water and Wastewater Master Material Catalog Page: 281 of: 357

SAFETY SUPPLIES

SAFCC

Item Description: COVERALL, LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-SPARKING

120 ZIPPER. KAPPLER TYVEK

DUPONT

QC120S LGE

Item Description: COVERALL, X-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

121 SPARKING ZIPPER. KAPPLER TYVEK, (STD. PKG 12 EA)

DUPONT

OC120S EX LGE

Item Description: COVERALL, XX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

122 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

OC120S XXL

Item Description: COVERALL, XXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

123 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

OC120S-XXXL

Item Description: COVERALL, XXXX-LARGE, TYVEK FABRIC COATED WITH POLYETHYLENE, COLOR YELLOW, FULL-LENGTH NON-

124 SPARKING ZIPPER. KAPPLER TYVEK

DUPONT

OC120S-XXXXL

SAFEY

Item Description: FRAME BRACKET FOR FACESHIELD VISOR TO BE USED FOR FULL BRIM HARDHAT.

038 **MSA**

*Current Date

Water and Wastewater Master Material Catalog Page: 282 of: 357

SAFETY SUPPLIES

SAFGL

Item Description: GLOVE, WINTER, FOR COLD WEATHER COWHIDE LEATHER WITH 3M THINSULATE LINER SIZE: ONE SIZE FITS

080 ALL, 1 EACH = 1 PAIR.

NORTH SUPPLY

70/6465NK

Item Description: GLOVE, MECHANIX, SMALL, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP

120 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

MECHANIX WEAR

MG-05-008

Item Description: GLOVE, MECHANIX, XX-LARGE, COLOR BLACK, STREAMLINED ELASTIC CUFF W/ADJUSTABLE HOOK AND LOOP

124 CLOSURE, REINFORCED THUMB AND FINGERS, SYNTHETIC LEATHER PALM.

MECHANIX WEAR

MG - 05 - 012

SAFRE

Item Description: RESPIRATOR, DUST MASK - (FOR COMMON DUST & POLLEN).

002 **3M**

8511

0311

8212

Item Description: RESPIRATOR, DUST, FOLDABLE MASK, SINGLE PACKAGED, WITH VALVE 9211+.

005

3M

9211

Item Description: RESPIRATOR, REUSABLE FACE MASK, 4 PLY COTTON, NON-FR RATED, NAVY BLUE, JEA LOGO (PANTONE 298C,

100 3/4" H TOP LEFT CORNER OF MASK). (CONTACT BRAND MGMT FOR JEA LOGO SPECS).

MM GRINNAN

PB-CFLC-001

*Current Date

Water and Wastewater Master Material Catalog Page: 283 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, JACKET-W / ATTACHED HOOD, ARC/FR RATED, HIGH VIS FLOUR

100 LIME/YELLOW. 7/8" 3M REF.TAPE APPLIED TO JKT SLVE & HEM SMALL. NEW "JEA"LOGO (MIN 3-1/2" LFT

FRONT & 8" ON BACK). CONTACT BRAND MGMT FOR LOGO SPECS

KSI SAFETY LAKELAND\DUPONT

020802JLYS AJPU10LY-S

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, JACKET-W / ATTCHED HOOD, ARC/FR RATED, HI VIS FLOUR

106 LIME/YELL. 7/8" 3M REFLCT TAPE APPLIED TO JKT SLVE & HEM. XXXX-LRGE, NEW "JEA"LOGO (MIN 3-1/2"

LFT FRNT & 8" ON BACK). CNCT BRAND MGMT FOR LOGO SPECS.

KSI SAFETY LAKELAND\DUPONT

020802JLYXXXXL AJPU10LY-XXXXL

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY

111 FLOURESCENT LIME/YELLOW, SIZE: MEDIUM.

KSI SAFETY LAKELAND\DUPONT

0208020LYM ABPU10LYZ-M

Item Description: INACTIVE - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY FLOURESCENT

112 LIME/YELLOW. SIZE: LARGE (SEE NEW ITEM ID SAFRW217)

KSI SAFETY LAKELAND\DUPONT

0208020LYL ABPU10LYZ-L

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, OVERALL - FLY FRONT, ARC/ FR RATED, HIGH VISIBILITY

116 FLOURESCENT LIME/YELLOW. SIZE: XXXX-LARGE

KSI SAFETY LAKELAND\DUPONT

0208020LYXXXXL ABPU10LYZ-XXXXL

*Current Date

Water and Wastewater Master Material Catalog Page: 284 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, LONG COAT-W / ATTCHD HOOD, ARC/FR RATED, SMALL, 48" LONG,

120 HGH VIS FLORSCNT LIME/YEL. 7/8" 3M REFLECTIV TAPE APPLD TO COAT SLEEVE & HEM. NEW "JEA"LOGO

(MIN 3-1/2" LFT FRONT & 8" ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-S ALCPU10LY-S

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, MEDIUM, 48" LGTH,

121 HIGH VIS FLRSCNT LIME/YEL. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEVE & HEM. NEW "JEA" LOGO

(MIN 3-1/2" LFT&8" ON BACK). .

KSI SAFETY LAKELAND\DUPONT

020802CLY-M ALCPU10LY-M

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, LARGE, 48" LONG,

122 HIGH VIS FLOURSCHT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. "JEA" LOGO

(MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-L ALCPU10LY-L

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, X-LARGE, 48"

LONG, HGH VISIBI FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEV. & HEM. NEW

"JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-XL ALCPU10LY-XL

Item Description: INACTIVE ONCE DEPLETED - RAINWEAR, LONG COAT-W / ATTACHD HOOD, ARC/FR RATED, XX-LARGE, 48"

124 LONG, HIGH VISIB FLOURSCNT LIME/YELLOW. 7/8" 3M REFLECT TAPE APPLIED TO COAT SLEEVE & HEM. NEW

"JEA" LOGO (MIN 3-1/2"LEFT&8"ON BACK).

KSI SAFETY LAKELAND\DUPONT

020802CLY-XXL ALCPU10LY-XXL

*Current Date

Water and Wastewater Master Material Catalog Page: 285 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, SMALL, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS,

CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND

MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYS

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, MEDIUM, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYM

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, LARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS,

CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT BRAND

MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYL

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFYX

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, XXLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFY2

*Current Date

Water and Wastewater Master Material Catalog Page: 286 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, 3XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701JFY3

Item Description: RAINWEAR, JACKET, ARCLITE, HI-VIS ARC/FR RATED, 4XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY.

NASCO INDUSTRIES, INC.

1701J-XXXXL

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, SMALL, FLUOR YEL. 2" 3M REFLECT TRIM AT BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYS

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, MEDIUM, FLUOR YEL. 2" 3M REFLECT TRIM AT

BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYM

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, LARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT

BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-L

*Current Date

Water and Wastewater Master Material Catalog Page: 287 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, LONG COAT,ARCLITE, HI-VIS ARC/FR RATED, XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT
210 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW "JEA" LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK).

CONTACT BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFYX

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, XXLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT

BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT

BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701CFY2

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, 3XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT

212 BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT

BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-XXXL

Item Description: RAINWEAR, LONG COAT, ARCLITE, HI-VIS ARC/FR RATED, 4XLARGE, FLUOR YEL. 2" 3M REFLECT TRIM AT

BICEPS, CHEST & HARNESS OVER SHLDRS. NEW JEA LOGO (MIN 3-1/2" LFT FRONT & 8" ON BACK). CONTACT

BRAND MGMT FOR JEA LOGO SPECS. ORDER HOOD SEPARATELY

NASCO INDUSTRIES, INC.

1701C-XXXXL

Item Description: HOOD, ARCLITE HI-VIS, FLUORESCENT YELLOW, DETACHABLE

214 NASCO INDUSTRIES, INC.

H1700FY

*Current Date

Water and Wastewater Master Material Catalog Page: 288 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE:

215 SMALL

NASCO INDUSTRIES, INC.

1701TFYS

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE:

216 MEDIUM

NASCO INDUSTRIES, INC.

1701TFYM

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE:

217 LARGE

NASCO INDUSTRIES, INC.

1701TFYL

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: X-

218 LARGE

NASCO INDUSTRIES, INC.

1701TFYX

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: XX-

219 LARGE

NASCO INDUSTRIES, INC.

1701TFY2

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE: XXX-

220 LARGE

NASCO INDUSTRIES, INC.

1701TFY3

*Current Date

Water and Wastewater Master Material Catalog Page: 289 of: 357

SAFETY SUPPLIES

SAFRW

Item Description: RAINWEAR, BIB OVERALL - ARCLITE, FLY FRONT, ARC/FR RATED, HI-VIS FLUORESCENT YELLOW. SIZE:

221 XXXX-LARGE

NASCO INDUSTRIES, INC.

1701T-XXXXI

SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE SMALL CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

014 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY

161520JEA-S SV20MS

SV20SS

Item Description: VEST, SAFETY, ORANGE MESH, SIZE LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

015 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-L SV20ML TCSV20MLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE X-LARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

016 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-XL SV20MXL TCSV20MXLJEA

*Current Date

Water and Wastewater Master Material Catalog Page: 290 of: 357

SAFETY SUPPLIES

SAFTC

Item Description: VEST, SAFETY, ORANGE MESH, SIZE MEDIUM CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-M SV20MM TCSV20MMJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 2XLARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES, VELCRO

018 FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR JEA

LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-2XL SV20M2X TCSV20M2XLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 3XLARGE CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

021 VELCRO FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-3XL SV20M3X TCSV20M3XLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 4XLARGE, CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

022 VELCRO FRONT CLOSURE, JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE, CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-4XL SV20M4X TCSV20M4XLJEA

Item Description: VEST, SAFETY, ORANGE MESH, SIZE 5XLARGE, CLASS 2 WITH 2" SILVER RETRO REFLECTIVE STRIPES,

023 VELCRO FRONT CLOSURE. JEA LOGO MID BACK AND JEA LETTERS FRONT LEFT SIDE. CONTACT BRAND MGMT FOR

JEA LOGO SPECS.

ESTEX MANUFACTURING CO RADIANS SAFETY SAFETY PRODUCTS INC.

161520JEA-5XL SV20M5X TCSV20M5XLJEA

*Current Date

Water and Wastewater Master Material Catalog Page: 291 of: 357

SAFETY SUPPLIES

SAFTC

Item Description: INACTIVE ONCE DEPLETED - COVERALL, SMALL, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \

110 ELASTIC FACE, WRIST, & ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE
SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132S

Item Description: COVERALL, MEDIUM, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.

112 COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132M

Item Description: COVERALL, LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES.

114 COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132L

Item Description: COVERALL, X-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, &
116 ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132XL

Item Description: COVERALL, XX-LARGE, TYCHEM (LAKELAND/DUPONT) W \ SEALED SEAMS, W \ ELASTIC FACE, WRIST, & ANKLES. COLOR WHITE, ALL GARMENTS MUST HAVE STORM FLAP W \ PRESSURE SENSITIVE TAPE.

LAKELAND\DUPONT

C2T132XXL

*Current Date

Water and Wastewater Master Material Catalog Page: 292 of: 357

SAFETY SUPPLIES

SAFWC

Item Description: WATER CANTEEN, (50 - 80 OZ), CAMELBAK WATER MASTER

001 CAMELBAK

CB-1737001000 (50oz)

1749401000

Item Description: CLEANING BRUSH KIT AND RESERVIOR DRYER (FOR CAMELBAK WATER MASTER)

003 CAMELBAK

2054901000

PUD-SAFETY SUPPLIES

SFTCC

Item Description: HIP-BOOT, SIZE 7, PVC, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK

120 NUMBER MUST BE INDICATED ON PACKAGE

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-7 86856

Item Description: BOOTS HIP PVC, SIZE 8, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

130 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-8 86856

Item Description: HIP-BOOTS, SIZE 9, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

140 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-9 86856

*Current Date

Water and Wastewater Master Material Catalog Page: 293 of: 357

PUD-SAFETY SUPPLIES

SFTCC

Item Description: BOOTS HIP, PVC, SIZE 10, STEEL TOE AND STEEL MIDSOLE (NO SUBSTITUTE), FACTORY NAME AND STOCK

150 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-10 86856

Item Description: HIP-BOOT, SIZE 11, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK

160 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-11 86856-SIZE 11

Item Description: HIP-BOOTS, SIZE 12, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

170 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-12 86856

Item Description: HIP-BOOTS, SIZE 13, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK

172 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE ONGUARD INDUSTRIES (BATA)

LIBER-1531-13 86856-SIZE 13

Item Description: HIP-BOOTS, SIZE 14, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

175 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE

LIBER-1531-14

Item Description: HIP-BOOTS, SIZE 15, PVC, STEEL TOE AND STEEL MIDSOLE. (NO SUBSTITUTE), FACTORY NAME AND STOCK

178 NUMBER MUST BE INDICATED ON PACKAGE.

LIBERTY

LIBER-1531-15

*Current Date

Water and Wastewater Master Material Catalog Page: 294 of: 357

PUD-SAFETY SUPPLIES

SFTCC

Item Description: HIP-BOOTS, SIZE 16, PVC, STEEL TOE AND STEEL MIDSOLE . (NO SUBSTITUTE), FACTORY NAME AND STOCK

179 NUMBER MUST BE INDICATED ON PACKAGE.

LACROSSE

LIBER-1531-16

Item Description: CUSHION - 3" X 15" X 15" SEAT, STANDARD GRADE POLYFOAM, COVER TO BE MADE OF 32 ONCE VINYL,

185 BROWN OR RUST. ** 32 OZ. VINYL COVER ONLY -- NO SUBSTITUTE **

MOUSA'S AUTO & MARINE INTERIOR

15153

Item Description: GLOVE, LATEX, NON-POWDERED, NON MEDICAL GRADE, 50 PAIR PER DISPENSER (50 PAIR EQUALS 1

204 EACH)

AMMEX C & K SAFETY ZONE

GPPFT46100 42-L GRPR-L-1-T

Item Description: GLOVE, *PURPLE NITRILE*, POWDER-FREE, EXAM GLOVES, MEDIUM, 12" EXTRA-LONG CUFF, LATEX-FREE AND

210 NON-STERILE, 50 PAIR PER DISPENSER BOX (50 PAIR / BOX)

KIMBERLY-CLARK

50602

Item Description: GLOVES, NEOPRENE COATED, 12" MENS SIZE, FULLY COATED EXTERIOR, 2-PC FABRIC LINING, CURVED

220 FINGERS AND WING THUMB, INDUSTRIAL WEIGHT COATING ONLY, GRANET STYLE 612 ***** NO SUBSTITUTE

BEST PROCESS CO. EDMONT

6780R 9-922

*Current Date

Water and Wastewater Master Material Catalog Page: 295 of: 357

PUD-SAFETY SUPPLIES

SFTCC

270

Item Description: GLOVES, NYLON COATED, ROUGH NYLON COATED PARTICLE FINISH, SIZE 10, JERSEY LINED, 2-PIECE

230 LINING, PRE-FLEXED CURVED FINGERS & WING THUMB, 14" GAUNTLET, STYLE # 12-214. ****NO

SUBSTITUTE***

EDMONT W W GRAINGER

4-644 4T430

Item Description: RUBBER GLOVES, HOUSEHOLD, NON-SLIP, LARGE SIZE 9, MUST BE PACKAGED (1) PAIR PER PACKAGE,

144/PAIR PER CARTON SSA09057 TWIST MILLS #F18LX SIZE MUST BE PRINTED ON GLOVE OR PACKAGE SAMPLE

MUST BE SUBMITTED BEFORE AWARD

Item Description: GLOVES, KEVLAR/COTTON BLEND - MEDIUM WEIGHT GLOVE WITH A KNIT SHELL OF KEVLAR AND COTTON, EXTRA

276 CUSHIONING INSIDE THE GLOVE FOR COMFORT AND HEAT RESISTANCE, YELLOW COLOR.

HONEYWELL

23-0D33W

Item Description: GLOVES, NEOPRENE COATED, SHOULDER LENGTH PROTECTION, CURVED FINGERS, WING THUMB, FULL

280 INDUSTRIAL WEIGHT COATED GAUNTLET 31" (MIN) LENGTH, BLACK COLOR, CHEMICAL RESISTANT.

EDMONT FLORIDA RUBBER

9-430 27784

Item Description: GLOVES, LINEMAN'S - SIZE 10, 14" LONG RUBBER LINEMAN'S GLOVES TO BE LOW VOLT- AGE, CLASS 0,

287 TYPE 1.

Bashlin North Safety Equipment White Rubber Co.

14-0Y E014R 14-0Y

E014Y

*Current Date

Water and Wastewater Master Material Catalog Page: 296 of: 357

PUD-SAFETY SUPPLIES

SFTCC

Item Description: GOGGLE, SAFETY - CLEAR, POLYCARBONATE SAFETY LENS, 160 DEGREE VISION, VENTING SYSTEM, FOG FREE

295 LENS (INSIDE & OUT, 96% UV INHIBITIVE (MIN OF 400 NM), NEOPRENE HEADBAND.

UVEX SAFETY, INC. W W GRAINGER

9301 FUTURA 6T363

Item Description: GLOVE, SMALL SIZE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT ANTI-BACTERIAL LINING.

305 MACHINE WASHABLE. COME IN AS A PAIR *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1

PAIR) ***

ERGODYNE PROFLEX

MODEL#910-SMALL

Item Description: GLOVE, MEDIUM SIZE, PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT, ANTI-BACTERIAL LINING.

307 MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-MEDIUM

Item Description: GLOVE, LARGE SIZE PROTECT FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

311 MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-LARGE

Item Description: GLOVE, XLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

314 MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-XLARGE

Item Description: GLOVE, XXLARGE PROTECTION FROM SHOCK AND IMPACT WITH WRIST SUPPORT. ANTI-BACTERIAL LINING.

316 MACHINE WASHABLE. *NO SUBSTITUTION WITHOUT PRIOR APPROVAL* *** (1 EACH = 1 PAIR) ***

ERGODYNE PROFLEX

MODEL#910-XXLARGE

*Current Date

Water and Wastewater Master Material Catalog Page: 297 of: 357

PUD-SAFETY SUPPLIES

SFTCC

Item Description: SHIELD, FACE MODEL, SHIELD TO ATTACH TO BULLARD MODEL #5100 HARD HAT, CLEAR SHIELD TO BE

490 GENERAL PURPOSE TYPE FOR PROTECTION AGAINST LIGHT IMPACT, CHEMICAL SPLASH AND SPRAY. SHIELD

DIMENSIONS 8" X 15" X .040".

BULLARD

840-M

Item Description: WADER, CHEST - SIZE 10, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL

530 CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED

SOLE, TOP DRAWSTRING.

BATA INDUSTRIAL

86067

Item Description: WADER, CHEST - SIZE 12, STEEL TOE, VINYL COATED NYLON UPPERS, INJECTION MOLDED POLYVINYL

540 CHLORIDE BOTTOMS, RESISTANT TO ACIDS, GREASE, CHEMICALS AND PETROLEUM. STEEL SHANK, CLEATED

SOLE, TOP DRAWSTRING.

BATA INDUSTRIAL

86067

Item Description: FACE SHIELD, CPR - DISPOSABLE FACE SHIELD, FOR USE ON LAERDAL CPR TRAINING MANIKANS. (36

SHIELDS PER BX, 6 BOXES PER CASE)

LAERDAL

151201

SFTDD

Item Description: SIGN KIT, "ROAD CLOSED", 36"X 36", ORANGE MESH ROLL-UP SIGN, HEAVY DUTY DOUBLE KNIT NYLON

110 CONSTRUCTION (TWO LAYERS), HEAT SEALED BORDERS, INCLUDES RIB SUPPORTS AND CASE. ORANGE W/BLACK

LETTERS. MATERIALS & SERVICES

SAFETY PRODUCTS INC.

TC36X3681 COMPLETE KIT

*Current Date

Water and Wastewater Master Material Catalog Page: 298 of: 357

PUD-SAFETY SUPPLIES

SFTDD

260

403

Item Description: MARKER, UTILITY - SEWER VALVE, 5'2" H X 3-3/4" W, FIBERGLASS MARKER, GREEN COLOR W/VINYL SEWER

200 DECAL, DECAL TO READ: "CAUTION SEWER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY

CALL 665-4802

CARSONITE ELECTROMARK

CJF-1593 ASSEMBLED POST GREEN ETO

GENERIC

Item Description: MARKER, UTILITY - WATER METER, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER

220 DECAL, DECAL TO READ: "CAUTION WATER METER", IN CASE OF EMERGENCY CALL 665-4801

ELECTROMARK

JEA026-L-SV-TN1

Item Description: MARKER, UTILITY - WATER VALVE, 5'-2"H X 3-3/4"W, FIBERGLASS MARKER, BLUE COLOR W/VINYL WATER

256 DECAL, DECAL TO READ: "CAUTION WATER PIPELINE VALVE", BEFORE DIGGING OR IN CASE OF EMERGENCY

CALL 665-4801

CARSONITE ELECTROMARK

6135-JEA ASSEMBLED POST BLUE ETO

GENERIC

Item Description: MARKER UTILITY - RECLAIM WATER, 5' 2" H X 3-3/4" W. FIBERGLASS MARKER, PANTONE PURPLE 522C

COLOR W\VINLY WATER DECAL, "CAUTION RECLAIM WATER VALVE", BEFORE DIGGING OR IN CASE OF

EMERGENCY CALL 665-4802

CARSONITE ELECTROMARK

JEA-15045 JEA027-L-SV-TN1

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF WITH 4" X 5" FLAG. BLUE W/ WHITE

LETTERING. "CAUTION BURIED WATER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL

811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

BLACKBURN

*Current Date

Water and Wastewater Master Material Catalog Page: 299 of: 357

PUD-SAFETY SUPPLIES

SFTDD

Item Description: FLAG, MARKING - UTILITY MARKING FLAG. 21" LONG WIRE STAFF W/ 4" X 5" FLAG. GREEN W/ WHITE
LETTERING. "CAUTION BURIED SEWER LINE". FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL

811, VISIT WWW.SUNSHINE811.COM. ** 1000 FLAG PER CASE.**

BLACKBURN

11397

SFTEE

Item Description: BACK SUPPORT, INDUSTRIAL, SMALL, SUPPORT TO FIT WAIST SIZES 25"-30", HIP SIZES 32"-36". BACK
019 SUPPORTS TO BE PRO FLEX MODEL #HP2000. **NO SUBSTITUTE**

ERGODYNE PROFLEX

2000SF

Item Description: BACK SUPPORT, INDUSTRIAL, MEDIUM, TO FIT WAIST SIZE 30"-34", HIP SIZES 36"- 40" BACK SUPPORTS

TO BE PRO FLEX MODEL #HP2000. **** NO SUBSTITUTE *****

ERGODYNE PROFLEX

2000SF

Item Description: BACK SUPPORT, INDUSTRIAL, LARGE, SUPPORT TO FIT WAIST SIZE 34"-38", HIP SIZES 40"-44". BACK

SUPPORTS TO BE PROFLEX MODEL #HP2000. **** NO SUBSTITUTE****

ERGODYNE PROFLEX

2000SF-LARGE

Item Description: BACK SUPPORT - INDUSTRIAL, X-LARGE, SUPPORT TO FIT WAIST SIZE 38"-42", HIP SIZES 44"-48". BACK SUPPORTS TO BE PRO FLEX #HP2000. ****NO SUBSTITUTE****

ERGODYNE PROFLEX

2000SF

*Current Date

Water and Wastewater Master Material Catalog Page: 300 of: 357

PUD-SAFETY SUPPLIES

SFTEE

Item Description: BACK SUPPORT - INDUSTRIAL, XXX-LARGE, SUPPORT TO FIT WAIST SIZE OVER 48". BACK SUPPORT TO BE

062 SIZED AS REQUIRED. BACK SUPPORTS TO BE PRO-FLEX MODEL HP2000 ***** NO SUBSTITUTE *****

ERGODYNE PROFLEX

2000SF

Item Description: TREAD, ANTISLIP - 6" X 24" ANTI-SLIP THREADS FOR APPLYING TO STRAIRS OR STEPS 6" X 24"

117 INDIVIDUAL STRIPS ARE SELF- ADHESIVE FOR APPLICATION TO CLEAN, DRY SURFACES. FIFTY (50) PER BOX

3M PRODUCTS *NO SUBSTITUTE*

CAMERON & BARKLEY

131237

SFTFL

Item Description: FLAG, MARKING, PURPLE W/ WHITE LETTERING "CAUTION RECLAIM WATER LINE", 4"X5" FLAG W/ 21" WIRE

O15 STAFF, FLAGS/PAINT PLACED TO PROTECT BURIED UTILITIES, CALL 811, VISIT WWW.SUNSHINE811.COM, **

1000 FLAGS PER CASE, ISSUE PER CASE, 1 CASE = 1 EA.

BLACKBURN

11413

SFTGL

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, MEDIUM, 50 PAIR PER DISPENSER

100 BOX

MICROFLEX CORP.

SG375 M

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, LARGE, 50 PAIR PER DISPENSER

101 BOX

MICROFLEX CORP.

SG375 L

*Current Date

Water and Wastewater Master Material Catalog Page: 301 of: 357

PUD-SAFETY SUPPLIES

SFTGL

Item Description: GLOVE, *BLUE *, POWDER-FREE, EXAM GLOVES, LATEX, EXTENDED CUFF, X-LARGE, 50 PAIR PER DISPENSER

102 BOX

MICROFLEX CORP.

SG375 XL

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

103 LENGTH, POWDER FREE. ****MEDIUM SIZE****ONE EACH EOUALS A BOX OF 50****

ORDER BY DESCRIPTION

OBD

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

104 LENGTH, POWDER FREE. ****LARGE SIZE****ONE EACH EQUALS A BOX OF 50***

ORDER BY DESCRIPTION

OBD

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

105 LENGTH, POWDER FREE. ****EXTRA LARGE SIZE****ONE EACH = 1 BOX OF 50 PAIRS****

ORDER BY DESCRIPTION

OBD

Item Description: GLOVES, PREMIUM PLUS HD INDUSTRIAL NITRILE GLOVES, 8 TO 9 MIL THICK, ROUGH TEXTURE, 9.5" IN

106 LENGTH, POWDER FREE. ****XXL SIZE****ONE EACH = 1 BOX OF 50 PAIRS OR 100 SINGLES***

ORDER BY DESCRIPTION

OBD

*Current Date
Water and Wastewater Master Material Catalog
Page: 302 of: 357

STREET LIGHT MATERIAL

STLLA

Item Description: INACTIVE ONCE DEPLETED - LAMP, MECURY VAPOR, 175W, E-28 BULB, MOGUL BASE, 8600 INITIAL LUMENS,

005 24000 HOURS RATED LIFE.

GENERAL ELECTRIC CO. PHILLIPS LIGHTING SYLVANIA

HR175DX39 H39KC-175/DX H39KC-175/DX

*Current Date

Water and Wastewater Master Material Catalog Page: 303 of: 357

TAPE

TAPDU

Item Description: TAPE, DUCT, 2" X 60 YARD/ROLL MEDIUM STRENGTH, WATER PROOF POLYETHYLENE LAMINATED TO CLOTH/

001 RUBBER RESIN ADHESIVE, SILVER, (STD. PKG. 24 EACH)

3M SCOTCH-BRITE SCOTCH

3939-48MMX55M 3939 N.06975 SCOTCH 398

SHURTAPE TECHNOLOGIES, INC. TAPE PRODUCTS COMPANY TUCK INDUSTRIES INC.

618S-2X60Y 300S-2X60Y 92-T

TAPMS

Item Description: TAPE, MASKING, 2" X 60 YARD/ROLL, (STD. PKG. 24 EACH), EXPIRATION DATE MUST APPEAR ON EACH

002 INDIVIDUAL ITEM

3M SHURTAPE TECHNOLOGIES, INC.

232-48MM-55M 2"X2160IN.

TAPSE

Item Description: TAPE, TEFLON, THREAD SEAL, 1/2" WIDE X 260" ROLL

003 GRAINGER

ITEM: 3PDLS; MODEL: 26130

TIES

TIECA

Item Description: TIE, CABLE, NYLON, 36" IN LENGTH MINIMUM, ONE PIECE, EXTRA HEAVY DUTY, 175 LBS. LOOP TENSILE

005 STRENGTH, (50 EACH TIES P/BAG), TO BE USED WITH THE INSTALLATION OF TRACER WIRE ON PVC PIPE,

CATAMOUNT

L-36-175-9-L

*Current Date

Water and Wastewater Master Material Catalog Page: 304 of: 357

TIES

TIESS

Item Description: TIES, STAINLESS STEEL, 8 INCHES LONG, 250 LB CAPACITY FOR USE IN INSTALLATIONS OF SAFETY SIGNS.

001 P AND C TECH PRODUCTS

AR-08-250-SS-C

PUD-TOOLS

TLSAA

Item Description: BAR, LINING (PINCH POINT BAR) - DIAMOND POINT, 1-1/4" X 60", TOOL STEEL, HEAT TREATED AND

040 TEMPERED, 18 LBS

AMES TRUE TEMPER MADISON

1160100 965

Item Description: INACTIVE - BAR-WRECKING, 3/4" X 24" WARREN, STANLEY, MADISON MILLS OR EQUAL

050 AMES TRUE TEMPER WARREN HEIM CORP.

1170500 TL-45

Item Description: BINDER, LOAD FOR 3/8" CHAIN, LOAD BINDERS TAKE UP SLACK AND SECURE LOAD IN OPERATION, LOAD

070 LIMIT - 9200 LBS, SLACK TAKE-UP = 8". RATCHET TYPE BINDER. DROP FORGED COSTRUCTION WITH ALLOY

GRAB HOOKS RUST RESISTANT FINISH.

COLUMBUS MCKINNON

48366

Item Description: BLADE, HACK-SAW, 1/2" X 10", 24 TOOTH, (NO SUBSTITUTE)

080 L.S. STARRETT COMPANY LENOX SAW

KBS1224-10 LENOX T2 TECHNOLOGY V024HE.

10/PK (20141V024HE)

Item Description: BLADE, CIRCULAR SAW, 12" X 1", CARBIDE TIP, 5500 MAX R.P.M.

130 AMANA TOOL SUPER KING

DB12-120 12-12T

*Current Date

Water and Wastewater Master Material Catalog Page: 305 of: 357

PUD-TOOLS

TLSAA

Item Description: BLADE SAW, CIRCULAR, 7-1/4", CROSSCUT, BLACK & DECKER, GRAINGER, OR EQUAL

DEWALT INDUSTRIAL TOOL CO. MILWAUKEE TOOLS

DW3324 48-40-4120

Item Description: BLADE, SAW, 12" DIAM. X 5/32" THICKNESS X 1"/20 MM ARBOR, 1 HOLE, MAX RPM 6000, HIGH SPEED

170 DOUBLE REINFORCED, ABRASIVE WHEEL, BLADE TO BE USED SPECIFICALLY FOR CUTTING DUCTILE OR CAST

IRON PIPE. MUST MEET OSHA AND ANSI STANDARDS.

HOMELITE DIV. (TEXTRON INC.) MAGNUM

68421B 3012

Item Description: BLADE, SAW, 12" WIDE X 1/8" THICK, 1"/ 20 MM HOLE CENTERED, HI SPEED ABRASIVE CUTTING WHEEL FOR

180 CONCRETE/MASONRY, 6600 RPM MAX REINFORCED BLADE, BLAZER MASONRY, 6000 RPM MAX., REINFORCED

BLADE

NORTON ABRASIVES UNITED ABRASIVES

66252837839 23460

Item Description: BLADE, LIMESTONE, BRICK, CLAY, RECIPROCATING SAW

185

CMT ORANGE TOOLS HITACHI SAKER

JS2243HM 752042 S2243HM/CT

SPYDER PRODUCTS STARX

200211 S2243HM/TC

Item Description: ABRASIVE HIGH SPEED CUTTING WHEEL, 14" X 1/4" WITH 1" ARBOR HOLE, FOR CUTTING ASPHALT, GREEN

186 CONCRETE, PIPE, ETC. MAX SPEED 4365

Item Description: BLADE, FOR PVC PIPE CUTTER

193 RIDGID TOOL

*Current Date

Water and Wastewater Master Material Catalog Page: 306 of: 357

PUD-TOOLS

TLSAA

Item Description: BLADE, SAW, 18", PVC / ABS, 450 MM BLADES, CUTS ON BOTH THE PUSH AND PULL STROKES

195 LENOX SAW

STARRETT

20981-HSB-18

PVC-18

Item Description: BLADE, PVC PIPE CUTTER, FOR RIDGID TUBING CUTTER

197

RIDGID TOOL

22086

Item Description: CAN, GAS - DOT SAFETY TRANSPORT GAS CAN, 5 GALLON, TYPE II, FLEXIBLE METAL SPOUT, DOUBLE-WALLED

307 BRASS FLAME ARRESTOR IN FILLER OPENING, HEAVY DUTY ROLL BARS, AUTOMATIC CLOSURE THUMB

MECHANISM, 1" POUR SPOUT, UN/IMO CERTIFIED. HA

EAGLE MANUFACTURING

1215

Item Description: CHAIN, 1/2" - ALLOY STEEL, WORKING LOAD LIMIT 12,000 LBS. PROOF TESTED TO 22,500 LBS. MINIMUM

390 BREAKING TEST 32,500 LBS.

PEERLESS MFG.

5050672

Item Description: CHISEL, CAPE, 3/8" CUTTING EDGE, 6-1/2" LENGTH

430 ARMSTRONG TOOLS

70-399

Item Description: CHISEL, MOLL POINT, 1-1/4" DIA. HEXAGON WITH CIRCULAR COLLAR, HEAVY DUTY, 24-1/2" OVERALL

490 LENGTH, 18-1/4" FROM COLLAR TO POINT.

BRUNNER & LAY.

A-41018

Item Description: COOLER-WATER, 10 GALLON PLASTIC, IGLOO OR GOTT

IGLOO RUBBERMAID PRODUCTS

*Current Date

Water and Wastewater Master Material Catalog Page: 307 of: 357

PUD-TOOLS

TLSAA

Item Description: CUTTER, ASPHALT (ASPHALT SPADE), SHANK SIZE TO BE 1-1/4" X 6", BLADE WIDTH TO BE 5", TO BE USED

720 FOR BREAKING, EDGING AND SLOTTING ASPHALT.

BICKNELL PIONEER TOOL

281BMC 1050

Item Description: CUTTER, ASPHALT (ASPHALT SPADE), HEXAGON SHAPED SHANK TO BE 1-1/4" X 6", WITH CIRCULAR COLLAR

725 (1-3/4" DIA.), BLADE SIZE TO BE 4-3/4" WIDE AND 10" LONG, BLADE TO BE TAPERED ON SIDES AND

BOTTOM, OVERALL LENGTH OF CUTTER TO BE 22-1/4". LE ROY #

TAMPCO INC

4064-012

Item Description: CUTTER, BOLT 36", JAWS MADE OF HARDENED ALLOY STEEL, HEAVY DUTY.

730 RIDGID TOOL

14233

Item Description: CUTTER, PIPE GALV.-(PIPE CUTTER CAPACITY 1/2" THROUGH 2") 4 WHEEL

750 RIDGID TOOL

32870

Item Description: CUTTER, PIPE-FOR PVC PIPE, FOR PIPE SIZES 1/8" - 1-1/2", HARDENED STEEL BLADE, ONE HAND

753 OPERATION, WITH BLADEGUARD, CUTTER TO UTILIZE A COMPOUND LEVERAGE RATCHET SYSTEM --

RIDGID TOOL

23498

Item Description: CUTTER, FOR PVC, CPVC, PEX AND POLYETHYLENE, POLYBUTYLENE AND RUBBER HOSE, PIPE SIZE 1/2" TO 2

757 3/8", HARDENED STEEL BLADE, WITH BLADE GUARD, RATCHET SYSTEM, ALUMINUM CONSTRUCTION, BLADE

REPLACEMENT AVAILABLE. NO SUBSTITUTIONS

RIDGID TOOL

*Current Date

Water and Wastewater Master Material Catalog Page: 308 of: 357

PUD-TOOLS

TLSAA

Item Description: CUTTER, TUBING, FOR 1/4" - 2-3/8" O.D. TUBING, WITH ENCLOSED FEED SCREW AND GROOVED ROLLS,

760 EXTRA CUTTER WHEEL SUPPLIED WITH CUTTER,

** NO SUBSTITUTE **

MILWAUKEE TOOLS RIDGID TOOL

48-22-4253 33055

TLSBB

Item Description: DIGGER-POST-HOLE, WITH 48" HANDLE

850 AMES TRUE TEMPER

78002

Item Description: EASE OUT, 1/2", SCREW EXTRACTOR, FOR USE ON 3/4" THRU 1" BOLT SIZES, -OR- FOR USE ON 1/2" PIPE,

900 MUST MEET FEDERAL SPEC. #GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

70-962 J9526

Item Description: EASE OUT 3/8", SCREW EXTRACTOR, FOR USE ON 9/16" THRU 5/8" BOLT SIZES, OR USE ON 3/8" PIPE,

910 MUST MEET FEDERAL SPECS NO. GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

70-958 J9525

Item Description: EASE OUT 3/4", SCREW EXTRACTOR, FOR USE ON 1-1/8" THRU 1-3/8" BOLT SIZES, OR FOR USE ON 3/4"

920 PIPE, MUST MEET FEDERAL SPEC #GGG-E-936C.

ARMSTRONG TOOLS PROTO PROFESSIONAL TOOLS

Item Description: EASE OUT 1", SCREW EXTRACTOR, TO BE USED ON 1" PIPE -OR- 1-1/2" BOLTS, MUST MEET FEDERAL

930 SPECIFICATIONS #GGG-E-936C.

STANLEY-PROTO INDUSTRIAL TOOLS

J9529

*Current Date

Water and Wastewater Master Material Catalog Page: 309 of: 357

PUD-TOOLS

TLSBB

Item Description: EASE OUT, 1-1/2", SCREW EXTRACTOR, FOR USE ON 2-1/2" THRU 3" BOLT SIZES -OR- FOR USE ON 1-1/2"

940 PIPE, MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC CLEVELAND TWIST DRILL GREENFIELD

11 C53661 65027

Item Description: EASE OUT, 2", SCREW EXTRACTOR, FOR USE ON 3" THRU 3-1/2" BOLT SIZES - OR- FOR USE ON 2" PIPE,

950 MUST MEET FEDERAL SPEC. #GGG-E-936C.

CHICAGO PNEUMATIC CLEVELAND TWIST DRILL GREENFIELD

12 C53662 65029

TLSCC

Item Description: FILE-FLAT MILL, BASTARD 12" ***** NO SUBSTITUTE *****

040 NICHOLSON

08737

Item Description: FILE-BASTARD, ROUND 8"

080 NICHOLSON

11904

Item Description: FILE-TAPER, SLIM 8"

110 NICHOLSON

14290

Item Description: FILE-TAPER, SLIM XX, 6"

130 NICHOLSON

15024

Item Description: FUNNEL, SAFETY CAN

210 **BALKAMP** 821-5212

*Current Date Water and Wastewater Master Material Catalog Page: 310 of: 357

PUD-TOOLS

TLSCC

Item Description: GUN CAULKING - HALF BARREL

280 RED DEVIL

RDI-3985

Item Description: GREASE GUN, LEVER ACTION 14 OZ. CARTRIDGE SIZE, OPERATING PSI:8,000 PSI

²⁹⁰ **вацкамр**

BK715-1241

Item Description: HAMMER, BALL PEIN, 8 OZ., HICKORY HANDLE DROP FORGED, HIGH CARBON STEEL

300 KLEIN TOOLS WESTWARD

803-8 2DBR6

Item Description: HAMMER-BRICK, WITH/HICKORY HANDLE 11 3/4" OVERALL LENGTH (NO SUBSTITUTE)

330 **STANLEY**

54-435

Item Description: HAMMER-NAIL, CLAW 16 OZ. W/ HANDLE

350 **STANLEY**

STHT51512

Item Description: HANDLE-CLAW HAMMER 14" FOR 16 & 20 OX.

410 **BARCO**

P10303

Item Description: HANDLE, SHOVEL - TRUE TEMPER HICKORY SHOVEL, 46" HANDLE . NO HANDLES LONGER THAN 46" WILL BE

480 ACCEPTED. DOUBLE PIN FASTENER. REPLACES HANDLES FOR TYPE "BLR" AND "BLS" TRUE TEMPER SHOVELS.

AMES TRUE TEMPER

*Current Date

Water and Wastewater Master Material Catalog Page: 311 of: 357

PUD-TOOLS

TLSCC

Item Description: HATCHET, 3 1/2" POLISHED BLACK BLADE, BEVELED NAIL SLOT, POLISHED FACE AND EDGE, HICKORY

500 HANDLE.

BARCO INDUSTRIES VAUGHAN

09006 20520

Item Description: HOE-COTTON, 7" X 5" BLADE, 5' HANDLE

510 UNION FORK & HOE

71-112

Item Description: HOOK, CHAIN CLEVIS, GRAB 3/8", (STD PKG 10 EACH)

520 CAMPBELL CERTIFIED SLING

T9501624 368436

Item Description: HOOK CHAIN CLEVIS GRAB 1/2" (2500 LB. RATED CAPACITY)

525 CROSBY GROUP INC.

1049647

Item Description: HOOK, PACKING - FLEXIBLE, #1 SIZE, 6-1/4" LENGTH, SPIRAL DIA.=1/4", SHAFT DIA. = 3/16", SPIRAL

530 LENGTH = 3/4" SHANK HAS TWO SPIRAL STEEL SHAFTS (ONE INSIDE THE OTHER) WOUND IN OPPOSITE

DIRECTIONS, T-HANDLE, PERMANENTLY POINTED AND TEMPER HOO

CS OSBORNE

58320

Item Description: HOOK, PACKING - FLEXIBLE, #2 SIZE, 10-5/8" LENGTH, SPIRAL DIA. = 5/16", SHAFT DIA. = 1/4",

540 SPIRAL LENGTH = 1 1/8" SHANK HAS TWO SPIRAL SHAFTS (ONE INSIDE THE OTHER) WOUND IN OPPOSITE

DIRECTIONS, T-HANDLE, PERMANENTLY POINTED AND TEMPER HOOK.

CS OSBORNE

*Current Date

Water and Wastewater Master Material Catalog Page: 312 of: 357

PUD-TOOLS

TLSCP

Item Description: 19 INCH x 4 FOOT ALALUMNIUM CONCRETE PLACER, NO HOOK.

001 KRAFT TOOL COMPANY MARSHALLTOWN TOOLS

CC964 AP753

TLSDD

Item Description: J-PLUG, 4"-8" COMPLETE, FOR 4", 6", AND 8" PIPE

570 SEWER EOUIPMENT CO.

J-48

Item Description: J-PLUG 8" - 12", (FOR 8", 10", & 12" PIPE)

575 SEWER EQUIPMENT CO.

J-812

Item Description: J-PLUG, 12" TO 18" FOR PIPES 12", 15", 16", 18"

580 REMO SEWER EQUIPMENT CO.

J-1218 J1218

Item Description: J-PLUG, 18" TO 24" FOR PIPES 18"-24"

590 SEWER EQUIPMENT CO.

J-1824

Item Description: TELESCOPING ALUMINUM POLE, 8FT TO 20FT

604 SEWER EQUIPMENT CO.

130-6

Item Description: KIT, AIR, REMO-PLUG WITH POLY BRAIDED HOSE, GAUGE, AND FITTINGS

620 OATEY CO. REMO

*Current Date

Water and Wastewater Master Material Catalog Page: 313 of: 357

PUD-TOOLS

TLSDD

Item Description: PUMP HAND AIR, WITH GAUGE J-PLUG SEWER EOUIPMENT COMPANY OF FLORIDA.

630 CHERNE

SEWER EQUIPMENT CO.

273-958

B-20

Item Description: J-PLUG, RUBBER SLEEVE 8"-12" W/STAINLESS STEEL BANDS, MODEL A8-12 - FOR 8", 10" AND 12" PIPE

650

Item Description: J-PLUG, RUBBER SLEEVES, 12"-18", WITH STAINLESS STEEL BANDS, MODEL #A12-18, FOR 12", 16", & 18"

655 PIPE

Item Description: SLEEVE, RUBBER J-PLUG, REPLACEMENT SLEEVE ONLY, FOR 18"-24" PIPE, WITH STAINLESS STEEL BANDS

657

Item Description: KEY, CURB STOP, 1/2" X 4', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4"

671

SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4"

HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PE

Item Description: KEY, CURB STOP, 1/2" X 3', 5/8" SOLID STEEL "T" HANDLE AND SHAFT. KEY HEAD TO BE MADE OF 1/4"

672

SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 1/2" WIDE. HEAD DIMENSIONS TO BE: 1" WIDTH X 1-1/4

HEIGHT X 1-1/2". CURB KEYS TO BE CONSTRUCTED AS PER

Water and Wastewater Master Material Catalog Page: 314 of: 357

PUD-TOOLS

TLSDD

*Current Date

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 3', 1" X 1", 1/8" SQ TUBE SHAFT. KEY HEAD

673 MADE OF 1/4" SOLID CHANNEL IRON, "KEY" SLOT TO BE EXACTLY 3/4" WIDE, HEAD DIMENSIONS: 1-1/4"

WIDTH X1-1/4" HEIGHT X 1-1/2". **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 4', 1" X 1", 1/8" SQ TUBE SHAFT, KEY HEAD TO

BE 1/4" SOLID CHANNEL IRON, "KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH X

1-1/4" HEIGHT X 1-1/2", **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, CURB STOP, 30", 3/4" STEEL PIPE "T" HANDLE X 5', 1" X 1", 1/8" SQ TUBE SHAFT. KEY HEAD TO

677 BE 1/4" SOLID CHANNEL IRON. "KEY" SLOT TO BE EXACTLY 3/4" WIDE. HEAD DIMENSIONS: 1-1/4" WIDTH

X 1-1/4" HT X 1-1/2". **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, GATE VALVE, 6' X 1 1/4" ROUND STEEL TUBING, W/ 24" X 1-1/4" "T" HANDLE, FITS 2" VALVE

680 OPERATING NUTS

WATER KEY

SGVK-06

Item Description: WRENCH, VALVE - ADJUSTABLE W/ KEY HEAD - EXTENDABLE HANDLE WITH ADJUSTMENT SCREW - HANDLE

ADJUSTABLE FROM 5FT TO 10FT - FOR OPERATING VALVES WITH A STANDARD 2" OPERATING NUT, **CUSTOM

FAB ONLY - NO SUB. **

CUSTOM FAB

VK5-10

Water and Wastewater Master Material Catalog Page: 315 of: 357

PUD-TOOLS

TLSDD

*Current Date

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 4', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

690 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 5', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

700 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: KEY, VALVE WHEEL, 2', 5/8" STEEL ROD "T" HANDLE X 6', 5/8" STEEL ROD SHAFT, U-SHAPED KEY HEAD

710 IS 1/2" STEEL ROD, 2-1/2" HIGH, 1-1/4" GAP. **ORDER BY DESCRIPTION**

GLASMASTERS

OBD

Item Description: LADDER, EXTENSION - ALUMINUM, 16 FT., TWO SECTION STRAIGHT EXTENSION TYPE, 250 LB. WORKING LOAD,

740 TYPE 1, "D" SHAPED RUNGS W/SERRATIONS, WORKING LENGTH TO BE 13FT SWIVEL SAFETY SHOES, GRAVITY

RUNG LOCKS, LADDER MUST MEET ANSI A14.2 & OSHA. LO

WERNER

D1316-2

Item Description: LADDER, EXTENSION - ALUMINUM, 20 FT. TWO SECTION STRAIGHT EXTENSION TYPE, 250 LB. WORKING LOAD,

750 TYPE 1, "D" RUNGS WITH SERRATIONS, TOTAL LENGTH TO BE 20 FT., 17 FT. WORK LENGTH, SWIVEL SAFTEY

SHOES, GRAVITY RUNG LOCKS, MUST MEET ANSI A14.2

WERNER

D1320-2

Item Description: LEVEL-ALUMINUM, 24"

800 STANLEY - PROTO INDUSTRIAL TOO

42-324

*Current Date Water and Wastewater Master Material Catalog Page: 316 of: 357

PUD-TOOLS

TLSDD

Item Description: LEVEL-ALUMINUM, 48"

810 STANLEY-PROTO INDUSTRIAL TOOLS

42-480

Item Description: LOCK-PAD, MASTER #1 KEY DIFFERENT - LOCK NUMBER MUST APPEAR ON ALL LOCKS ** NO SUBSTITUTE **

830 MASTER LOCK COMPANY

1INK

Item Description: LOCK-PAD, MASTER #1, LOCK NUMBER MUST APPEAR ON ALL LOCKS ** NO SUBSTITUTE **

840 MASTER LOCK COMPANY

1KAINK KEY #2414

Item Description: LOCK-PAD, MASTER #1, ** NO SUBSTITUTE ** LOCK # MUST APPEAR ON ALL LOCK S

850 MASTER LOCK COMPANY

1KA KEY #2682

Item Description: LOCK, PADLOCK - 5-3/4" VERTICAL SHACKLE CLEARANCE, #1 CASE (1-3/4" WIDE X 7/8" THICK). LOCK #

857 MUST APPEAR ON ALL LOCK S

MASTER LOCK COMPANY

1KALNINK KEY #2414

Item Description: NUT DRIVER, HEX - 1/4", PRECISION FORMED HEAT TREATED HEX OPENINGS, CHROME PLATED SHANKS, COLOR

880 CODED FIRE RESISTANT HANDLES, 3" SHANK LENGTH, APRROX. 6-5/8" OVERALL LENGTH.

RAPTOR STANLEY-PROTO INDUSTRIAL TOOLS

RAP 14503 9208

TLSEE

Item Description: PLIERS-LINEMAN, 8" INSULATED HANDLES (NO SUBSTITUTE)

100 KLEIN TOOLS

D201-8NE

*Current Date

Water and Wastewater Master Material Catalog Page: 317 of: 357

PUD-TOOLS

TLSEE

Item Description: PUNCH, PIN, SOLID, 5/16" X 5/32"

220 PROTO PROFESSIONAL TOOLS

J475/16X5/32

Item Description: PUNCH, SOLID PIN 3/16"

230 PROTO PROFESSIONAL TOOLS

J473/8X3/16

Item Description: PUNCH, DRIVE PIN, SOLID, 1/4", 6-3/4" OVERALL LENGTH.

240 STANLEY-PROTO INDUSTRIAL TOOLS

J471/2X1/4

Item Description: LEAF RAKE, 22" TIN SPRING BRACE, 54" HANDLE.

280 TRUE TEMPER

2604512

Item Description: RATCHET, 1/2" DRIVE, OVERALL LENGTH 10 1/2", **NO SUBSTITUTE**

315 STANLEY-PROTO INDUSTRIAL TOOLS

J5449

Item Description: RATCHET WRENCH SET, 2 SOKET ENDS PER WRENCH, SOCKET SIZES/WRENCH: 3/4" & 7/8"; 15/16" & 1-1/8";

1-1/16" & 1-1/4", WITH GREEN PLASTICE CARING CASE.

RAPTOR TRUMBULL RAP41003 364-9986

Item Description: ROD, PROBE, HOT DIP GALVANIZED, 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD SHAFT

340 SHALL BE 1/2" DIA. X 4' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE **

CUSTOM FAB U.S. FILTER

654PR4 65PR4

*Current Date

Water and Wastewater Master Material Catalog Page: 318 of: 357

PUD-TOOLS

TLSEE

Item Description: ROD, PROBE, HOT DIP GALVANIZED, WITH 3/4" DIA. X 1' LENGTH "T" HANDLE WITH RUBBER GRIPS, ROD

350 SHAFT SHALL BE 1/2" DIA. X 5' LENGTH, (ROD POINT TO BE DIAMOND POINT) ** NO SUBSTITUTE **

CUSTOM FAB

65PR5

Item Description: RULER, FOLDING 6', IN TENTHS.

550 LUFKIN

1066DN

Item Description: HAND-SAW, 26", 8 POINT, (NO SUBSTITUTE)

560 STANLEY - PROTO INDUSTRIAL TOO

15-726 15-108

Item Description: SAW, HAND, PVC / ABS PIPE SAW WITH 18" BLADE, CUTS ON BOTH PUSH AND PULL STROKES.

565 LENOX SAW

20980-HSF-18

TLSFF

Item Description: SHOVEL, TRENCHING, V-SHAPE, BLADE SIZE 3 WIDE X 6.125" DEPTH, HARDWOOD HANDLE 48".

841 AMERICAN MANUFACTURING

47023

Item Description: SHOVEL, ROUND POINT, W/LIFETIME GUARANTEE HANDLE & #2 TEMPERED BLADE. ALL HANDLES TO BE

847 FIBERGLASS. ***SPO=6***

AMES TRUE TEMPER

Water and Wastewater Master Material Catalog Page: 319 of: 357

PUD-TOOLS

TLSFF

*Current Date

Item Description: SHOVEL, SOUARE POINT - WITH LIFETIME GUARANTEED HANDLE AND #2 TEMPERED BLADE, ALL HANDLES TO BE

FIBERGLASS.

AMES TRUE TEMPER NUPLA CORPORATION RAZORBACK

2585500 SP2L 44000

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 4' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

860 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 6' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

870 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, 1/2" DIAM- ETER WIRE ROPE (7X7X7 GAC CONST.), 8' LENGTH, RINGS ON BOTH ENDS & 1 SLIDING

880 CHOKE HOOK. FITTINGS TO EXCEED CAP. OF SLING, PERMANENTLY ATTACHED METAL TAG WITH LIFTING

CAPACITY, VERT. 1.9 TON, CHOKER 1.3 TON, BASKET 3.7 TON

Item Description: SLING, NYLON - 2 PLY, 2 INCH BY 6 FEET. TO BE USED ON SPREADER BEAM ASSEMBLY LIFTING METER

VAULTS, PERMANENTLY ATTACHED METAL TAG WITH LIFT CAPT. VERT. 6,400 LBS., CHOKER 5,000 LBS.,

BASKET 12,800 LBS.

INDUSCO LIFTALL

77865671 EE2-802X6

Water and Wastewater Master Material Catalog Page: 320 of: 357

PUD-TOOLS

TLSFF

*Current Date

Item Description: LIFTING EYE, 3/4" X 8", SCREW END (COIL ROD) EYE IS FOR LIFTING LARGE W200 UTILITY BOXES MUST BE

887 COMPATIBLE W/ EXISTING CONCRETE STRUCTURES AND LIFTING EQUIPMENT LIFTING EYE TO HAVE A MINIMUM

LIFTINGCAPABILITYOF2500LBS.

Item Description: LIFTING EYE, 1" X 7 3/4", SCREW END (COIL ROD) EYE IS FOR LIFTING LARGE CONCRETE METER VAULTS.

889 MUST BE COMPATIBLE WITH EXISTING CONCRETE STRUCTURES & LIFTING EQUIPMENT LIFTING EYE TO HAVE A

MINIMUM LIFTING CAPABILITY OF 2500 LBS.

INDUSCO

CLE-CN491734

Item Description: SLING, 8 FOOT LONG, 6,400 LBS VERTICAL CAPACITY, SYSNTHETIC SLING MADE FROM ONE SKEIN OF YARN

892 WITH DOUBLE-WALL TUBULAR JACKET, WEAR POINTS ARE AJUSTABLE. VERT. 6,400 LBS., CHOKER 5,000

LBS., BASKET 12,800 LBS.

INDUSCO LIFTALL

77865681 EE2802NFX8

Item Description: SLING, NYLON, 2PLY, 2 INCHES BY 10 FEET LONG. RATED: 6400 LBS VERTICAL, 5000 LBS CHOKER, 12800

893 LBS BASKET, PERMANENTLY ATTACHED WITH CAPACITY TAG.

LIFTALL

EE2-802X10

Item Description: SLING, NYLON, 2 PLY, 2 INCH BY 12 FEET, PERMANENTLY ATTACHED TAG, WITH LIFT CAP. VERT. 6,400

894 LBS., CHOCKER 5,000 LBS., BASKET 12,800 LBS..

LIFTALL

EE2-802X12

*Current Date

Water and Wastewater Master Material Catalog Page: 321 of: 357

PUD-TOOLS

TLSFF

Item Description: SOCKET, 1/2" DRIVE, 1/2".

910 STANLEY-PROTO INDUSTRIAL TOOLS

J5416

Item Description: SOCKET-STANDARD, 12 POINT, 5/8" - 1/2" DRIVE, (NO SUBSTITUTE)

940 STANLEY-PROTO INDUSTRIAL TOOLS

5420

Item Description: SOCKET, 3/4, 1/2" DRIVE, 12-POINT.

960 STANLEY-PROTO INDUSTRIAL TOOLS

J5424

Item Description: SOCKET, 7/8" - 1/2" DRIVE, 12 POINT

980 STANLEY - PROTO INDUSTRIAL TOO

5428

TLSGG

Item Description: SOCKET, 1", 1/2" DRIVE

000 STANLEY - PROTO INDUSTRIAL TOO

5432

Item Description: TAPE, STEEL, WIDE BLADE, MAGNETIC, 25', (IN INCHES).

005 MILWAUKEE TOOLS

48-22-0225M

Item Description: TAPE, O.D. 6 FT., 146 IN., 100 THS., - FOR MEASURING THE OUTSIDE DIAMETER OF PIPE (WRAP-A-

240 ROUND). (ORDER BY DESCRIPTION)

> LUFKIN ORDER BY DESCRIPTION

OBD W606PD

*Current Date

Water and Wastewater Master Material Catalog Page: 322 of: 357

PUD-TOOLS

TLSGG

Item Description: TAPE-STEEL, 10' (NO SUBSTITUTE)

LUFKIN

L610N - Orange

W9210

Item Description: TAPE, STEEL, 25', TAPE (IN 10THS)

255 **LUFKIN**

HV1425D

PHV1425

Item Description: STEEL TAPE 100'

²⁷⁰ **LUFKIN**

ST100

ST100-07

Item Description: TARPAULIN, VINYL MATERIAL, BLUE, 12' X 15 FT., W/BRASS SPUR GROMMETS, 3 FT. SPACING DOUBLE

FOLD, POLY THREAD, WELDED SEAMS, BONDED, NO LAMANATION, WT. PER SQUARE YD 18 OZ. TEAR STRENGTH

115 LBS, FILL 93 LBS

MAURITZON INC

VCT-18-02-1215

Item Description: TOOL FLARING PRESSURE 3/4".

330 REED TOOLS

Water and Wastewater Master Material Catalog Page: 323 of: 357

PUD-TOOLS

TLSHH

*Current Date

Item Description: WHEELBARROW, 6 CU. FT. HEAPED CAPACITY 5 1/2 LEV 16 GAGE TRAY, 2 PLY PHEUMATIC TIRES, OIL LUBE

400 BEARINGS, CONTRACTOR TYPE II, CLASS 2, GENERAL PURPOSE & CONCRETE TYPE IN ACCORDANCE

WITH/FEDERAL SPECS, KKK-W-291-F

AMES TRUE TEMPER

M6T22

Item Description: WHEELCUTTER, CAST IRON, FOR REED CUTTERS #H6, H8 & H12.

430 REED TOOLS

H16 / 03524

Item Description: WHEELCUTTER, CAST IRON, 4"-12", MODEL #E-3186

445 RIDGID TOOL

83140

Item Description: WHEELCUTTER, TUBING - WHEELCUTTER FOR RIGID MODEL #205 TUBING CUTTER

450 RIDGE TOOL

33185

Item Description: WHEELCUTTER, GALVANIZED, 1/2"-2", F3 CUTTER WHEEL, FOR 42A RIDGID PIPE CUTTER.

460 RIDGID TOOL

33105

Item Description: WHEELCUTTER, PIPE - WHEELCUTTER FOR RIGID MODEL #468C PIPE CUTTER, CUTTER WHEEL TO BE USED FOR

465 CUTTING CAST IRON PIPE.

RIDGID TOOL

33135

Item Description: WRENCH-ADJUSTABLE END, 8", CHROME PLATED (NO SUBSTITUTE)

490 PROTO PROFESSIONAL TOOLS

J708B

*Current Date

Water and Wastewater Master Material Catalog Page: 324 of: 357

PUD-TOOLS

TLSHH

Item Description: WRENCH-ADJUSTABLE END, 18", CHROME PLATED (NO SUBSTITUTE)

PROTO PROFESSIONAL TOOLS

J718B

Item Description: WRENCH, COMBINATION BOX/OPEN END, 1-13/16", 12 POINT.

685 ARMSTRONG TOOLS

25-258

Item Description: HEX BIT SET - 9 PIECE, BIT SIZES TO BE 5/64,3/32,7/64,1/8,9/64,5/32,3/16,7/32, 1/4. SET TO

720 INCLUDE CHROME PLATED STEEL HOLDER, BITS TO BE HEAT TREATED CHROME NICKEL ALLOY STEEL OR BLACK

OXIDE, SQUARE CUT AND CAMFERED.

PROTO PROFESSIONAL TOOLS

J4993

Item Description: WRENCH-PIPE 6" (NO SUBSTITUTE)

730 RIDGID TOOL

31000

Item Description: WRENCH-PIPE, 8" (NO SUBSTITUTE)

740 RIDGID TOOL

31005

Item Description: WRENCH-PIPE 10" (NO SUBSTITUTE)

750 RIDGID TOOL

31010

Item Description: WRENCH-PIPE 12" (NO SUBSTITUTE)

760 RIDGID TOOL

*Current Date

Water and Wastewater Master Material Catalog Page: 325 of: 357

PUD-TOOLS

TLSHH

Item Description: WRENCH-PIPE, 14" (NO SUBSTITUTE)

770 RIDGID TOOL

31020

Item Description: WRENCH-PIPE, 18" (NO SUBSTITUTE)

780 RIDGID TOOL

31025

Item Description: WRENCH-PIPE 24" (NO SUBSTITUTE)

790 RIDGID TOOL

31030

Item Description: HEX BIT SET - 11 PIECE, HEX BIT SIZES TO BE .050",1/16",5/64",3/32",7/64", 1/8",

846 9/64",5/32",3/16",7/32", 1/4". CHROME PLATED STEEL HOLDER, BITS TO BE HEAT TREATED CHROME

NICKEL ALLOY STEEL OR BLACK OXIDE SOUARE CUT AND CHAMFERED

STANLEY-PROTO INDUSTRIAL TOOLS

J4981

Item Description: HEX BIT SET - 5 PIECE, HEX BIT SIZES TO BE 3/16", 7/32", 1/4", 5/16", 3/8", SET TO INCLUDE

853 CHROME PLATED OR STAINLESS STEEL HOLDER, BITS TO BE HEAT TREATED CHROME NICKEL ALLOY STEEL OR

BLACK OXIDE SOUARE CUT AND CHAMFERED

STANLEY-PROTO INDUSTRIAL TOOLS

т4994

TLSJJ

Item Description: SHELL, CUTTER 3/4"

200 MUELLER

507577

*Current Date Water and Wastewater Master Material Catalog Page: 326 of: 357

PUD-TOOLS

TLSLL

Item Description: BIT, DRILL AND TAP REGULAR 1" B-100 MACHINE

450 MUELLER

680528

TLSNN

Item Description: BIT, DRILL REGULAR 1-7/8" FOR D-4 OR D-5 MACHINE

250 **MUELLER**

33540

TLSPP

Item Description: CUTTER, SHELL, 7/8", PVC, FOR E4, E5 AMD PL-2 DRILL MACHINES

640 MUELLER

681920

Item Description: CUTTER, SHELL, 1 1/2", PVC, FOR E4 & E5 MACHINES

660 **MUELLER**

528087

TLSQQ

Item Description: ADAPTER NIPPLE (LONG), 3/4", FOR COMPRESSION OR COPPER THREAD OUTLETS, MUELLER PL-2 MACHINE.

426 **MUELLER**

507632

Item Description: ADAPTER NIPPLE, 1" - FOR COMPRESSION OR COPPER THREAD OUTLETS. MUELLER PL-2 MACHINE.

500 MUELLER

507633

*Current Date

Water and Wastewater Master Material Catalog Page: 327 of: 357

PUD-TOOLS

TLSQQ

Item Description: BORING BAR FOR PL2 MACHINE

600 **MUELLER**

507141

Item Description: BORING BAR THREADED FOR PL2 MACHINE.

700 **MUELLER**

509314

Item Description: HOLDER, SHELL CUTTER, PVC, 1 1/2", 2" MACHINE

725 MUELLER

40438

Item Description: INACTIVE ONCE DEPLETED - PIN, BORING BAR FOR PL2 MACHINE

800 MUELLER

507143

TLSRR

Item Description: CUTTER SHELL 11/16" FOR PL2 MACHINE

000 **MUELLER**

681919

Item Description: INACTIVE: SAME AS TLSPP640: CUTTER SHELL, 7/8" FOR E4, E5 OR PL-2 MACHINE

005 **MUELLER**

681920

Item Description: MACHINE, DRILLING PL-2, MUELLER MODEL #1 COMPLETE, LESS ADAPTER, DRILL BITS AND RATCHET HANDLE

010 **MUELLER**

MUE39502

*Current Date

Water and Wastewater Master Material Catalog Page: 328 of: 357

PUD-TOOLS

TLSRR

Item Description: GASKET, ADAPTER NIPPLE 3/4", FOR MUELLER PL - 2 MACHINE

050 MUELLER

69549

Item Description: GASKET ADAPTER NIPPLE 1" FOR MUELLER PL - 2 MACHINE

060 MUELLER

H10895

TLSUU

Item Description: RATCHET ARM, 5/8" SQUARE, LOWELL SERIES 10, HANDLE #15, W/ 5/8" GEAR SIZE, CAST MALLEABLE

500 IRON, REVERSING LEVER IN THE HEAD, GEARS ARE ENCLOSED AND REPLACEABLE, "BOLT THRU" GEARS.

FORD LOWELL CORPORATION

DMRW 15901-92610

Item Description: ADAPTER, CORPORATION STOP, 3/4", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.

602 ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**

FORD

DMA2-3

Item Description: YOKE (DMY) FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

603 FORD

DMY

Item Description: YOKE BOLTS FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

604 1 EACH = PAIR (2 BOLTS)

FORD

DMYB

JEA MAR-13-24 02:15:04 XXJINVWCATL

*Current Date

Water and Wastewater Master Material Catalog Page: 329 of: 357

PUD-TOOLS

TLSUU

Item Description: PLUG - 3/4" IRON PIPE THREAD FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

605 FORD

DMP-3

Item Description: PACKING BUSHING FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

606 FORD

DMPB

Item Description: BORING BAR PACKING (2) FOR FORD MODEL 77 DRILL- ING MACHINE. **NO SUB**

607

FORD

DMBBP

Item Description: ADAPTER, CORPORATION STOP, 1", FLARE COPPER ADAPTER FOR FORD MODEL 77 DRILL- ING MACHINE.

617 ADAPTER TO COME COMPLETE WITH GASKETS. **NO SUB**

FORD

DMA 2-4

Item Description: ADAPTER, 1-1/2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.

636

FORD

DMA2-6

Item Description: ADAPTER, 2" - COPPER FLARE ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH GASKETS.

643

FORD

DMA2-7

Item Description: ADAPTER, 2" - MUELLER CORPORATION COCK ADAPTER FOR FORD MODEL 77 DRILLING MACHINE, WITH

661 GASKETS.

FORD

DMA1-7

*Current Date Water and Wastewater Master Material Catalog Page: 330 of: 357

PUD-TOOLS

TLSUU

Item Description: ARBOR, DRILLING MACHINE - ARBOR TO COME COMPLETE WITH PILOT DRILL AND HOLE SAW SPACER. USED ON

709 FORD MODEL 77 DRILLING MACHINE.

FORD

DMA-67

Item Description: DRILL, 1-3/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 1-

903 1/2" CORP STOPS ON DUCTILE/ CAST IRON PIPE.

FORD

DMSC-6-DI

Item Description: DRILL, 1-7/8" - HIGH GRADE DRILL BIT FOR USE WITH FORD MODEL 77 DRILLING MACHINE. USED WITH 2"

926 CORP STOPS ON DUCTILE/CAST IRON PIPE.

FORD

DMSC-7-DI

TLSVV

Item Description: DRILL, 11/16" - DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 3/4" CORP STOPS.

001 **FORD**

200760

DMD-3

Item Description: DRILL, 7/8" - DRILL FOR FORD MODEL 77 DRILLING MACHINE. USED ON 1" CORP STOPS

029

FORD

DMD-4A

Item Description: BORING BAR - FOR 11/16" DRILLS AND SHELL CUTTERS, (3/4" CORP STOPS) FORD MODEL 77 DRILLING

033 MACHINE,

FORD

DMBB-3

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 331 of: 357

PUD-TOOLS

TLSVV

Item Description: BORING BAR - FOR 7/8" DRILLS AND SHELL CUTTERS, (1" CORP STOPS) FORD MODEL NO. 77 DRILLING

037 MACHINE

FORD

DMBB-4A

Item Description: BORING BAR - FOR 1-1/2" AND 2" CORP. STOPS, FORD MODEL 77 DRILLING MACHINE.

041 FO

FORD

DMBB-67

Item Description: SHELL CUTTER, 11/16" - SHELL CUTTER FOR PVC, SHELL FOR FORD MODEL 77 DRILLING MACHINE (FITS

045 BORING BAR #DMBB-3)

FORD

DMSC-3

Item Description: SHELL CUTTER, 7/8" - SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE (FITS BORING BAR

052 #DMBB-4A)

FORD

DMSC-4A

Item Description: SHELL CUTTER, 1 3/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE

060 **FORD**

DMSC6PVC

Item Description: SHELL CUTTER, 1 7/8", SHELL CUTTER FOR PVC, FOR FORD MODEL 77 DRILLING MACHINE

065 **FORD**

DMSC7PVC

Item Description: HANDWHEEL AND FEEDSCREW, FOR FORD MODEL 77 DRILLING MACHINE

078 **FORD**

DMHF

*Current Date

Water and Wastewater Master Material Catalog Page: 332 of: 357

PUD-TOOLS

TLSVV

Item Description: GASKET, ADAPTER - 1-1/2", INSIDE GASKET FOR FORD ADAPTER #DMA2-6 (COPPER FLARE). FORD MODEL 77

DRILL MACHINE.

FORD

GT-143

Item Description: GASKET, ADAPTER - OUTSIDE, FORD MODEL 77 DRILLING MACHINE. FOR ALL SIZES OF CORPORATION STOPS.

194 **FORD**

FGT130

Item Description: BODY, REPLACEMENT PART, FOR THE FORD MODEL 77 DRILLING MACHINE

²⁰⁰ **FORD**

F(DMB)

TOOLS

TOLCE

Item Description: CORD, EXTENSION, 50', 3/C #14, 15 A, 125 VOLT, 1875 W

001 AMERICAN INCHES MED MED CORP.

2283 03356 3661

CAROL CABLE

TRIANGLE - PWC INC.

AMERICAN INSULATED WIRE CORP.

CT-264500

TOLCW

Item Description: WRENCH, COMBINATION, 1 1/16" OPEN AND 12 POINT BOXED-END, STANDARD LENGTH, CHROME PLATED

Ols armstrong tools craftman tools proto professional tools

25-234 44706 J1234ASD

SK HAND TOOL CORP. SNAP ON TOOLS WILLIAMS MACHINE & TOOL CO.

GENERAL

C34 OEX34 1171

*Current Date

Water and Wastewater Master Material Catalog Page: 333 of: 357

TOOLS

TOLGA

Item Description: CAN, GAS, METAL, YELLOW, 5 GAL

003

EAGLE MFG. CO.

U1-50-SY

TOLSH

Item Description: SHOVEL, SQUARE POINT, #2, 9-1/2" X 12", 47" HANDLE, (NO SUBSTITUTE) [SPQ 24 EA]

001 ACE AM LEONARD RAZORBACK

70024 VP-SPSX 44363

TOLUP

Item Description: TOOL, PROBE, FIBERGLASS UTILITY, 1/2" X 48" SHAFT, 5/8" X 3/4" TIP, 8 1/4" T-HANDLE

001 HISCO

#HIUP-48

..-----

TOLWR

Item Description: WRENCH, ONE HAND METER, CAPACITY FITTING 1/8 - 3/4, LENGTH - 11". USED FOR WATER METER

050 INSTALLATION AND REPAIR.

REED TOOLS

MW 3/4

Item Description: WRENCH, ONE HAND METER, ITEM CODE 02281, CAPACITY - FITTING 1 - 1 1/4 LENGHT - 16' WEIGHT - 3.1

055 LBS.

REED TOOLS

MW 1-1/4

Item Description: RATCHET WRENCH, COMBINATION, 9/16" X 3/4", HEAVY DUTY FORGED AND 12 POINTS BOXED END

212 MADI RAUCKMAN UTILITY PRODUCTS

RW2 BW-203HD

*Current Date

Water and Wastewater Master Material Catalog Page: 334 of: 357

VACUUM PUMPS

VACCO

Item Description: FLOVAC VALVE/CONTROLLER - VALVE 3' PISTON TYPE.

001 FLOVAC

2FLOFV0002

VACPE

Item Description: CONTROLLER, FLOVAC FOR VALVE 3", STANDARD

001 FLOVAC

3FLOFC0002

VACPI

Item Description: PISTON, VALVE, COMPLETE ASSEMBLED AND TESTED

001 FLOVAC

2FLOFV80020

VALVES

VALAR

Item Description: VALVE, AIR RELEASE 1", 250 PSI MIN, 1" NPT INLET SIZE, REINFORCED NYLON BODY CORROSION

100 RESISTANT POLYMER MATERIAL, OVERALL HEIGHT NOT TO EXCEED 5.5"

ARI INDUSTRIES INC.

D040P01

*Current Date

Water and Wastewater Master Material Catalog Page: 335 of: 357

PUD-VALVES

VLVAA

Item Description: VALVE, AIR RELEASE 1", 150 PSI MIN. PRESSURE, 1" NPT INLET SIZE, FOR USE ON POTABLE WATER

200 SYSTEM, CAST IRON BODY WITH STAINLESS STEEL INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT

APCO VALVE & PRIMER CORP. CRISPIN GOLDEN ANDERSON

200A PL10 912

Item Description: VALVE, AIR RELEASE, 2", 150 PSIG MINIMUM, 2" NPT INLET, FOR USE ON POTABLE WATER, DUCTLE IRON

210 BODY W/SS INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT

APCO VALVE & PRIMER CORP. CRISPIN GOLDEN ANDERSON

200A PL10 920

Item Description: VALVE, AIR & PRIMER, 1" INLET, POTABLE WATER APPLICATIONS, USED ON PUMP

237 APCO VALVE & PRIMER CORP. CRISPIN

200AP.1 VPL10

Item Description: VALVE, BALL, 1/4" STAINLESS 316 GRADE, FOR SEWER APPLICATIONS.

260 ORDER BY DESCRIPTION

ORD

Item Description: VALVE, BALL, 1" - BRONZE, FIP X FIP, QUARTER TURN, LEVER-TYPE HANDLE, FULL PORT OPENING: 150

SWP; 600 WOG, REINFORCED TFE SEAT; CHROME PLATED BALL; THREADED ENDS.

NIBCO

T585-80-LF

Item Description: VALVE, BALL, 2" STAINLESS 316 GRADE, FULL PORT, SEAL WELDED, FOR SEWER APPLICATIONS

262 ORDER BY DESCRIPTION

OBD

Item Description: VALVE, BALL, 1/2" STAINLESS 316 GRADE, FOR SEWER APPLICATIONS

263 ORDER BY DESCRIPTION

OBD

*Current Date Water and Wastewater Master Material Catalog Page: 336 of: 357

PUD-VALVES

VLVAA

Item Description: VALVE, BALL - PVC/CPVC, 3/4", TRUE UNION TYPE, VALVE TO BE FURNISHED WITH BOTH SOCKET AND

THREADED END CONNECTORS, EPDM O-RINGS, TEFLON SEATS, FULL PORT DESIGN, 150 PSI AT 73 DEGREES,

BI-DIRECTIONAL.

NIBCO

U45TBE U45TB-E

Item Description: VALVE, BALL, STAINLESS STEEL, 2"THREADED, BLOW-OUT-PROOF STEM DESIGN, ADJUSTABLE PACKING GLAND,

305 STAINLESS STEEL LEVER AND NUT CERTIFIED TO API 607, 4TH EDITION, CLASS 600

APOLLO VALVES WATTS

76-108-01 S8000-M3

Item Description: VALVE, BALL - PVC/CPVC, 2", TRU UNION TYPE, VALVE MUST COME WITH BOTH SOCKET & THREADED END

310 CONNECTORS, EPDM O-RINGS, TEFLON SEATS, FULL PORT DESIGN, 150 PSI AT 73 DEGREES, BI-

DIRECTIONAL. CHEMTROL TRU-UNION

Item Description: INACTIVE ONCE DEPLETED - VALVE, BUTTERFLY 20", CAST IRON BODY, , MECHANICAL JOINT, 2" OPERATING

530 NUT WITH BURIED SERVICE ACTUATOR. LOW TORQUE AND BUBBLE TIGHT SHUTOFF. W/ ACCESSORIES.

Item Description: VALVE, CHECK, 1-1/2", HORIZONTAL SWING, AWWA BRONZE, RENEWABLE SEAT, 125 WSP/200 WOG, Y-

860 PATTERN, THREADED, FOR POTABLE WATER SERVICE.

NIBCO STOCKHAM VALVES AND FITTINGS WATTS EDP

T-413-Y-LF B-345 CVY

*Current Date

Water and Wastewater Master Material Catalog Page: 337 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 3" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

112 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2503 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6102 4571 4067

MUELLER US PIPE

A2360, A2361 250

Item Description: VALVE, GATE 4" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

115 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2504 D100 SERIES 45

 CLOW
 KENNEDY VALVE
 M&H

 F-6100
 4571
 4067

MUELLER US PIPE A2360, A2361 250

Item Description: VALVE, GATE 6" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

120 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES

AMERICAN FLOW CONTROL AMERICAN RD AVK

2506 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6100 4571 4067

MUELLER US PIPE

A2360, A2361 250

*Current Date

Water and Wastewater Master Material Catalog Page: 338 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 8" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-

140 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2508 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6100 4571 4067

MUELLERA2360, A2361
250

Item Description: VALVE, GATE 10" - CAST IRON, MECHANICAL JOINT, BRONZE MOUNTED, OPEN LEFT, RESILIENT SEAT, NON-

150 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2510 D100 SERIES 45

 CLOW
 KENNEDY VALVE
 M&H

 F-6100
 4571
 4067

MUELLER US PIPE A2360, A2361 250

Item Description: VALVE, GATE 12" - CAST IRON, MECHANICAL JOINT, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-

160 RISING STEM, OPERATING NUT, WITHOUT ACCESSORIES.

AMERICAN FLOW CONTROL AMERICAN RD AVK

2512 D100 SERIES 45

CLOW KENNEDY VALVE M&H F-6100 4571 4067

MUELLER US PIPE

A2360, A2361 250

*Current Date

Water and Wastewater Master Material Catalog Page: 339 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 14", CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MJ, NON-RISING STEM, W/O

167 ACCESSORIES, OPEN LEFT, MODEL # F6100, (AS PER APPROVED GATE VALVE LISTING)

AFC KENNEDY VALVE M & H

2514 950-X 4067

U.S. PIPE

5860

Item Description: VALVE, GATE 16" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MECHANICAL JOINT, NON-RISING

170 STEM, W/ACCESSORIES (AS PER APPROVED GATE VALVE LISTING) OPEN LEFT

AFC M & H / CLOW

2516 F6100 / 4067-01

Item Description: VALVE, GATE 20" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MECHANICAL JOINT, NON-RISING

180 STEM, OPEN LEFT W/O ACCESSORIES. APPROVED VALVES ONLY

AFC M&H

2520 4067-01

Item Description: VALVE, GATE 24" - CAST IRON BODY, BRONZE MOUNTED, RESILIENT SEAT, MJ, NON-RISING STEM, W/O

184 ACCESSORIES, OPEN LEFT. (AS PER APPROVED GATE VALVE LISTING)

AMERICAN FLOW CONTROL M & H M&H

2524 4067-01 4067-01

U.S. PIPE

5460

Item Description: INACTIVE - VALVE, GATE, BRONZE - 1/2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

220 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

IB646 T-133 B130

IB638 T-136 B131

*Current Date Water and Wastewater Master Material Catalog Page: 340 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE, BRONZE - 3/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.

VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,

MILWAUKEE OR EOUAL.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

IB646 T-133-LF 3/4" B131 IB638 T-136 B130

Item Description: VALVE, GATE, NO LEAD BRONZE - 1", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING

240 STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

NIBCO

T-113-LF 1"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/4", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

250 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFACATIONS.

NIBCO

T-113-LF 1-1/4"

Item Description: VALVE, GATE, NO LEAD BRONZE - 1-1/2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-

260 RISING STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS.

NIBCO

T-113-LF 1-1/2"

Item Description: VALVE, GATE, NO LEAD BRONZE - 2", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING

270 STEM. VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS

NIBCO

T-113-LF 2"

*Current Date

Water and Wastewater Master Material Catalog Page: 341 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE, BRONZE - 3", FIP, 150 PSI CLASS, HANDWHEEL OPERATED, OPEN LEFT, NON-RISING STEM.

VALVES MUST BE SUPPLIED PER APPROVED VALVE LIST & SPECIFICATIONS STOCKHAM, NIBCO, HAMMOND,

MILWAUKEE OR EQUAL.

HAMMOND NIBCO STOCKHAM VALVES AND FITTINGS

 IB638
 T-133- LF 3"
 B131

 IB646
 T-136
 B130

Item Description: VALVE, GATE, 4", CAST IRON, FLANGED, NON-RISING STEM, HANDWHEEL, 8-HOLE, RESILENT WEDGE ONLY,

293 OPEN LEFT, APPROVED GATE VALVES ONLY, AMERICAN AFC, M & H.

MATCO-NORCA INC.

10RW

Item Description: VALVE, GATE 3" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

300 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2503 3-F6102 3-4067-02

MUELLER

3-A2360-6

Item Description: VALVE, GATE 4" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

305 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2504 4-F6102 4-4067-02

MUELLER

4-A2360-6

*Current Date

Water and Wastewater Master Material Catalog Page: 342 of: 357

PUD-VALVES

VLVBB

Item Description: VALVE, GATE 6" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

310 STEM, OPERATING NUT.

AFC CLOW M & H

2506 6-F6102 6-4067-02

MUELLER 6-A2360-6

Item Description: VALVE, GATE 8" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

315 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2508 8-F6102 8-4067-02

MUELLER 8-A2360-6

Item Description: VALVE, GATE 10" - CAST IRON, FLANGED, OPEN LEFT, BRONZE MOUNTED, RESILIENT SEAT, NON-RISING

320 STEM, OPERATING NUT.

AMERICAN FLOW CONTROL CLOW M & H

2510 10-F6102 10-4067-02

MUELLER

10-A2360-6

VLVBW

Item Description: INACTIVE ONCE DEPLETED - VALVE, BACKWATER, 4", PVC SCH 40, VALVE TO COME COMPLETE W/ THREADED

002 ACCESS COVER FOR INSPECTION AND CLEANING OF DRAIN LINE, FLAPPER AND COVER MUST HAVE ELASTOMERIC

GASKET. NSF APPROVED ** NO SUBTITUTES **

PLUM BEST

BO4-400

*Current Date Water and Wastewater Master Material Catalog Page: 343 of: 357

PUD-VALVES

VLVCC

Item Description: VALVE, AIR RELEASE 2", 150 PSI MIN., 2" NPT INLET SIZE, FOR SEWER SYSTEMS, STAINLESS STEEL BODY

700 W/ CORROSION- RESISTANT POLYMER MATERIALS OR SS INTERNAL MOVING PARTS, INCLUDING TRIM & FLOAT,

AND WAY OUT FEATURE

ARI H-TEC USA VENT-O-MAT

D-025ST Series 989 Series RGX II

Item Description: VALVE, AIR RELEASE 2", 150 PSI MIN. 2" NPT INLET SIZE FOR SEWER SYSTEMS, SS LONG BODY WITH

705 CORRISION RESISTANT POLYMER MATERIAL OR SS INTERNAL MOVING PARTS, INCLUDING TRIM AND FLOAT AND

WAY OUT FEATURE.

ARI H-TEC USA VENT-TECH

D-026SST02 Series 986 Model SDG-Series C

Item Description: CAMLOCK, FOR ARV CLAMPING ASSEMBLY

710 ARI INDUSTRIES INC.

0247-47112BP-M

Item Description: VALVE, AIR RELEASE, H-TEC 986 SS 3" FLANGED WITH REIGN PORTS

711 ARI H-TEC USA

D-26 STST 8889860801RR

Item Description: VALVE, AIR RELEASE, H-TEC 986 SS 4" FLANGED WITH REIGN PORTS.

712 ARI H-TEC USA

D-26 STST 8889861001RR

Item Description: SEAL PLUG ASSEMBLY FOR ARV CLAMPING ASSEMBLY

720 ARI INDUSTRIES INC.

0447-5402-LP

Item Description: FLOAT UPPER, FOR ARV CLAMPING ASSEMBLY

725 ARI INDUSTRIES INC.

0247-2602PP

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 344 of: 357

PUD-VALVES

VLVCC

Item Description: CLAMPING STEM, FOR ARV CLAMPLING ASSEMBLY

730 ARI INDUSTRIES INC. 0245-1802-PL-NSF

Item Description: BODY, NYLON UPPER, FOR ARV CLAMPING ASSEMBLY

735 ARI INDUSTRIES INC.

0245-0002NMN5

Item Description: NUT, DOME, FLOAT ASSEMBLY FOR ARV CLAMPING ASSEMBLY

740 ARI INDUSTRIES INC. 0447-26-PN16-SH-DN

Item Description: O-RING UPPER, FOR ARV CLAMPING ASSEMBLY

745 **ARI INDUSTRIES INC.** 0310-562-235-NSF

Item Description: VALVE BALL, TAP FOR ARV CLAMPING ASSEMBLY

750 **ARI INDUSTRIES INC.** 0310-7350BP-F/M-N316

Item Description: STOPPER FLAOT ASSEMBLY FOR ARV CLAMPING ASSEMBLY

755 **ARI INDUSTRIES INC.** 0447-26-PN16-SH-S

Item Description: SPRING SS, FLOAT ASSEMBLY, FOR ARV CLAMPING ASSEMBLY

760 **ARI** 0447-26-PN16-SH-SSS

*Current Date Water and Wastewater Master Material Catalog Page: 345 of: 357

PUD-VALVES

VLVCC

Item Description: SPRING, WASHER UNDER, FLOAT ASSEMBLY FOR ARV CLAMPING ASSEMBLY

765

ARI

0447-26-PN16-SH-W

Item Description: STEM, FOR ARV CLAMPING ASSEMBLY

770 **ARI**

0447-26-PN16-SH-STEM

Item Description: BODY, REINFORCED NYLON, FOR ARV CLAMPING ASSEMBLY

775 **ARI**

0247-0002-SH-PL

Item Description: CLAMPING ASSEMBLY, FOR ARV CLAMPING ASSEMBLY

780 **ARI**

0447-PPN5-SH-KIT

Item Description: O-RING, LOWER, FOR ARV CLAMPING ASSEMBLY

⁷⁸⁵ **ARI**

0310-56208X6

Item Description: FLOAT, LOWER, FOR ARV CLAMPING ASSEMBLY

790 **ARI**

0447-26-PN16-SH-FLOAT

Item Description: WASHER UNDER FLOAT FOR ARV CLAMPING ASSEMBLY

⁷⁹⁵ **ARI**

0247-3326S6-SH

*Current Date

Water and Wastewater Master Material Catalog Page: 346 of: 357

PUD-VALVES

VLVCC

Item Description: BASE, 2" THREADED

800

ARI

0247-2802NT-SH-PL

VLVCP

Item Description: CAP, 6" DEBRIS, BLUE WITH LOCKING DEVICE

100 INFRA TECH GROUP

SDC456BLLD4

VLVDD

Item Description: NO LEAD VALVE, CURB STOP, 1" PVC COMPRESSION TO FIP, BALL VALVE, FULL PORT, WITH PAD LOCK

001 WINGS.

FORD METER BOX COMPANY

B71-444W-NL

Item Description: NO LEAD VALVE, CURB STOP, 3/4" PVC COMPRESSION TO FIP, BALL VALVE, FULL PORT, WITH PAD LOCK

002 WINGS.

FORD METER BOX COMPANY

B71-333W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1" PE COMP X FIP BALL CURB LW.

007 A.Y. MCDONALD FORD MUELLER

76102W-33 1 B61-444W-NL B25196N

Item Description: NO LEAD VALVE, CORP STOP, 1", CC THREAD X FIP THREAD. INVERTED KEY (GROUND KEY) OR BALL TYPE.

009 A.Y. MCDONALD FORD MUELLER

73148B 1 F1600-4-NL B-20045N

4113-145 H-10045N

73148 1

*Current Date

Water and Wastewater Master Material Catalog Page: 347 of: 357

PUD-VALVES

VLVDD

Item Description: NO LEAD VALVE, CORP STOP 2" INLET: COPPER TO COPPER THREAD; OUTLET: FIP THREADS

012 A.Y. MCDONALD FORD

73148B 2 FB16007

FB1600-7

Item Description: LF BRASS 1" CTS X CTS PJ BALL CURBSTOP VALVE

020 CAMBRIDGE BRASS FORD MCDONALD

OBD B44-444W-NL OBD

Item Description: LF BRASS 3/4 CTS X CTS PJ BALL CURBSTOP VALVE

O21 CAMBRIDGE BRASS FORD MCDONALD

OBD B44-333W-NL OBD

Item Description: 3/4" COLLAR NUT & GSKT ASSY (CTS)

022 CAMBRIDGE BRASS FORD MCDONALD

OBD NGD4 OBD

Item Description: 1" COLLAR NUT & GSKT ASSY (CTS)

023 CAMBRIDGE BRASS FORD MCDONALD

OBD NGF4 OBD

Item Description: 1" CORP COLLAR NUT & GSKT ASSY (CTS)

O24 CAMBRIDGE BRASS FORD MCDONALD

OBD NGFF4 OBD

Item Description: 1-1/2 COLLAR NUT & GSKT ASSY (CTS)

025 CAMBRIDGE BRASS FORD MCDONALD

OBD NGJ4 OBD

*Current Date

Water and Wastewater Master Material Catalog Page: 348 of: 357

PUD-VALVES

VLVDD

Item Description: 2"COLLAR NUT & GSKT ASSY (CTS)

026 CAMBRIDGE BRASS

FORD MCDONALD

OBD NGK4 OBD

Item Description: NO LEAD VALVE, CORP STOP, 1" MIP INLET: 1" COMPRESSION FOR POLYBUTYLENE TUBING OUTLET (P/N F

115 1100-4)

A.Y. MCDONALD FORD

74704-22 1 F1100-4-NL

Item Description: NO LEAD VALVE, CORP STOP, 1-1/2", INLET: AWWA COPPER TO COPPER THREAD, OUTLET: COMPRESSION OR

120 PACK JOINT.

A.Y. MCDONALD FORD

74701B-22FT 1-1/2 FB1000-6-NL

Item Description: NO LEAD VALVE, CORP STOP, 1-1/2", BALL TYPE, INLET TO BE MALE IRON PIPE THREAD, OUTLET TO BE

127 COMPRESSION FOR 250 PSI POLYBUTYLENE.

A.Y. MCDONALD FORD

74704B-22FT 1-1/2 FB-1100-6-NL

Item Description: INACTIVE - NO LEAD VALVE, STOP CORP 1-1/2" X 2", INLET: COPPER TO COPPER THREAD, OUTLET:

130 COPPER, NO GASKET REQUIRED, W/STRAIGHT COUPLING NUT.

FORD MUELLER

FB600-67 H-15000

FB-600

*Current Date

Water and Wastewater Master Material Catalog Page: 349 of: 357

PUD-VALVES

VLVDD

Item Description: NO LEAD VALVE, CORP STOP, 2", INLET: COPPER TO COPPER THREAD, OUTLET: COMPRESSION (OR PACK

140 JOINT)

A.Y. MCDONALD FORD MCDONALD

74701B-22FT 2 FB1000-7-NL 4701B-22FT

MUELLER H-25028N

Item Description: BALL TYPE, INLET TO BE MALE IRON PIPE THREAD, OUTLET TO BE COMPRESSION FOR 250 PSI

147 POLYBUTYLENE.

A.Y. MCDONALD FORD

74704B-22FT 2 FB1100-7-NL

Item Description: NO LEAD VALVE, CORP STOP, 3/4", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE COMPRESSION

160 CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

A.Y. MCDONALD FORD MUELLER

74701-22 3/4 F1000-3-NL 15008N

Item Description: NO LEAD BRASS VALVE, CORP STOP 1", INLET: COPPER TO COPPER THREAD; OUTLET: CONDUCTIVE

170 COMPRESSION CONNECTION FOR TYPE "K" COPPER SERVICE PIPE OR PLASTIC PIPE HAVING SAME O.D.

A.Y. MCDONALD FORD

74701-22 1 F1000-4-NL

Item Description: NO LEAD VALVE, CORP STOP 1-1/2", OUTLET; INCREASING I.P. THREAD, INLET: AWWA CC THREAD, NO

200 COUPLING, (OLD STYLE)

A.Y. MCDONALD FORD MUELLER

73121B 1½" FB800-6-NL B-20003N

73121B 1-1/2

*Current Date

Water and Wastewater Master Material Catalog Page: 350 of: 357

PUD-VALVES

VLVDD

Item Description: NO LEAD BRASS VALVE, CORP STOP, 2" X 2-1/2", INLET: COPPER TO COPPER, OUTLET: INCREASING IRON

210 PIPE THREAD.

A.Y. MCDONALD FORD MUELLER

73121B 2 FB800-7-NL H-10003N

73121

Item Description: NO LEAD VALVE, CURB STOP, COPPER TO COPPER - 3/4", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE,

300 INLET: COPPER, OUTLET: FEMALE IRON PIPE THREAD

A.Y. MCDONALD FORD MUELLER

74711 3/4" ZVC-1W-NL H-15166N

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 3/4", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK

304 WING, COMPRESSION (OR PACK JOINT)

A.Y. MCDONALD FORD

76102W-22 3/4 B41-333W-NL

Item Description: NO LEAD VALVE STOP CURB COPPER TO COPPER 1", INVERTED KEY ROUNDWAY WITH CHECK LOCK TYPE, INLET:

310 COPPER, OUTLET: FEMALE IRON PIPE THREAD

A.Y. MCDONALD FORD

74711 1 ZVC-3W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP - 1", BALL TYPE, FULL PORT ROUNDWAY, WITH LOCK

314 WING, COMPRESSION (OR PACK JOINT)

A.Y. MCDONALD FORD

76102W-22 1 B41-444W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, BALL, CURB STOP, 1-1/2", BALL TYPE FEMALE IRON PIPE X COMPRESSION (OR

320 PACK JOINT), FULL PORT ONLY, PADLOCK WINGS.

A.Y. MCDONALD FORD

76102W-22 1-1/2 B41-666W-NL

*Current Date

Water and Wastewater Master Material Catalog Page: 351 of: 357

PUD-VALVES

VLVDD

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 3/4", BALL TYPE, FIP X FIP, WITH LOCK WING, FULL PORT

404 ONLY,

A.Y. MCDONALD FORD

76101W 3/4 B11-333W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1", BALL TYPE ,FIP X FIP, WITH LOCK WING, FULL PORT ONLY,

414 A.Y. MCDONALD FORD

76101W 1 B11-444W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 1-1/2", BALL TYPE, FEMALE IRON PIPE ON BOTH ENDS, FULL PORT,

420 TO BE SUPPLIED WITH PADLOCK WINGS.

A.Y. MCDONALD FORD

76101W 1-1/2 B11-666W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", FIP X FIP, BALL VALVE, FULL PORT, TO BE SUPPLIED WITH

500 PADLOCK WINGS

A.Y. MCDONALD FORD

76101W 2 B11-777W-NL

Item Description: NO LEAD CONSTRUCTED VALVE, CURB STOP, 2", COMPRESSION X FIP, BALL VALVE, FULL PORT, TO BE

SUPPLIED WITH PADLOCK WINGS.

A.Y. MCDONALD FORD

76102W-22 2 B41-777W-NL

Item Description: VALVE, CURB STOP, 1" RECLAIM WATER

580 A.Y. MCDONALD FORD

76102W-22RWC 1 3710BRW4144W

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 352 of: 357

PUD-VALVES

VLVEE

Item Description: VALVE, TAPPING 4", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

110 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 6", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

120 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 8", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

130 WITHOUT ACCESSORIES AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 10", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

140 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

Item Description: VALVE, TAPPING 12", RESILIENT SEATED, PILOT FLANGE X MECHANICAL JOINT, NON-RISING STEM, OPEN LEFT,

150 WITHOUT ACCESSORIES. AS PER JEA SPECIFICATIONS ONLY. ONLY APPROVED VALVES WILL BE ACCEPTED.

*Current Date

Water and Wastewater Master Material Catalog Page: 353 of: 357

PUD-VALVES

VLVFF

Item Description: BOX, VALVE - PLATE W-17, ADJUSTABLE ROADWAY. ** 2 PIECE HEAVY DUTY VALVE BOX ONLY, SHIP

000 ASSEMBLED AND PALLETIZED. STACK NO MORE THAN 2 HIGH ON PALLET. LIDS OR COVERS ARE ORDERED AND

SHIPPED AS SEPERATE LINE ITEMS.

 EAST JORDON IRON WORKS
 OPELIKA FOUNRDY
 RUSSCO

 85501922
 4905 (SIZE 18) (HD)
 VB2612X

 SIGMA
 STAR PIPE PRODUCTS
 TYLER PIPE

 VB2612X
 VB461S
 461-SH (HD)

Item Description: BOX, VALVE JACKET RISER, 5-1/4" X 3". HEAVY DUTY

010 SIGMA STAR PIPE PRODUCTS

VB-2603 VBR-3

VLVGG

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "SEWER". DETAIL PLATE #S-31. **

845 BOX COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

OPELIKA FOUNDRY RUSSCO STAR PIPE PRODUCTS

4905(18) (HD) VB 26005 (HD) VB 461 SHD

TYLER PIPE U.S. FOUNDRY461-SH (HD)
7500 (HD)

Item Description: COVER, VALVE BOX, HEAVY DUTY ADJUSTABLE - COVER TO BE MARKED "WATER". DETAIL PLATE #W-16. **

850 COVER ONLY. COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.

EAST JORDON IRON WORKS OPELIKA FOUNRDY SIGMA
6800 4905 (HD) VB2600

STAR PIPE PRODUCTSTYLER PIPEU.S. FOUNDRYVBLIDHD461-SH (HD)7500 (HD)

*Current Date

Water and Wastewater Master Material Catalog Page: 354 of: 357

PUD-VALVES

VLVGG

Item Description: COVER, VALVE BOX, HEAVY DUTY/DOMESTIC- APPROX-12LB COVER TO BE MARKED "REUSE" **** BOX COVER

855 ONLY. DETAIL PLATE #W-16 . **COVERS ARE TO BE SHIPPED SEPERATELY FROM BOXES.****

TYLER PIPE

458975

Item Description: VALVE, 2" RECLAIM BALL, WITH LOCKING

860 A.Y. MCDONALD

FORD

76102W-22RWC 2 3720BRW41777W

Item Description: INACTIVE - DEBRIS CAP, ADJUSTABLE VALVE BOX - CAP TO BE COLOR CODED BLUE (FOR WATER USE), CAP

877 TO COME COMPLETE WITH LOCKING ADAPTER FOR STANDARD PADLOCK. --

S. W. SERVICES

DC500

*Current Date

Water and Wastewater Master Material Catalog Page: 355 of: 357

WASHERS

WASFG

Item Description: WASHER, 3/4", FLAT ROUND, 316 SS ** STD. PKG. 100 EACH **

650

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: WELLPOINTS, SELF JETTING, TOP THREADED FOR 1-1/2" STANDARD PIPE, 2.60 O.D., REMOVABLE PVC

Olo SCREEN, HEAVY DUTY STEEL INFLOW PIPE WITH SUCTION HOLES AT THE BOTTOM, ANGULAR CAST JET HEAD

WITH HEAVY CUTTING TEETH AND A SINGLE BALL VALVE. ** MUS

Item Description: ELBOW, HOSE - 90 DEGREE WELLPOINT (SWING JOINT) PLASTIC ELBOW, ELBOW COMES WITH THREE O-RINGS,

020 ONE END TO BE MALE HOSE SLIP-ON.OTHER END TO BE O-RING CONNECTOR **ITEM MUST BE COMPATIBLE WITH

COMPLETE WELLPOINT SYSTEMS** ** NO SUBSTITUTE **

Item Description: INACTIVE - CLAMP, HEADER, WELLPOINT, 4", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART

050 #128 OD CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

Item Description: CLAMP, HEADER, WELLPOINT, 6", QUICK DISCONNECT STAINLESS STEEL SCREW CLAMP. PART #56128 QD

060 CLAMP **ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS*

MAR-13-24 02:15:04

*Current Date

*XXJINVWCATL

Water and Wastewater Master Material Catalog Page: 356 of: 357

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: INACTIVE - SLEEVE RUBBER 6" WELLPOINT HEADER ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT

090 SYSTEMS **

Item Description: HOSE, WATER/AIR, 1"(125.4 MM), WITH BRASS MALE/FEMALE HOSE CONNECTORS ON EACH END, 200 PSI

120 PRESSURE MINIMUM, GOODYEAR "HORIZON" HOSE OR EQUAL. HOSE TO BE IN 100 FT LENGTHS ONLY. ** ITEM

MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS *

Item Description: ADAPTER, HOSE - MALE, 1 1/2". ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS **

125

Item Description: O'RING, WELLPOINT 2-1/8" I.D. PART #315 (FOR SWING JOINT ELBOWS) ** ITEM MUST BE COMPATIBLE

140 WITH COMPLETE WELLPOINT SYSTEMS **

Item Description: PIPE, PVC, 4", WELLPOINT HEADER PIPE, SCH40 PIPE, 20 FT LENGTHS, COMPLETE WITH SPECIAL RED

RUBBER INSERTS, HOLED ON 3 FT CENTERS (7 INSERTS). HOLLAND PUMP MANUFACTURING ***** NO

SUBSTITUTE ****

*Current Date

Water and Wastewater Master Material Catalog Page: 357 of: 357

PUD-WELLPOINT MATERIAL

WPTAA

Item Description: PIPE, PVC, 6", WELLPOINT HEADER, TYPE SCH40 PVC PIPE, 20 FT LENGTHS, PIPE MUST HAVE 2" SADDLES

PER COMPLETE WELLPOINT SPECIFICATIONS. NOTE: MUST BE COMPLETE DEWATERING PUMPS AND WELL,

WELLPOINT SYSTEMS.

COMPLETE DEWATERING AND WELL

P/N

Item Description: JOINT, SWING, WELLPOINT COMPLETE ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT SYSTEMS**

180

210

Item Description: TOP, WELLPOINT (RISER TOPS), ALUMINUM, ONE PIECE, 1-1/2" FEMALE THREAD ON ONE END AND OTHER END

TO BE CUPPED AND BEVELED TO FIT WELLPOINT SWING JOINT -- TO BE COMPATIBLE AND INTERCHANGEABLE

WITH COMPLETE WELLPOINT SYSTEMS

Item Description: INSERT, HEADER PIPE - BLUE RUBBER, 1-1/2", FOR 4" HEADER, FOR USE WITH HOLLAND TAPER FIT SWING

JOINT ELBOW. HOLLAND PUMP MANUFACTURING **** NO SUBSTITUTE ****

Item Description: PLUG, HEADER PIPE - VACUUM HAT (PLUG) FOR HOLLAND PUMP RUBBER INSERTS, SOLID PLASTIC (NEW

377 STYLE). HOLLAND PUMP MFG ***NO SUBSTITUTE***

Item Description: PLUG, HEADER, WELLPOINT, 2" PART #315 ** ITEM MUST BE COMPATIBLE WITH COMPLETE WELLPOINT

440 SYSTEMS **

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
ABRPA	ABRASIVES	1
ABRSS	ABRASIVES	1
ACCMJ	PUD-MECHANICAL JOINT ACC.	1-3
ADCCL	ADHESIVES & COMPOUNDS	3-4
ADCMI	ADHESIVES & COMPOUNDS	4
ADCSE	ADHESIVES & COMPOUNDS	4
ATSER	AUTO TRANSFER SWITCH	4-5
BDMAA	PUD-BUILDING MATERIAL	5-7
BDMCC	PUD-BUILDING MATERIAL	7
BDMDD	PUD-BUILDING MATERIAL	7
BDMEE	PUD-BUILDING MATERIAL	8
BDMFF	PUD-BUILDING MATERIAL	8
BELAA	PUD-BELTS	9
BFPAA	PUD-BACKFLOW PREVENTERS	9-10
BOLEY	BOLTS	10
CDUNL	CONDUIT	10-11
CHLEE	PUD-CHLORINE PARTS/MATERIAL	11
CHLGG	PUD-CHLORINE PARTS/MATERIAL	11-12
CHMDE	CHEMICALS	12
CHNAA	PUD-CHAIN & ATTACHMENTS	12-13

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
CLPAA	PUD-CLAMPS	13-14
CLPBB	PUD-CLAMPS	14-17
CLPCC	PUD-CLAMPS	17-18
CLPDD	PUD-CLAMPS	19-20
CLPEE	PUD-CLAMPS	20-21
CLPFF	PUD-CLAMPS	22
CLPGG	PUD-CLAMPS	23-24
СЬРНН	PUD-CLAMPS	24-26
CLPJJ	PUD-CLAMPS	26
CLPKK	PUD-CLAMPS	27-28
CLPLL	PUD-CLAMPS	28-29
CLPMM	PUD-CLAMPS	29-36
CLPNN	PUD-CLAMPS	36-39
CLPPP	PUD-CLAMPS	39-41
CLPQQ	PUD-CLAMPS	41-45
CLPRR	PUD-CLAMPS	46
CLSBB	CLEANING SUPPLIES	46
CLSCC	CLEANING SUPPLIES	47
CLSEE	CLEANING SUPPLIES	47
CLSGG	CLEANING SUPPLIES	47

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
CLSHH	CLEANING SUPPLIES	48
CNNTL	CONNECTORS	48
CNNWC	CONNECTORS	48-49
ELEBT	ELECTRICAL PARTS, COMMON	49-50
ELMAB	ELECTRICAL COMPONENTS	51
ELMAE	ELECTRICAL COMPONENTS	51
ELMAF	ELECTRICAL COMPONENTS	51
ELMAG	ELECTRICAL COMPONENTS	52
ELMAK	ELECTRICAL COMPONENTS	52
ELMBA	ELECTRICAL COMPONENTS	52
ELMBB	ELECTRICAL COMPONENTS	52
ELMBC	ELECTRICAL COMPONENTS	53
ELMBE	ELECTRICAL COMPONENTS	53
ELMBG	ELECTRICAL COMPONENTS	53-54
ELMBJ	ELECTRICAL COMPONENTS	55-56
ELMBK	ELECTRICAL COMPONENTS	56
ELMCA	ELECTRICAL COMPONENTS	56
ELMCB	ELECTRICAL COMPONENTS	57
ELMCF	ELECTRICAL COMPONENTS	57-58
ELMCJ	ELECTRICAL COMPONENTS	58

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
ELMCK	ELECTRICAL COMPONENTS	58-59
ELMCL	ELECTRICAL COMPONENTS	59
ELMCM	ELECTRICAL COMPONENTS	59-60
ELMCN	ELECTRICAL COMPONENTS	60
ELMCP	ELECTRICAL COMPONENTS	61
FASAA	PUD-FASTENERS	61-62
FASBB	PUD-FASTENERS	62
FASCC	PUD-FASTENERS	63
FLTAA	PUD-FILTERS	64
FTGAA	PUD-FITTINGS	64-66
FTGAE	PUD-FITTINGS	66-70
FTGAJ	PUD-FITTINGS	70-72
FTGAL	PUD-FITTINGS	72-77
FTGAN	PUD-FITTINGS	77-79
FTGAP	PUD-FITTINGS	79
FTGAR	PUD-FITTINGS	79-80
FTGAT	PUD-FITTINGS	80-93
FTGAV	PUD-FITTINGS	93-94
FTGAZ	PUD-FITTINGS	94-95
FTGBB	PUD-FITTINGS	95

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
FTGBD	PUD-FITTINGS	96-97
FTGBF	PUD-FITTINGS	97-99
FTGBH	PUD-FITTINGS	99-102
FTGBK	PUD-FITTINGS	102-119
FTGBM	PUD-FITTINGS	120-124
FTGBQ	PUD-FITTINGS	124
FTGBR	PUD-FITTINGS	125-127
FTGBU	PUD-FITTINGS	128-129
FTGBW	PUD-FITTINGS	129
FTGBY	PUD-FITTINGS	129-132
FTGCA	PUD-FITTINGS	132-135
FTGCE	PUD-FITTINGS	135-138
FTGCF	PUD-FITTINGS	138
FTGCH	PUD-FITTINGS	138-140
FTGCL	PUD-FITTINGS	141-144
FTGCN	PUD-FITTINGS	144-151
FTGCP	PUD-FITTINGS	152
FTGCR	PUD-FITTINGS	153-155
FTGCT	PUD-FITTINGS	155-156
FTGCZ	PUD-FITTINGS	156-158

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
FTGDD	PUD-FITTINGS	158-159
FTGDF	PUD-FITTINGS	159-165
FTGDH	PUD-FITTINGS	166-169
FTGDK	PUD-FITTINGS	170-176
FTGDM	PUD-FITTINGS	176-177
FTGDQ	PUD-FITTINGS	178-180
FTGDU	PUD-FITTINGS	181-184
FTGDW	PUD-FITTINGS	184-185
FTGDY	PUD-FITTINGS	185-188
FTGEE	PUD-FITTINGS	188-195
FTGEG	PUD-FITTINGS	195-196
FTGIP	PUD-FITTINGS	196
FTGMJ	PUD-FITTINGS	196
FUSSU	FUSES	197
FUSUG	FUSES	197-198
GAGAA	PUD-GAUGES	198-199
GKTAA	PUD-GASKETS	198-200
HDWTW	HARDWARE	201
HSEAA	PUD-HOSE & FITTINGS	201
HSEBB	PUD-HOSE & FITTINGS	202-203

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
HSECC	PUD-HOSE & FITTINGS	204-205
HSEDD	PUD-HOSE & FITTINGS	205-206
HSEEE	PUD-HOSE & FITTINGS	206
нѕенн	PUD-HOSE & FITTINGS	206-207
HYDAA	PUD-FIRE HYDRANTS & PARTS	207-208
HYDBB	PUD-FIRE HYDRANTS & PARTS	208-209
HYDDD	PUD-FIRE HYDRANTS & PARTS	209
HYDEE	PUD-FIRE HYDRANTS & PARTS	209-212
HYDFF	PUD-FIRE HYDRANTS & PARTS	212-213
HYDGG	PUD-FIRE HYDRANTS & PARTS	214-215
HYDRF	PUD-FIRE HYDRANTS & PARTS	216
INCBB	PUD-INCINERATOR MATERIAL	216
INCDD	PUD-INCINERATOR MATERIAL	216
JANBG	JANITORIAL SUPPLIES	216-217
JANCT	JANITORIAL SUPPLIES	217
JANSO	JANITORIAL SUPPLIES	217
JANTI	JANITORIAL SUPPLIES	218
JANTO	JANITORIAL SUPPLIES	218
LABSE	LABORATORY SUPPLIES	218-219
LAMFL	LAMPS	218-219

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
LAMUV	LAMPS	219
LBRAA	PUD-LUBRICANTS	219
LBRCC	PUD-LUBRICANTS	220
LOCPA	LOCKS	221
LTGLN	LIGHTING & ACCESSORIES	221
LUBLU	LUBRICANTS	221
LUBOI	LUBRICANTS	221
METSE	METERS & ACCESSORIES	222
MHLAA	PUD-MANHOLE MATERIAL	222-227
MHLBA	PUD-MANHOLE MATERIAL	228
MHLDB	PUD-MANHOLE MATERIAL	228
MHLFB	PUD-MANHOLE MATERIAL	229
MHLSE	PUD-MANHOLE MATERIAL	230
MTEAA	PUD-METERS	231-240
MTEAC	PUD-METERS	240-242
MTEBB	PUD-METERS	242-244
MTEBC	PUD-METERS	244-246
MTECC	PUD-METERS	246-249
MTECD	PUD-METERS	249-250
MTEHV	PUD-METERS	250-256

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
MTEHX	PUD-METERS	256-257
NUTSA	NUTS	257
PMPAD	PUMPS	257-259
PMPAR	PUMPS	259
PMPBK	PUMPS	259
PMPCN	PUMPS	260
PMPHP	PUMPS	260
PMPSP	PUMPS	260-261
PMPSU	PUMPS	261
PMPTI	PUMPS	262
PNTAA	PUD-PAINT	262-264
PPEDU	PUD-PIPE & TUBING	264-265
PPEGV	PUD-PIPE & TUBING	266
PPEPV	PUD-PIPE & TUBING	266-270
PPERW	PUD-PIPE & TUBING	270-272
PPESC	PUD-PIPE & TUBING	272-273
PPESD	PUD-PIPE & TUBING	273
PPESH	PUD-PIPE & TUBING	273-274
PPESW	PUD-PIPE & TUBING	275-277
PPETU	PUD-PIPE & TUBING	277-278

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
PPEVY	PUD-PIPE & TUBING	278
PUMSP	PUMPS (2)	278
PUMSU	PUMPS (2)	278
RODCP	ROD, THREADED	279
RODTH	ROD, THREADED	279
SAFBC	SAFETY SUPPLIES	279-280
SAFBO	SAFETY SUPPLIES	279-280
SAFCC	SAFETY SUPPLIES	281
SAFEY	SAFETY SUPPLIES	281
SAFGL	SAFETY SUPPLIES	282
SAFRE	SAFETY SUPPLIES	282
SAFRW	SAFETY SUPPLIES	283-289
SAFTC	SAFETY SUPPLIES	289-291
SAFWC	SAFETY SUPPLIES	292
SFTCC	PUD-SAFETY SUPPLIES	292-297
SFTDD	PUD-SAFETY SUPPLIES	297-299
SFTEE	PUD-SAFETY SUPPLIES	299-300
SFTFL	PUD-SAFETY SUPPLIES	300
SFTGL	PUD-SAFETY SUPPLIES	300-301
STLLA	STREET LIGHT MATERIAL	302

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
TAPDU	TAPE	302-303
TAPMS	TAPE	302-303
TAPSE	TAPE	302-303
TIECA	TIES	303
TIESS	TIES	304
TLSAA	PUD-TOOLS	304-308
TLSBB	PUD-TOOLS	308-309
TLSCC	PUD-TOOLS	309-311
TLSCP	PUD-TOOLS	312
TLSDD	PUD-TOOLS	312-316
TLSEE	PUD-TOOLS	316-318
TLSFF	PUD-TOOLS	318-321
TLSGG	PUD-TOOLS	321-322
TLSHH	PUD-TOOLS	323-325
TLSJJ	PUD-TOOLS	325
TLSLL	PUD-TOOLS	326
TLSNN	PUD-TOOLS	326
TLSPP	PUD-TOOLS	326
TLSQQ	PUD-TOOLS	326-327
TLSRR	PUD-TOOLS	327-328

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
TLSUU	PUD-TOOLS	328-330
TLSVV	PUD-TOOLS	330-332
TOLCE	TOOLS	332
TOLCW	TOOLS	332
TOLGA	TOOLS	333
TOLSH	TOOLS	333
TOLUP	TOOLS	333
TOLWR	TOOLS	333
VACCO	VACUUM PUMPS	334
VACPE	VACUUM PUMPS	334
VACPI	VACUUM PUMPS	334
VALAR	VALVES	334
VLVAA	PUD-VALVES	335-336
VLVBB	PUD-VALVES	337-342
VLVBW	PUD-VALVES	342
VLVCC	PUD-VALVES	343-346
VLVCP	PUD-VALVES	346
VLVDD	PUD-VALVES	346-351
VLVEE	PUD-VALVES	352
VLVFF	PUD-VALVES	353

JEA
Water and Wastewater Master Material Catalog Index

Item	Description	Pages
VLVGG	PUD-VALVES	353-354
WASFG	WASHERS	354-355
WPTAA	PUD-WELLPOINT MATERIAL	354-357